

Table of Contents of

The Axiom of Determinacy

by

W. Hugh WOODIN, A. R. D. MATHIAS and Kai HAUSER

Chapter	Section	Paragraph	Page	Page	Page
I	Prerequisites from Set Theory		I.1		
	1	The ordinal Θ		I.1	
		<i>The ordinal Θ in $L(R)$</i>			I.2
	2	Stable ordinals		I.5	
		<i>H-safe ordinals</i>			I.5
	3	Vopěnka algebras		I.8	
		<i>Crude and fine definitions</i>			I.8
		<i>Genericity over HOD</i>			I.9
		<i>Definability relative to a given set of ordinals</i>			I.10
		<i>The two-dimensional case</i>			I.11
		<i>Higher finite dimensions</i>			I.12
		<i>Chain conditions</i>			I.13
		<i>Proof that inside $L(R)$ $\exists S : \subseteq \Theta$ $HOD = L[S]$</i>			I.14
		<i>The argument repeated</i>			I.16
	4	A diamond like object in $L(R)$			
		<i>H-gaps</i>			I.18
II	Prerequisites from Recursion Theory		II.1		
	1	The effective theory		II.1	
		<i>Universal sets</i>			II.3
	2	The recursion theorem for functions		II.7	
	3	pos $\Sigma_1^1(<_X)$ classes		II.8	
	4	Spector classes		II.9	
	5	Souslin sets: properties of projections of trees		II.14	
	6	∞ -Borel sets		II.16	
		<i>Differences between Souslin and ∞-Borel sets</i>			II.18
		<i>The Borel version of Vopěnka's analysis: the 1-dimensional case</i>			II.18
		<i>The 2-dimensional case</i>			II.19
III	Fundamental consequences of the Axiom of Determinacy		III.1		
	1	Gaming trees		III.1	
		<i>Open determinacy</i>			III.4
		<i>Comparison of plays in different models of the same open game</i>			III.6
		<i>The equivalence of three definitions of ∞-Borel set</i>			III.6
	2	Solovay's countably complete filters		III.9	
	3	The measurability of ω_1		III.11	
		<i>A second proof</i>			III.11
		<i>Solovay's first proof re-examined</i>			III.12
		<i>A third proof</i>			III.13
	4	The coding lemma		III.14	
		<i>A theorem of Kunen</i>			III.16

	5	The uniform coding lemma	III.17	
	6	Admissible coding and a digression on the strong partition property	III.18	
		<i>Coding functions</i>		III.18
		<i>Admissible codings</i>		III.19
		<i>Strong partition cardinals</i>		III.19
	7	The existence of definable strategies	III.21	
		<i>Diagram</i>		III.23
		<i>Diagram</i>		III.24
		<i>Points</i>		III.25
		<i>Diagram</i>		III.26
	8	Proof of the principle <i>Slide</i>	III.27	
		<i>Action</i>		III.28
		<i>Higher dimensional Borel algebras</i>		III.29
		<i>The diagram returns</i>		III.30
IVa		Woodin cardinals; statement of the principal results of the book	IV.1	
	1	Woodin cardinals and strong embeddings	IV.1	
	2	Extenders	IV.2	
	3	Results of the book	IV.4	
	4	Self-improvement of the definition of Woodin	IV.5	
	5	Proof that if E is an extender, $E \notin \text{Ult}(V, E)$	IV.6	
	6	Application of an extender to another model	IV.7	
		<i>Some exercises on extenders</i>		IV.8
V		Getting one Woodin cardinal from AD	V.1	
	1	The filter \mathfrak{F}	V.2	
	2	The ultrafilter \mathfrak{U}	V.4	
	3	How normality leads to strength	V.6	
	4	A non-monotonic Coding Lemma	V.7	
	5	The normality of \mathfrak{F}	V.9	
	6	The normality of \mathfrak{U}	V.13	
VI		Getting one Woodin cardinal from Δ_2^1 determinacy	VI.1	
	1	Schemes of games and pre-strategies	VI.1	
		<i>The game $\mathcal{G}(\mathcal{I}, \mathcal{S})$</i>		VI.2
		<i>The I-S-p game</i>		VI.3
		<i>Residual truth</i>		VI.4
	2	The S -game	VI.6	
		<i>Definition of the S-game</i>		VI.6
	3	Bootstrapping Determinacy	VI.7	
	4	Reduction of OD games to Σ_2^1 ones	VI.8	
	5	Good pre-strategies	VI.9	
	6	Interlude: stability of theories	VI.11	
	7	The grand plan and the settings	VI.12	
		<i>Some general remarks</i>		VI.12
		<i>The setting for Case I</i>		VI.12
		<i>The setting for Case IV</i>		VI.13
		<i>Some terminology</i>		VI.13
	8	The Simple Basis Theorem and the Coding Lemmata	VI.14	
		<i>An application</i>		VI.15
		<i>A review of the coding lemmata</i>		VI.16

	<i>The Uniform Coding Lemma revisited</i>	VI.17
	<i>Admissible coding revisited</i>	VI.17
	<i>The non-monotonic coding lemma</i>	VI.17
9	The filter \mathfrak{F}	VI.18
	<i>Case I</i>	VI.18
	<i>Case IV</i>	VI.18
	<i>The normality of F</i>	VI.19
	<i>Reduction to a quasi-disjoint sequence</i>	VI.20
	<i>A non-monotonic coding theorem</i>	VI.21
	<i>The pointclass Γ</i>	VI.22
	<i>Normality of $F_{\Lambda, H}$</i>	VI.23
10	The definition of \mathfrak{U} and of the extenders	VI.26
	<i>Details, Case I</i>	VI.26
	<i>An alternative approach</i>	VI.27
11	Elementary properties of the extender	VI.28
	<i>Verification that we have an extender</i>	VI.28
12	Derivation of the normality of the extender from the normality of \mathfrak{F}	VI.30
13	Reduction of Case III to Case IV	VI.33
	<i>An enumeration of OD_S sets of reals in type Θ</i>	VI.33
	<i>Reduction of a class to a subset of Θ</i>	VI.34
VII	Getting ω Woodin cardinals from AD	VII.1
1	Ultraproducts using the Martin measure	VII.1
	<i>Freezing on a cone</i>	VII.2
2	An inner model of HOD containing ω Woodin cardinals	VII.5
3	A variant of Prikry forcing	VII.8
	<i>A generic sequence of Woodins</i>	VII.9
	<i>Proof that no definable bounded sets are added</i>	VII.11
	<i>Treating the reals as those of a symmetric collapse</i>	VII.12
4	The symmetric collapse	VII.12
5	A commuting diagram	VII.14
6	A chain of submodels	VII.19
	<i>The Woodin cardinals</i>	VII.22
7	A characterisation of certain inner models	VII.22
	Acknowledgments	
	Bibliography	