EECE.2160: ECE Application Programming
Summer 2017

Lecture 8: Key Questions
June 5, 2017

1. Explain the use of arrays: what an array represents, how to define an array, and how to access values within the array.

2. Explain how the following example works:

```
int main(void)
{
   int x[8];
   int i;

   // get 8 values into x[]
   for (i=0; i<8; i++)
   {
        printf("Enter test %d:",i+1);
        scanf("%d",&x[i]);
   }
}
```

3. What happens if we change the loop condition to i <= 8? How can we avoid the resulting problem?

4. **Example:** What does the following program print?

```c
int main() {
    int arr[10];
    int i;

    printf("First loop:\n");
    for (i = 0; i < 10; i++) {
        arr[i] = i * 2;
        printf("arr[%d] = %d\n", i, arr[i]);
    }

    printf("\nSecond loop:\n");
    for (i = 0; i < 9; i++) {
        arr[i] = arr[i] + arr[i + 1];
        printf("arr[%d] = %d\n", i, arr[i]);
    }
    return 0;
}
```

5. Describe how to declare, initialize, and access two-dimensional arrays.

6. **Example:** Complete the following program:

```c
#include <stdio.h>
#define NRows 3      // # of rows
#define NCols 4      // # of columns
int main() {
   double x[NRows][NCols] =          // 2-D array
           {  {  10,   2.5,    0,   1.5},
              {-2.3,  -1.1, -0.2,    0},
              {10.5,  -6.1, 23.4, -9.2} };

   int negCnt[NRows] = {0};    // Initialize entire row
                               // count array to 0
   int i, j;                   // Row and column indices

   /* INSERT CODE HERE--Visit every element in array x and
      count the number of negative values in each row */




   // Now print the row counts
   for (i = 0; i < NRows; i++)
      printf("Row %d has %d negative values.\n",
             i, negCnt[i]);

   return 0;
}
```

7. Explain how to pass arrays to functions.

8. **Example:** Write a function for each of the following:

- Given an array of doubles (arr) and the # of elements in the array (n), find the average of all array elements

8 (cont.) **Example:** Write a function for each of the following:

Given an array of ints and the # of elements, find the largest element in the array

9. Explain the relationship between pointers and arrays.

10. Explain how 2-D arrays are passed to functions.