

Enterprise/Mombasa Road, Industrial Area P.O. Box 30527 – 00100, Nairobi, Kenya Tel: +254 703 013 111 info.kenya@isuzu.co.ke www.isuzutrucks.co.ke

***************************************	2023		
MODEL	BODY DESCRIPTION	UoM	PRICE (KES - VAT INCLUSIVE
NLR77E	NLR FULLY ENCLOSED STEEL BODY (CORRUG/PLAIN)	UNIT	311,00
NLR77E	NLR FIXED HIGH SIDED STEEL BODY (CORRUG/PLAIN)	UNIT	283,00
NLR77E	NLR77E MILK TANKER 2,500L (Stainless Steel)	UNIT	952,00
NINADOELL	NIME THEY THE OCTO STEEL DODY/CORDING (DI AIN)	LINUT	279.00
NMR85H NMR85H	NMR FULLY ENCLOSED STEEL BODY(CORRUG/PLAIN) NMR FIXED HIGH SIDED STEEL BODY(CORRUG/PLAIN)	UNIT	378,00 355,00
NMR85H	NMR DOUBLE DROPSIDE STEEL BODY (CORRUG/PLAIN)	UNIT	378,00
_		_	
NMR85H	NMR LOW DROPSIDE STEEL BODY(CORRUG/PLAIN)	UNIT	283,00
NMR85H	NMR85H MILK TANKER 3,500L (Stainless Steel)	UNIT	1,056,00
NQR81K	NQR-K FULLY ENCLOSED STEEL BODY(CORRUG/PLAIN)	UNIT	449,00
NQR81K	NQR-K FIXED HIGH SIDED STEEL BODY(CORRUG/PLAIN)	UNIT	407,00
NQR81K	NQR-K DOUBLE DROPSIDE STEEL BODY(CORRUG/PLAIN)	UNIT	406,00
NQR81K	NQR-K LOW DROPSIDE STEEL BODY(CORRUG/PLAIN)	UNIT	306,00
NQR81K	NQR-K TIPPER	UNIT	1,485,00
NQR81K	NQR81K WATER TANKER 5,000L (Mild Steel)	UNIT	1,152,00
NQR81K	NQR81K WATER TANKER 5,000L (Stainless Steel)	UNIT	1,589,00
NQR81K	NQR81K MILK TANKER 5,0000L (Stainless Steel)	UNIT	1,591,00
NQR81K	NQR81K FUEL TANKER 5,000L (Mild Steel)	UNIT	1,413,00
NPS81UH	NPS CARGO CARRIER- KDF	UNIT	946,00
NODOANA	NODOWA FILLIA FAIGUAGED CTEFT DODAY/CODDUC (DI AINI)	LIAUT	500.00
NQR81M	NQR81M FULLY ENCLOSED STEEL BODY(CORRUG/PLAIN)	UNIT	538,00
NQR81M	NQR81M FIXED HIGH SIDED STEEL BODY(CORRUG/PLAIN)	UNIT	516,00
NQR81M	NQR81M DOUBLE DROPSIDE STEEL BODY(CORRUG/PLAIN)	UNIT	526,00
NQR81M	NQR81M LOW DROPSIDE STEEL BODY(CORRUG/PLAIN)	UNIT	425,00
NQR81M	NQR81M FUEL TANKER 6,000L (Mild Steel)	UNIT	1,558,00
NQR81M	NQR81M MILK TANKER 6,000L (Stainless Steel)	UNIT	1,761,00
NQR81M	NQR81M WATER TANKER 6,000L (Mild Steel)	UNIT	1,209,00
NQR81M	NQR81M WATER TANKER 6,000L (Stainless Steel)	UNIT	1,636,00
		UNIT	
FRR90N	FRR90N FULLY ENCLOSED STEEL BODY(CORRUG/PLAIN)		550,00
FRR90N	FRR90N FIXED HIGH SIDED STEEL BODY(CORRUG/PLAIN)	UNIT	527,00
FRR90N	FRR90N DOUBLE DROPSIDE STEEL BODY (CORRUG/PLAIN)	UNIT	537,00
FRR90N	FRR90N LOW DROPSIDE STEEL BODY(CORRUG/PLAIN)	UNIT	422,00
FRR90N	FRR90N FUEL TANKER 8,500L (Mild Steel)	UNIT	2,042,00
FRR90N	FRR90N MILK TANKER 8,500L (Stainless Steel)	UNIT	2,398,00
FRR90N	FRR90N WATER TANKER 8,500L (Mild Steel)	UNIT	1,589,00
FRR90N	FRR90N WATER TANKER 8,500L (Stainless Steel)	UNIT	2,299,00
FVR90L FVR90L	FVR90L FULLY ENCLOSED STEEL BODY(CORRUG/PLAIN) FVR90L FIXED HIGH SIDED STEEL BODY(CORRUG/PLAIN)	UNIT	521,00 515,00
FVR90L	FVR90L DOUBLE DROPSIDE STEEL BODY (CORRUG/PLAIN)	UNIT	527,00
		_	
FVR90L	FVR90L LOW DROPSIDE STEEL BODY(CORRUG/PLAIN)	UNIT	433,00
FVR90L	FVR90L DOUBLE DROPSIDE STEEL BODY(SAND HARVESTER)	UNIT	580,00
FVR90L	FVR90L LOW DROPSIDE STEEL BODY(SAND HARVESTER)	UNIT	487,00
FVR90L	FVR90L TIPPER	UNIT	1,716,00
FVR90L	FVR90 FUEL TANKER 11,000L (Mild Steel)	UNIT	2,181,00
FVR90L	FVR90 MILK TANKER 11,000L (Stainless Steel)	UNIT	2,686,00
FVR90L FVR90L	FVR90 WATER TANKER 11,000L (Mild Steel) FVR90 WATER TANKER 11,0000L (Stainless Steel)	UNIT	1,843,00 2,459,00
TVICAGE	TVOO WATER TARRER 11,0000E (Statilless Section	OIIII	2,437,00
MODEL	BODY DESCRIPTION	UoM	PRICE (KES - VAT INCLUSIVE
FTS34L	FTS TROOP CARRIER -KDF	UNIT	2,111,00
FTS34L	FTS TROOP CARRIER-KNPS	UNIT	909,00
FTS34L	FTS34L WATER TANKER 7,500L (Mild Steel)	UNIT	1,428,00
FTS34L	FTS34L WATER TANKER 7,500L (Stainless Steel)	UNIT	2,315,00
FTS34L	FTS34L FUEL TANKER 7,500L (Mild Steel)	UNIT	1,709,00
FTS34L	FTS34L MILK TANKER 7,500L (Stainless Steel)	UNIT	2,090,00
FVR34P	FVR FULLY ENCLOSED STEEL BODY (CORRUG/PLAIN)	UNIT	602,00
FVR34P	FVR FIXED HIGH SIDED STEEL BODY(CORRUG/PLAIN)	UNIT	579,00
FVR34P	FVR DOUBLE DROPSIDE STEEL BODY(CORRUG/PLAIN)	UNIT	584,00
FVR34P	FVR LOW DROPSIDE STEEL BODY(CORRUG/PLAIN)	UNIT	487,00
FVR34P	FVR DOUBLE DROPSIDE STEEL BODY (SAND HARVESTER)	UNIT	674,0
FVR34P	FVR LOW DROPSIDE STEEL BODY(SAND HARVESTER)	UNIT	542,0
FVR34P	FVR TIPPER	UNIT	1,869,0
FVR34P	FVR34P MILK TANKER 12,000L (Stainless Steel)	UNIT	3,053,00
FVR34P	FVR34P WATER TANKER 12,000L (Mild Steel)	UNIT	1,825,0
FVR34P	FVR34P WATER TANKER 12,000L (Stainless Steel)	UNIT	2,533,0
FVR34P	FVR34P FUEL TANKER 12,000L (Mild Steel)	UNIT	2,315,00
EVZ2AT	EVZ ELILLY ENCLOSED STEEL PODY/CORDUC /DLAIP!	LINIT	744.04
FVZ34T FVZ34T	FVZ FULLY ENCLOSED STEEL BODY(CORRUG/PLAIN) FVZ FIXED HIGH SIDED STEEL BODY(CORRUG/PLAIN)	UNIT	714,00 676,00
FVZ34T	FVZ PIXED HIGH SIDED STEEL BODY(CORRUG/PLAIN) FVZ DOUBLE DROPSIDE STEEL BODY(CORRUG/PLAIN)	UNIT	705,00
FVZ34T	FVZ LOW DROPSIDE STEEL BODY (CORRUG/PLAIN)	UNIT	553,0
FVZ34T	FVZ DOUBLE DROPSIDE STEEL BODY (CORROG/PLAIN) FVZ DOUBLE DROPSIDE STEEL BODY (SAND HARVESTER)	UNIT	749,0
FVZ34T	FVZ LOW DROPSIDE STEEL BODY (SAND HARVESTER)	UNIT	575,0
FVZ34T	FVZ TIPPER (15CM/12CM) - WITH FRONT TIPPING KIT (Provid		1,353,0
FVZ34T	FVZ TIPPER (15CM/12CM) - WITH UNDERBODY TIPPING KIT (F		1,353,00
FVZ34T	FVZ34T FUEL TANKER 16,000L (Mild Steel)	UNIT	2,346,0
FVZ34T	FVZ34T MILK TANKER 16,000L (Stainless Steel)	UNIT	3,118,00
FVZ34T	FVZ34T WATER TANKER 16,000L (Mild Steel)	UNIT	1,980,00
FVZ34T	FVZ34T WATER TANKER 16,000L (Stainless Steel)	UNIT	3,118,00
TF-SC	TF NATION BODY	UNIT	139,00
TF-SC	TF STEEL BODY (CORRUG/PLAIN/WIREMESH)	UNIT	139,0
	S.LLE DOD. (CO.M.C.C.) Emily HINLINGS	UNIT	222,00

			M69.78																											
	SALES, SERVICE &																													
					Market Market Andrews																									
				ARAL VANCO																										
					100.00		Ţ																							
				ART VALUE																										
								_																						
	decide Articula																													
	SERVICE & PARTS					+	_				-	-	-	$\overline{}$	-					-					 -	_				
	SERVICE & PARTS	DEALER ONLY					=	=	=	-	=	\rightarrow	+	\rightarrow	+	\rightarrow	\rightarrow	\rightarrow	-		-	_	-	-	\vdash	-	-	=	=	\rightarrow
io.tem	SERVICE & PARTS	DEALER ONLY Indicated to a County			176.60	*						#	\blacksquare	\blacksquare		\blacksquare	\Rightarrow	#	+		##		#				#			
inter locks	MARKAGA - MARK	Antique but here more				*												\blacksquare												
SOLUTION SOL	Salask Harrist Salaski Salask Harrist Salaski Salask Harrist Salaski	Antique had been more ore and technique his weight			176.47 176.41				#																					-
AD SCAL	Selection	Antique but here more			170.40				#		Ħ							Ħ	Ħ				Ħ			H	Ħ			
Internation	Salask Harrist Salaski Salask Harrist Salaski Salask Harrist Salaski	Antique had been more ore and technique his weight			176.47 176.41				#				Ħ										Ħ				Ħ			-
in train	Seink Faurit - Seinki Seink Faurit - Seinki Seink Faurit - Seinki Seink Faurit - Seinki Maring Charle - Seinki	Aming that have married to be a sense of the			176.45 176.45 176.45	#																								-
STATES ST	Spirit Spirits Spirits Spirit Spirits Spirits Spirit Spirits Spirits Spirit Spirits Spirits Spirits Spirits Spirits Spirits Spirits Spirits	Aming that have married to be a sense of the			101.40 101.41 101.41 101.41	# 1																								-
STATE OF THE STATE OF T	Service Service Service Service Servic	Members had force movement specifications and semilarid specy band and is interesting and address better that her annual stays around places region Admitiga from to transproprietate			176.45 176.45 176.45																									
STATES AND	Spirit States Spirits Spirit States Spirits Spirits Spirits Spirit Spirits Spi	A colora field from the part of the part o			101.40 101.41 101.41 101.41																									-
SA SERIO SA SERIO SER	Spirit States Spirits Spirit States Spirits Spirits Spirits Spirit Spirits Spi	A colora field from the part of the part o			100 AN																									
AND THE STATE OF T	Spirit States Spirits Spirit States Spirits Spirits Spirits Spirit Spirits Spi	A colora field from the part of the part o			101.40 101.41 101.41 101.41																									
Selection of the Control of the Cont	Spirit States Spirits Spirit States Spirits Spirits Spirits Spirit Spirits Spi	A colora field from the part of the part o			100 AN																									
And Section 1995 S	Service Service Service Service Servic	Members had force movement specifications and semilarid specy band and is interesting and address better that her annual stays around places region Admitiga from to transproprietate			100 AN																									
And the second s	Septiments seeks Septiments S	Monthly and Mark They and popular administration and pop			100 AN																									
Advisors Adviso	Septiments spirite Septiments Septimen	Monthly and Mark They and popular administration and pop			100 AN																									
Section Sectio	Spirit States Spirits Spirit States Spirits Spirits Spirits Spirit Spirits Spi	Monthly and Mark They and popular administration and pop			\$76,95 \$16,00 \$1																									
See Name See See See See See See See See See S	Septiments spirite Septiments Septimen	Members (Marian and America) And America (Marian and America) America (Marian and Am			201 40 40 40 40 40 40 40 40 40 40 40 40 40																									
Sign Season Sign Season Sign Season S	Septiments spirite Septiments Septimen	Monthly and Mark They and popular administration and pop			\$76,95 \$16,00 \$1																									
See	Michigan Marin Marin Michigan Marin	Secretary of the Control of the Cont			201 40 40 40 40 40 40 40 40 40 40 40 40 40																									
AND THE STATE OF T	Septiments spirite Septiments Septimen	Secretary of the Control of the Cont			201 40 40 40 40 40 40 40 40 40 40 40 40 40																									
Markette Mar	Michigan Marin Marin Michigan Marin	Secretary of the Control of the Cont		un.e	201 40 40 40 40 40 40 40 40 40 40 40 40 40																									
And Marian And Andrea A	March Stands Sta	When the displace is a great and a great a	lat on	144.60	201 40 40 40 40 40 40 40 40 40 40 40 40 40																									
See The See Th	Michigan Marin Marin Michigan Marin	Here is the department of the control of the contro			201 40 40 40 40 40 40 40 40 40 40 40 40 40																									
See	March Stands Sta	When the displace is a great and a great a			201 40 40 40 40 40 40 40 40 40 40 40 40 40																									
Market Ma	Section was accepted to the section of the section	When the displace is a great and a great a	144.00		100 40 40 40 40 40 40 40 40 40 40 40 40 4																									
See Note	And State St	When the displace is a great and a great a		AM ST	100 45 40 45																									
See	PARTS DEAL PARTS	When the displace is a great and a great a	IA.V		100 40 40 40 40 40 40 40 40 40 40 40 40 4																									
Section 1	AND ADMINISTRATION OF THE PROPERTY OF THE PROP	Control of the second of the s			100 45 40 45																									
Section 1997 Se	PARTS DEAL MAN	The control of the co			100 40 40 40 40 40 40 40 40 40 40 40 40 4																									
Section 1997 Se	AND ADMINISTRATION OF THE PROPERTY OF THE PROP	Control of the contro		wa	100 40 40 40 40 40 40 40 40 40 40 40 40 4																									
Section 1	PARTS DEAL MAN	The control of the co	5.6A.500		100 40 40 40 40 40 40 40 40 40 40 40 40 4																									
And the second s	PARTS DEAL MAN	The control of the co			100 40 40 40 40 40 40 40 40 40 40 40 40 4																									
A Allega Maria Mar	PARTS DEAL MAN	The control of the co	- AL-ST		100 40 40 40 40 40 40 40 40 40 40 40 40 4																									
Section 1. Control of the control of	PARTS DEAL	The control of the co			100 40 40 40 40 40 40 40 40 40 40 40 40 4																									
Section Sectio	PARTS DEAL MAN	The control of the co		w.c	100 40 40 40 40 40 40 40 40 40 40 40 40 4																									

			DEALE	ER SERVICE MANAGERS CONTACTS	
NO	DEALER	SERVICE MANAGER		SERVICE MANAGERS CONTACTS SERVICE ADVISOR	Email
1	TMD - THIKA	Jeff Kiteme- 745450663	jefferson.kiteme@tmd.co.ke	Felix Kangogo 740027772	
	TMD - KARATINA	Stephen 0740608813	info.karatina@tmdealer.co.ke	Stephen 0740608813	info.karatina@tmdealer.co.ke
3	TMD - RUAKA	Kelvin Mwangi K 0706334035	kelvin.mwangi@tmd.co.ke	Kelvin Mwangi K 0706334035/Kamau 0758387404/0748594066 Service Advisor/Parts TMD-Ruaka/ Alice Wambui 0798484802	kelvin.mwangi@tmd.co.ke
4	TMD - MACHAKOS	Alexius Mbithi - 0701 504 633/0722 365 604	Alexius Mbithi <alexius.mbithi@tmdealer.co.ke></alexius.mbithi@tmdealer.co.ke>		
5	TMD -ATHI RIVER	Gladys Mugo - 0701505084	info.mlolongo@tmdealer.co.ke	Cornelius Wambua-0701505350	danson.kamau@tmd.co.ke
	RYCE - NAIROBI	Dorcas Atieno - 0721 319 210	workshop@ryce.co.ke	Stanley Kabogo- 0720741341	layimba82@gmail.com
				Margaret Gitau - 0733724808 /0722501075	maggie_msa@ryce.co.ke
2	RYCE- MOMBASA	Margaret Gitau - 0722501075	workshop_msa@ryce.co.ke'	Mai gal et ditau - 0/33/24000 /0/223010/3	workshop_msa@ryce.co.ke
1	CFG NAIROBI	Joseph Kimani - 0722 441 398	'Joseph Kimani' <jkimani@cfg.co.ke>;</jkimani@cfg.co.ke>	Kenneth Kirul - 0729377099/0701066986 -Marion	kenbett@live.com
2	CFG KITALE	Martin Simiyu - 0720 318 603	martinsimiyu@cfgktl.co.ke	Tabitha Njoroge - 0774321270	
	CFG BUNGOMA	Virginia Nakhulo - 0725677934	virginia@cfg.co.ke	Virginia Nakhulo - 0725677934/Lillian Atleno-726535105/0705047545/0799347047 Mr Too	virginia@cfg.co.ke
			Carolyne Mwelu		
4	CFG - LODWAR	Carolyne Mwelu - 0726 282 001	<carolyne@cfg.co.ke></carolyne@cfg.co.ke>	Carolyn Mwelu - 0726282001	carolyne@cfg.co.ke
1	AM NAIROBI	Kiplimo Kosgey - 0722 463999	Kiplimo Kosgey <kkosgey@associated-motors.com></kkosgey@associated-motors.com>	Elizabeth 721613617	service@associated-motors.com
2	AM ELDORET	Lameck Opiyo 0726588019/0738344625	skaranja@associated-motors.com	0722753149- JAMES ARIKO/0724534816- Simon	service.eldoret@associated-motors.com
3	AM MERU		Stephen Kariuki <skariuki@associated-motors.com>;</skariuki@associated-motors.com>	Tarquene Nkirote - 0726740080	
4	AM CHUKA	Jackline Chirande - 0712 641 193	jchirande86@gmail.com	Jackline Chirande - 0721641193	jchirande86@gmail.com
			servicemanager.msa@associated-		
5	AM MOMBASA	Joseph Milgo 0721928049	motors.com	Brian 0712646679	servicemanager.msa@associated-motors.com
1	ACMGL KISUMU	Mariam Saleh 0708627026	N/A	Everline Obango - 0790508360/Edna-0705678430	eveobango21@gmail.com
2	ACMGL NAKURU	713083556- Ruth ACMG Naks	service1@acmgl.com	0713083556-Ruth/Jackline Kabara 0753500600	N/A
3	ACMGL Kericho	Sylviah Omollo - 0721 736 464	'sylviah.omollo@acmgl.com'	Lonah Chepng'eno - 0718146501/0727215790 Robert - ACMG Kericho - Workshop	kericho@acmgl.com
4		Eric Makori - 0712 559 194/0731 652 246	acmglkisii@gmail.com	Eggla 0739352196/0790750811	acmglkisiiservice@gmail.com
1	KCI NAIROBI	Eyan Maina - 0754887729	Admin <info@kci.co.ke>;</info@kci.co.ke>	Gideon Mullege Kamende - 0713166734	Gideonkamende17@gmail.com
1	ABSAN LIMITED - WAJIR	Abbas Yusuf - 0704259199	absanlimited@gmail.com	Abbas Hassan - 0704259199	absanlimited@gmail.com
1	HI TECHZ - VOI	Chetan Sashikant - 0722267501	c_bhabresa@yahoo.com	Rahab Njoki Mwangi - 0704665785 Chetan S. Anand - 0722267501	c_bhabresa@yahoo.com
		Peter Wachira - 0722284282			
1	LEVICANNY - MIGORI	Peter Wachira - 0/22284282	Levicanmotors@gmail.com	Stanley W Macharia - 0716270414	Levicanmotors@gmail.com
1	TORFLY - BOMET	Jeff Kibet Ng'eno - 0722697799	info@torflymotors.co.ke	Jackline Chelang'at Rere - 0710700186	jacklinerere@gmail.com
1	OIL LIBYA ZEELINE - ELGEYO MA	Peter - 0725736094		Millicent Biwott - 0727826098	Millicentjbiwott@gmail.com
1	AMBALO TYRES - MARSABIT	Galgalo Hukho - 0722825118	ambalotyresgaragelimited@gmail.co	Roba Godana Gufu - 0712970203	robagufu2014@gmail.com
1	KARSON MOTORS - LAIKIPIA	Karani Karabu Karanja - 0724148970	karsonshellnyahururu@yahoo.com	Keneth Maina Wambugu - 0717905114	Wambuguken006@gmail.com
1	ISUZU EA - NAIROBI	Joram Kihara- 0799537032 Lilian Bomu - 072229125 Faustine 0727056632 Angela Akany, 0713091511 Jascinta Magero - 0721815574	joram.kihara@isuzu.co.ke lillian.bomu@isuzu.co.ke jascinta.magero@isuzu.co.ke	Nama Nikara - 079537032	lilian.bomu@isuzu.co.ke jascinta.magero@isuzu.co.ke
1	KAWSAR - MANDERA	Fatuma Elmi	0722 - 318297	Fatuma Elmi 0722 - 318297	
1	MAYSMART - GARISSA	James Injela - 0723621826	injela.maysmart@gmail.com	James Injela - 0723621826	injela.maysmart@gmail.com
1	MUMIAS SHUTTLE - MUMIAS	Cassim Chibayi - 0792426560			
1	DANKA AFRICA K LTD	Mbayu Meshack - 0722520726	info@dankaafrica.com	Phyllis Danka - 0722490924	info@dankaafrica.com
1	PETROL ALFA - ITEN	Kibet Sergon - 0722659568	kibetsergon@gmail.com	Kibet Sergon - 0722659568	kibetsergon@gmail.com
1	WELLS OIL - UGUNJA	Fred Munda - 0721302989	fredrickodhiambo215@gmail.com	Joseph Owino Odemba - 0720400647	fredrickodhiambo215@gmail.com
1	Mareng Engineering	Kibet Sergon	0722-659568/0722490081 Mathew	Kibet Sergon	0722-659568/0722490081 Mathew

Town Ahero	Dealer Location Kisumu
Athi River (Mavoko)	Mlolongo
Awasi	Kisumu
	Kisii
Awendo	Kısıı Kericho/Kisii
Bomet	
Bondo	Kisumu
Bungoma	Kitale
Burnt Forest	Eldoret
Busia	Bungoma
Chuka	Meru
Elburgon	Nakuru
Eldama Ravine	Nakuru
Eldoret	Eldoret
Elwak	Meru
Elgeyo Marakwet	Eldoret
Embu	Karatina
Garisa	Thika/ Kitui if servicing
Garissa	Thika/ Kitui if servicing
Gilgil	Nakuru
Githunguri	ruaka
Hola	Mombasa
Homa Bay	Kisii
Isiolo	Meru
Iten/Tambach	Eldoret
Juja	Thika
	eldoret
Kabarnet	
Kajiado	Machakos
Kakamega	Bungoma
Kakuma	Lodwar
Kangundo-Tala	machakos
Kapenguria	Kitale
Kapsabet	Eldoret
Karuri	Ruaka
Kehancha	Kisii
Kendu Bay	Kisumu
Kericho	Kericho
Keroka	Kisii
Kerugoya/Kutus	Karatina
Kiambu	Thika
Kikuyu	ruaka/ mombasa road
Kilgoris	Kisii
Kilifi	Mombasa
Kimilili	Kitale
Kipkelion	Kericho
Kiserian	Machakos
Kisii	Kisii
Kisumu	Kisumu
Kitale	Kitale
Kitengela Kitui	Molongo
	Machakos
Lamu	Mombasa
Limuru	Ruaka
Litein	Kericho
Lodwar	Lodwar
Lokichogio	Lodwar
Londiani	Kericho
Luanda	Kisumu
Machakos	Machakos
	Machakos/ Thika,Kitui if
Madogo	servicing
Mai Mahiu	Nakuru
Mairo Inya	Nakuru
Makuyu	Thika
Malaba	Kitale
Malakisi	Kitale
Malava Malindi	Kisumu
uvialingi	Mombasa

	Town	Dealer Location
	Town Mandara	
	Mandera	Meru
	Maragua	Thika
	Maralal	Meru
	Mariakani	Mombasa
70	Marsabit	Meru
71	Masalani	Thika/ Kitui if servicing
72	Matuu	Machakos
73	Maua	Meru
74	Mavoko (Athi River)	Mlolongo
	Mbita Point	Kisii
	Meru	Meru
	Migori	Kisii
	Moi's Bridge	Eldoret
	Molo	Nakuru
	Mombasa	Mombasa
81	Moyale	Meru
82	Msambweni	Mombasa
83	Mtwapa	Mombasa
84	Muhoroni	Kisumu
	Mumias	Kisumu
	Murang'a	Thika
	Mwingi	Machakos
	Nairobi	Nairobi
	Naivasha	Nakuru
90	Nakuru	Nakuru
91	Nambale	Kitale
92	Nandi Hills	Eldoret
93	Nanyuki	Karatina/ Meru
94	Narok	Nakuru
95	Nyeri	Karatina
	Ngong	Mombasa road
	Njoro	Nakuru
	Nyahururu	Nakuru
	Nyamira	Kisii
	Nyansiongo	Kisii
	Ogembo	Kisii
	Ol Kalou	Nakuru
	Ongata Rongai	Mombasa road
	Oyugis	Kisii
105	Rhamu	Meru
106	Rongo	Kisii
107	Ruiru	Thika
108	Rumuruti	Nakuru
	Runyenjes	Karatina
	Sagana	Karatina
	Siaya	Kisumu
	Sotik	Kericho
	Suneka	Kisii
	Tabaka	Kisii
	Takaba	Meru
	Taveta	Mombasa
	Thika	Thika
118	Ugunja	Kisumu
119	Ukunda	Mombasa
120	Usenge	Kisumu
	Utawala	Kisumu
	Vihiga	Kisumu
	Voi	Mombasa
-20		ТОПБаза
104	Maiir	Moru
	Wajir	Meru
	Wanguru	Karatina
	Watamu	Mombasa
127	Webuye	Kitale
128	Wote	Machakos
129	Wundanyi	Mombasa
130	Yala	Kisumu
	Syokimau Mlolongo	
	,	

				Active 3	S		,			
		VEHICLE SA	ALES CON	TACTS		SERVI	CE CONTACTS		PAR	TS CONTACTS
		Sales Contact	Contact	•	Service Contact	Conta	act	Parts Contact	Contact	•
Dealer Name	Location County	Name	Mobile No.	Email Address	Name	Mobile	No. Email Address	Name	Mobile No.	Email Address
1 Isuzu East Africa	Nairobi Nairobi	Catherine Muthui	0722 205290	catherine.muthui@isuzu.co.ke	Jascinta Magero	0721 - 81	15574 jascinta.magero@isuzu.co.ke	Clinton Ochieng	0723 - 8874	7 clinton.ochieng@isuzu.co.ke
2 Associated Motors (AM), Nairobi	Nairobi Nairobi	Joseph Kimani	0715 966732	ikimani@associated-motors.com	Stephen Kibiro		76045 skibiro@associated-motors.com	Winnie Chege	0722 - 7416	7 parts.coordinator@associated-motors.com
3 Associated Motors (AM), Mombasa	Mombasa Mombasa	Joseph Milgo	0721 928049	imilgo@associated-motors.com	Samuel Karanja	0722 - 26	62859 skaranja@associated-motors.com	Yvonne Mokua	0792 - 39014	11 parts.mombasa@associated-motors.com
4 Associated Motors (AM), Eldoret	Eldoret Uasin Gisl	u Eric Kirui	0721 819796	ekirui@associated-motors.com	Lameck Opiyo	0726 - 58	88019 lopiyo@associated-motors.com	Lameck Opiyo	0726 - 5880	9 lopiyo@associated-motors.com
5 Associated Motors (AM), Meru	Meru Meru	Stephen Lobo	0721 345567	slobo@associated-motors.com	Tarquene Nkirote	0726-740	0080 skariuki@associated-motors.com	Stephen Kariuki	0724 - 26688	9 skariuki@associated-motors.com
6 Kenya Coach Industries (KCI)	Nairobi Nairobi	Victor Kirui	0743 156712	sales_coord@kci.co.ke	Eyan Maina	0754 - 88	87729 aftersales_coord@kci.co.ke	Fredrick Onjala	0725 - 61996	3 kci-partsdept@kci.co.ke
7 Central Farmers Garage (CFG), Nairobi	Nairobi Nairobi	John Ngugi	0722 463950	ngugi@cfg.co.ke	Dennis Mudome	0777 - 42	20930 workshopmanager@cfg.co.ke	John Kimani	0723 - 3987	5 kimani@cfg.co.ke
8 Central Farmers Garage (CFG), Kitale	Kitale Trans Nzo	ia Richard Kamau	0722 726197	rkamau@cfgktl.co.ke	Kiplimo Kosgey	0722 - 46	63999 kiplimo@cfgktl.co.ke	Samuel Mwangi	0720 - 65679	8 admin@cfgktl.co.ke
9 Central Farmers Garage (CFG), Bungoma	Bungoma Bungoma	Harry Njenga	0722 497339	harry@cfg.co.ke	Lilian Atieno	0705 - 04	47545 bungoma.sa@cfg.co.ke	Virginia Nakhulo	0725 - 67793	14 virginia@cfg.co.ke
10 Ryce EA, Nairobi	Nairobi Nairobi	lda Akinyi	0780 620250	ida@ryce.co.ke	Dorcas Ogonga	0781 - 98	82438 dorcas@ryce.co.ke	Maina Okong'o	0781 - 98243	18 dorcas@ryce.co.ke
11 Ryce EA, Mombasa	Mombasa Mombasa	Ayub Josap	0733 607652	ayub_msa@ryce.co.ke	Margaret Gitau	0722 - 50	01075 maggie_msa@ryce.co.ke	Gilbert Okeyo	0724 - 63884	7 part_msa@ryce.co.ke
12 Thika Motor Dealers (TMD), Thika	Thika Kiambu	Bob Netto	0722 768468	bob.netto@tmd.co.ke	Mercy Kiarie	0701 - 50	04472 mercy.kiarie@tmd.co.ke	Elisha Kibichii	0701 - 5059	1 elisha.kibichii@tmd.co.ke
13 Thika Motor Dealers (TMD), Machakos	Machakos Machakos	Caroline Muriuki	0728 728502	caroline.muriuki@tmd.co.ke	Timothy Nzioka	0706 - 96	60384 timothy.nzioka@tmd.co.ke	Samuel Ikinya	0701 - 5057	0 samuel.ikinya@tmd.co.ke
14 Thika Motor Dealers (TMD), Athi River	Athi River Machakos	Gladys Mugo	0701 505084	gladys.mugo@tmd.co.ke	Cornelius Wambu	20701 - 50	05350 cornelius.wambua@tmd.co.ke	Nicholas Kivindyo	0741-540196	nicholas.kivindyo@tmd.co.ke
15 Thika Motor Dealers (TMD), Karatina	Karatina Nyeri	Alex Kabiru	0722 804318	alex.kabiru@tmd.co.ke	Stephen Nyota	0701 - 50	04815 stephen.nyota@tmd.co.ke	Susan Ngunjiri	0799 - 34914	5 susan.ngunjiri@tmd.co.ke
16 Thika Motor Dealers (TMD), Ruaka	Ruaka Kiambu	Sarah Kamaru	0722 320706	sarah.kamaru@tmd.co.ke	Kelvin Mwangi	0706 - 33	34035 kelvin.mwangi@tmd.co.ke	Samuel Kamau	0758 - 38740	14 samuel.irungu@tmd.co.ke
17 Thika Motor Dealers (TMD), Kitui	Kitui Kitui	Jane Thangwa	0727 706159	jane.thangwa@tmd.co.ke	Nicholas Mwangi	0701 - 50	05700 nicholas.maina@tmd.co.ke	Dennis Mumo	0114 - 84387	8 dennis.mumo@tmd.co.ke
18 Africa Motor Commercial Group (ACMG), Nakuru	Nakuru Nakuru	Yvone Kasire	722140378	acmglnairobi@gmail.com	Jacky Kabara	0703 - 82	23648 nakuru@acmgl.com	Vincent Ng'etich	0722-346080	vincentspares@gmail.com
19 Africa Motor Commercial Group (ACMG), Kisumu	Kisumu Kisumu	Mohammed Abdall	al0733 636183	acmglkisumu@gmail.com	Evelyn Obango	0790 - 50	08360 kisumu@acmgl.com	Kamau Kinyua	0723 - 2008	5 kisumuparts@gmail.com
20 Africa Motor Commercial Group (ACMG), Kericho	Kericho Kericho	Sylivia Omollo	0721 736464	sylviah.omollo@acmgl.com	Lorna Chepng'end	0718 - 14	46501 kericho@acmgl.com	Jeremiah Okumu	0728 - 86225	66 kerichoservice@gmail.com
21 Africa Motor Commercial Group (ACMG), Kisii	Kisii Kisii	Josphat Okundi	0722 466511	kisil@acmgl.com	Judith Osoro	0715 - 57	74985 kisii@acmgl.com	Valerie	0717-26205	acmglkisiiservice@gmail.com

			Ac	tive 2 S		
Garage Name	Location	County	Contact Person	Mobile No.	Pin Loc.	
Hi Techz Motors	Voi	Taita Taveta	Chetan Shashikant	0722-267501	Located 2km away from the higway petrol stations along Nairobi Highway next to Vaccani Resort	
Mareng Engineering	Marigat	Baringo	Kibet Sergon	0722-659568	Located near Marigat Stage	
Absan Limited	Wajir	Wajir	Abbas Shariff	0704-259199	Located Wajir-Moyale road opp fast oil petrol, next to the county commissioner's office	
Kawsar Motors	Mandera	Mandera	Fatuma Elmi	0722 - 318297	Declined Mapping	
Ambalo Tyre Centre & Auto Spares	Marsabit	Marsabit	Huka Galgalo	0722 - 825118	https://maps.app.goo.gl/bvg1DQn7yxL2paq17	
Torfly Motors Services	Bomet	Bomet	Jeff Kibet Ng'eno	0722 - 697799	Located next to Equity Bank for light vehicles service and parts only. For heavy-duty vehicles service, located at Ka	owen at the junction to
Maysmart Investment	Garissa	Garissa	James Injela	0723 - 621826	Located opp Garissa University, along Soko Ngombe road	
Central Farmers Garage, Lodwar	Lodwar	Turkana	Carol Mwelu	0726 - 282001	https://goo.gl/maps/of3dcULTH7jpc14r5	
B Delta Automobile Ltd	Mlolongo	Machakos	Anil Reddy	0786 - 677401	https://goo.gl/maps/5EQTd3JffUCetviP6	
Njewa Automobile	Naivasha	Nakuru	Moses Mbuthia	0702 - 469880	Located 200 Metres off the roundabout on your way to Buffalo Mall, opp Tuskers Distributors.	
Veda Motors	Meru	Meru	David Mwongo	0724-583583	Located at Meru Makutano along Meru- Maua road next to West Wind Hotel between Total service Center and M.	afuko Industries
Gson Motors	Malindi	Kilifi	Richard Rodrot	0708-903209	Located along Mombasa-Malindi highway after Festive Mall on the left opp Fairdeal Furnitures an Shella Center.	
Kaizen Garage	Kianjiru Market	Kirinyaga	Margaret Kibet	0724 - 829133	https://maps.app.goo.gl/eSCR1MWEUA3G6gZV7	
Atlas Auto	Thika Road	Nairobi	John Kuria	0722 - 846006	Located opp Garden City Mall next to Quiver Lounge	
Ecojen Holdings Ltd	Kisumu	Kisumu	Aloyce Juma	0714-778163	Rubis Petrol Station Nyamasaria, along the Kisumu-Nairobi H/way	
Cider Vine	Limuru	Kiambu	Kinyanjui Ndonde	0726-946202	Located at Kwa Mbira, next to Total Petrol station	
Redline Auto & Tyre Centre	Nanyuki	Laikipia	Hillary Bett	0115-982319	Located 3km away from Nanyuki on the Nyeri-Nanyuki highway, near Nanyuki Boarding School.	
Dee em Auto Garage	Meru	Meru	Daniel Maithima	0721-638167	https://maps.app.goo.gl/vGhMUexBSZHwGXVw8	
A&G Automotives	Nyahururu	Laikipia	Anthony	0722-303902	Located along Nyahuru-Ol Kalou opp KPLC sub-station next to Shell Petrol Station	
AM Chuka	Chuka	Chuka	Sharon Akinyi	0705-750412	Located past Kenya Power, near Mauru Petrol Station	
Farm City Auto Center	Isiolo	Isiolo	David Karimi	0202030391/070679969	Located along the Meru/Isiolo Highway 7.2km from Subuiga Junction, near Lewa Wildlife Conservancy	
Kiro Farm	Kiserian	Kiserian	Jesse	722710365		
2 S *Dealership (Parts, Service)						
ASO refers to Authorized Service & Parts Outlet						

			Active 19			
	Dealer Name	Location	County	Contact Person	Phone	Email Address
Г	1 Isuzu East Africa, Kirinyaga Road Branch	Nairobi	Nairobi	David Muraguri	0713-660152	david.muraguri@isuzu.co.ke
Г	2 Mangu Auto & Hardware Ltd	Nairobi	Nairobi	Sunil Sanghani	0738-733999	sunil@lbsanghani.com
	3 Iteq Solutions Limited	Mt. Kenya Region	Embu, Nyeri, Meru	Peter Simiyu	0746-083877	admin@iteqmart.com

1 S * Parts ONLY Distributors

Old	GVW DISPLACENGINE New GVW	DISPLACEMENT FUEL TAFUEL CONSUIWARRANTY	ENGINE TYPE
NHR	3.5 Tonne: 2,771cc 4JB1 NLR 4.1 Tonnes	2998 CC / 3.0 Litres 75 9.2km/l 2 years or 100,00	0km w.e.c.f 4JH1-TC
NKR	5.7 Tonne:4,334cc 4HF1-II NMR 5.7 Tonnes	2999 CC / 3.0 Litres 100 8.1km/l 2 years or 100,00	0km w.e.c.f 4JJ1-TC
NPR 4.3	7.3Tonne:4,334cc 4HF1 NQR 81K 8 Tonnes with short cl	chassis 4798 CC / 4.8 litres 100 5.8km/l 2 years or 100,00	0km w.e.c.f 4HL1-TCN
NQR 4.3	8 Tonnes 4,334cc 4HF1 NQR MAX 8.5 Tonnes with longe	er chassis 4799 CC / 4.8 litres 100 5.8km/l 2 years or 100,00	0km w.e.c.f 4HL1-TCN
NPS 4.3	NPS 7.5 Tonnes	4800 CC/ 4.8 litres 100 6.1 KM/L 2 years or 100,00	0km w.e.c.f 4HL1-TCN

Kindly note

NQ881 k should be recommended for all the NPR customers such as farmers since it has short chassis.

NQR extra should be recommended to volumentric businesses such as water tank suppliers, matresses supliers and milk distributers due to the long chassis and its volume.

 $NPS.4^*4 is suitable for extreme off road conditions you can recommend it to government such as military, police, kenya wildlife, aid organizations, tourism, security companies.\\$

Selling points

More power, better start ability, acceleration and climbing ability,
more comfort, more spacious cab with ease of entry and exit.
More storage compartments.
More carrying capacity, increased GVW, improved front and rear axie capacity
More versatile, suitable for many body applications, increased alternator capacity for the NQR extra
Increased durability, reindforced chassis.
Safety Reinforced cabin and door, wider mirrors and windscreen hence better visibility.
The chassis has changed, mounting hole array hence easy mounting of body

VEHICLE	APPROXII	MATE FUEL CONSUMPTION (KPL)	
	LOADED	UNLOADED	
TFR 86 SC (HR + AC) SKD	9.6L/100KM	9.6L/100KM	
TFR 86 SC (HR + AC+ AIR BAG	10.7L/100KM	10.7L/100KM	
TFS 86 SC (HR + AC+ AIR BAG)	10.7L/100KM	10.7L/100KM	
TFS 86 DC DELUXE -UNACCESSORISED	7.9L/100KM	7.9L/100KM	
TFS 86 DC DELUXE - ACCESSORISED	7.9L/100KM	7.9L/100KM	
TFS 85 DC LUXURY MANUAL -			
ACCESSORISED	7.9L/100KM	7.9L/100KM	
TFS 85 DC LUXURY AUTOMATIC -			
ACCESSORISED	7.9L/100KM	7.9L/100KM	
TFS 40 DC LUXURY AUTO	12KM/L	12KM/L	
Isuzu MUX 2.5L	7.9L/100KM	7.9L/100KM	12.65km/l
Isuzu MUX 1.9L	12KM/L	12KM/L	
Isuzu MUX 3.0L	16KM/L	16KM/L	
NHR	7.9KM/L	8.6KM/L	
NKR 4.3	4.3KM/L	8.6KM/L	
NPR 4.3	3.8KM/L	4.8KM/L	
NQR 81 Xtra	5.8km/l	5.8km/l	
NQR 81	5.8km/l	5.8km/l	
FRR 33	3.88KM/L	3.88KM/L	
FRR 90 7TH GEN	4.57KM/L	4.57KM/L	
FTR 90	4.5 KM/L	4.5KM/L	
FVR90	3.5KM/L	3.5KM/L	
FTS 33	3.6KM/L	3.6KM/L	
FTS 34	3.8KM/L	3.8KM/L	
FVR 23	3.0KM/L	3.0KM/L	
FVR 34	4.2KM/L	4.2KM/L	
FVZ 23	2.6KM/L	2.6KM/L	
FVZ 34	3.8KM/L	3.8KM/L	
GXZ PRIME MOVER	2.5KM/L	2.5KM/L	
EXZ PRIME MOVER			
MV 118 BUS	2.4KM/L	2.4KM/L	
NQR 4.3	3.8KM/L	4.8KM/L	
NLR	9.2km/l	9.2km/l	
NMR	8.1km/l	8.1km/l	
FSR 33	2.8KM/L	3.8KM/L	

1)Leasing	We work with a lease period of 4 years with total mileage of 160,000Km to 200,000Km during that period; short leasing can be done upto 2 yrs 1. Dry lease: lease the asset from Isuzu East Africa 2. Wet lease in addition to rental charge, service and maintenance, insurance shall be part of the periodic payments to be made by the lessee. Fuel costs and driver in need be in both cases shall be catered for by the lessee.
Requirements for leasing	1. Customer Name 2. Company name (Where applicable) 3. Mobile number 4. Town 5. Anticipated monthly mileage and 6. Lease period intended to lease 7. email address
2)Payment options	cash payment pay 10% first then pay the rest within a month bank payment we will require your bank statements so that an assessment can be done by the bank. The bank will then advise us on how much financing you can qualify for and the amount of deposit that you will be required to make.
3)Free driver and fleet customers technician training	Defensive training – is a one-day class-based training Smart trucking training – is a practical training on reduction of vehicle maintenance cost e.g. fuel saving tips.
4)Requirement for test drive	i. Full names-First & Last name ii. Company name iii. Town iv. Mobile number v. Email address vi. Test drive in Test model
5)WARRANTY	material and workmanship under normal use and service, all the same the local contents e.g. tyres and batteries are warranted by the suppliers. WARRANTY Warranty starts from the date of first registration. Isuzu East Africa warrants each new motor vehicle, including and approved accessories to be free from defects in material and workmanship under normal use and service, all the same the local contents e.g. tyres and batteries are warranted by the suppliers. Our obligation as a Manufacturer under this warranty is limited to repairing or replacing at its discretion, any part or parts thereof which shall within warranty period, be returned to an authorized Dealer or ISUZU EA retail workshop, and to which examination shall disclose to the Manufacturer's satisfaction the part to have been defective. The repair or replacement of defective parts under this warranty will be carried out by an authorized Dealer or Isuzu EA without charge for parts, and if made at such Dealer's place of business, without charge for labor. What is covered by warranty? Warranty covers concerns, which are correctly diagnosed to be caused by manufacturing of a component, or assembly process. It covers any problem that arises during the warranty period due to faulty material and/ or poor workmanship. Genuine Isuzu parts with guaranteed warranty for 90 days or 4,000km whichever comes first from date of installation. This warranty covers repairs and replacement made necessary due to defects in materials and workmanship on parts and accessories only. What does warranty not cover? This warranty shall not apply to normal maintenance schedule services and the replacement of service items (such as spark plugs, filters, belts, oil) and normal wear & tear or abuse of all friction materials (clutch & brake lining). Warranty does not cover: 1. Modification 2. Accident 3. Negligence/misuse (e.g. racing, overloading) 4. Periodic maintenance items 5. Pre-delivery cost 6. Improper storage maintenance 7. Damage due to environmental factors (e.g
ISUZU MASHINANI Owning Isuzu Mashinani container	Apply to be an owner of an Isuzu Mashinani container by sending your application to info.kenya@isuzu.co.ke or call 0703013222 with the following documents: 1. An application letter stating the proposed site. 2. Certificate of registration/ incorporation 3. KRA pin certificate of company/Sacco. 4. KRA Tax compliance certificate of the company/Sacco. 5. Access to Government Procurement Opportunities (AGPO) certificate* added advantage 6. Company directors of Sacco Officials copies of: I.D and KRA pin certificate. 7. Articles of association/constitution 8. Minimum order of KES. 500,000

National Association (Complete Product Association (Complete Product Association (Complete Association (Comple	Nga or antico horbert Parinty								
Relation Write Soft at Note				STATES.	ernal figure	ethal specification in		orion Warrely	
No.		Haris Makes Maris Bary	durin makera (francisco) and section (francisco)	orane.	nettrad Reports Not Admira	email openitivation is openitive the con-	10.000	elia Mangi Ratifik hatgap	And the state of the state of the
1	Parguett Anthon Africa Communical Materia	NAME AND ADDRESS OF	ACCUPATION OF	emining.	Characterists	of other property of the control of	PRODUCTION CO.	Mar Thomps	State Control (Control to
	MA AND TORONO MARKS	ris Name	and the later of t	Table 1	May Man	-	mind.	es to to have	ex prima ma
1	AND AND TORONTO HOSE	Court Spatial	distinguishing graduum.	CONTRACT.	lobey Wan lobey Wan	AND THE PARTY OF T	Thinks	Hart School	War Sarie Charles Andrew
	OF BUILDING THEOLOGY OF THE	altra Vallery	and the second section is	-	PROFESSION .	THE RESERVE AND ADDRESS OF THE PERSONS ASSESSED.	PRINCIPLE.	24 Sp.1	ALC: UNKNOWN
	According to the Control	arina Mariany arina Mariany	Andreas Committee Committee	COLUMN TO	HARTONIAN	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN	PARAMETER.	erica report	
	Parador Mary Indian has	Mira Mallary	And American Street	COLUMN TO	Helymone	THE RESERVE AND ADDRESS.	COLUMN TO SERVICE STATE OF THE	Fix 10x1	Name and
	PERSONA .	of the same	Spingage 11	Market N	SUPPLIES.	ALCOHOL: NAME OF THE PARTY OF T	Services	12 5 5 5 5	EX SECTION 118
	CONTRACT CON	action theory	amender in the	der von	CONTRACTOR OF THE PARTY OF THE	ACCUPATION AND ADDRESS OF THE PARTY OF THE P	10000	AND THE PARTY NAMED IN	SA SECTION IN
ı	OCCUPATION AND ADDRESS OF THE PARTY OF THE P	Periff Male	and the same	10070	NAME AND ADDRESS OF THE PARTY.	STATE OF THE PARTY	10000	FIRST STATE	FR STOWN THE
	and the state	too too	NO ORGANIS	TOTAL PROPERTY.	nut tons	and annual transit	Trainers	HAT TO STORY	SE STORE UK
ı	et Arte trait sharin haird	non-time	e artificial for a six	and a	NOTATE OF	oridorija i graduna	- minoran	Fig. N. Nichols	the designation with
ı	Parigo Auto and Personal Company	NAME OF THE PARTY.	eleganismon	STATES.	engles ned	ALC LABOUR AND ADDRESS OF	THE PER	Fig. 5: School	THE SHIPTING THE
	C YARRING CORRES	ROBERT RESIGNA	BUT KONDY WALLES	erenkir.	CONTRACTOR OF THE PARTY OF THE	Mary Santa	NO. 181	Reprinque	endog pedindologime on
1	Properties of the contract of	wite banket.	distribution	no contra	Halla Marry's	engagingsocial	- Marianta	Fig. N. Nichola	de deligion ma
1	Tribu Mater Marien According	Name There	AND TRANSPORTER	erestion.	TOTAL RESIDENCE	THE RESIDENCE OF	Annerson Annerson	AND TO SURVIVA	NA STORMAN
1	Title Tister Renor-Mr. Korr	Sport Frague	-	render	NAME OF TAXABLE	MANUFACTURE OF THE PARTY OF THE	DESCRIPTION OF THE PERSONS ASSESSMENT	Size N. Nichola	War Springtons com-
1	Tribs Trade Trades-Audia	hant these		rmaken	COLUMN TO THE PARTY OF T	-	- Annierina - Annierina	AND TO SURVINE	NA STORM OR
	Print Mater Marier, Male	num theps	and the same of the last	restore	rista bischii	On the Street, Square,	- Northean	and to telephone	de feridan mis
-	DOS ATTACAMENTS TORK	Song Temp	Michael and American	TOTAL CO.	May Wat	CALL AND STREET TO	Total Control	Paris Surger	experience of the property of the last
1	entite abise teamment of theses	Mariana balah	enginenegyneisen.	Military State	halory Warn	obsychologisch der	- mindal	elwich hunger	orphiseperjeton mi
1	of animal tensorialisms	or Albert	Compression of the Compression o	COLUMN TO	may man	AND THE PERSON NAMED IN	Chicago and	entra propri	
1	AND DESCRIPTION OF THE PARTY.	AT ATTACK	Contract of the Contract of th	OTHER.	THE WHILE		NUMBER OF STREET	Partition of the last of the l	AND DESCRIPTION OF THE PARTY OF
1	encinarios en cinitato haba	ad Alliana	the province and the same	C1110F-070	many roomen.	and substantian	often actions.	elwijch hungerj	and the large of the large
1	CONTRACTOR OF STREET	ACCUSATE OF THE PARTY OF T	NAME AND ADDRESS OF THE OWNER, WHEN	COLUMN PROPERTY.	THE THE PERSON	CANADA CA	COLUMN TO SERVICE STATE OF THE	MARKETONIA MARKETONIA	AND DESCRIPTION OF
1	PARTIES AND ADDRESS OF THE PARTIES AND ADDRESS O	and mide	Mary Strip a lake	THE REAL PROPERTY.	10.700	9403-14	- Name of Street	Partie harpey	experience on
1	The State of the S	and solds.	sery to the sales	THE REAL	rin. News	9403-his	- Name of Street,	etwick hoped	contributing of the con-
1	Ford Property Males	Mary Mary	Administration of the con-	CHECK!	Contraction (Contraction Contraction Contr	ne nentrafica mie	CONTRACTOR OF THE PERSON OF TH	HARM BOOK	CONTRACTOR CO.
1	NAME OF TAXABLE PARTY.	miles was	Approximate the second	113/841	White Wills	PROTECTION OF THE PARTY OF THE	DOM:	Margin Rangagi	eriot beijegidisch me
	Districtive Control	CHUTCH COLU	April Company	reserves.	stupt supp	mbersholder or	TOTAL TE	Nupricipal Material Property (Name of the Control o	entra redistributor es
1	THE East Self-or All Bullyaria	Maked Marya	and hoped woman	-	and the	and a significant control of the significant con	-market	note to here	-
1	Process and the second	organica Massa any Missau	September 1981	STATE OF THE PERSON	And Material Andreas	Agrana .	MANUFACTURE CONTRACTOR	Park Bridge	could be part (but, in
1	Pportur at to retrain	orly Winds	MyKong/yaraki	etions.	4.400	NESSAME	STATE OF THE PARTY	Page surgicy	especialist (nature
1	- Total Securitoria	many had	and an other lands	10000	AND PERSONS	A STATE OF THE PARTY OF THE PAR	- AND STREET	major turqoji major turqoji	and production or
1	The teachers have been	No. of Control	COLUMN TO SERVICE AND SERVICE		NAME AND ADDRESS OF THE PARTY O	The second resident	None A	Fried School	and beginning to
1	The title have the	augur	-	******	ACCOMPANY	-	NO. INC.	reparency .	AND RESPONSE OF
and a	His Mater Barlet, Table 1986 - Althor Stationard & Mater	Name and Address of the Owner, where the Owner, which is the Owner, which	and an artist of the last of t	erenen.	Nation Margariti	AND THE PARTY OF T	- North Address	dutid hergej ofen Henry	country from the
1.	and the second state	No Males	and the same of	Table 1	naky War	AND THE PERSON NAMED IN	- market	of the Walson	de la constitución de la constit
1	COS AND TAXABLE PARTY.	Party la Filleriga Principal Signatura	managerity on	Thinks:	NAME OF THE PARTY	AND THE RESERVE AND ADDRESS OF THE PERSON NAMED IN COLUMN 2 AND AD	THE REAL PROPERTY.	of the Principle	Stan County Charles in the Stan County Charles in the
1		of Kines			risky trames	-	o'An a'At and	e salah mangapi	-
1		Caluff Build	The state of the s	COLUMN T	THE THE R		COLUMN TO SERVICE STREET	otes Thorp	de territoria
1	Constitution and the second	CALLS PLAN		COLUMN	HALVANA MANAGE		ONLY DE	Vice Vice Up	Co. Constitution III
1	- Common - C	representation.	-	restant.	MATERIAL STREET	-		dia therp	des transféries colo
1	- National Countries	Articology Section 5	and the same of	Section .	CONTRACTOR OF THE PARTY OF THE	ACCUPATION AND ADDRESS OF THE PARTY OF THE P	10000	of an Washington	de territore e
1	- Countries	No. of Street	energia.	1000	NAME AND ADDRESS OF THE PARTY O	Name and Address of the Owner, where the Owner, which is the Owner, wh	NAME OF TAXABLE PARTY.	No Tory	Statement Comment
1	SECTION OF THE PARTY OF T	nerth Major	anning repair to	esionis	Activat Nove	and profession	CONTRACTOR OF THE PARTY OF THE	Man Please	do temperatura
1	no the glovernesse	erin. Augus	erin neretakinin	10000	without Rights	email reproductions in	PARTIES .	of so Theory	des transpéries en la
1	To the Control of the Con	National States	College of the college	estates.	Notice Space	email openiglications in	PROCESS OF THE PARTY OF T	of the Third	discharge bases in
1	of the Man to Service	and the party	A STATE OF THE PARTY OF	-	are Manufa	and the second second		Care Strong	Andrews Control to
1	Name Address of the Owner of th	New Wilesan Translation	STATE OF THE PARTY NAMED IN COLUMN	operate.	Halfa Mars	CONTRACTOR CONTRACTOR	Territoria	Notice Wilesays	also transpiritation in
1	Pyrotal Bris-Withman	-	holis, medicine entition, n	SCORE.	HITUS MINTE	CONTRACTOR AND ADDRESS OF THE PARTY NAMED IN	riceland.	ofice Westly	dia manjiphan mis
1	The Total State Colonia	CONTRACTOR OF THE PERSON NAMED IN COLUMN NAMED		CONTRACTOR AND ADDRESS OF THE PARTY NAMED IN CONTRACTOR ADDRESS OF THE PARTY N	Service State	The second secon	NAME	erica Theory	An implication
1	Prince Water Station - Machalem	ri tion	Station (State)	errorene.	Mink Work	aliah matapaniah		ofice Westly	dia manjigiwa mia
1	File Television Abd	reference reproper	State Section Co.	COLUMN TO	Participants Participants	COLUMN TO STATE OF THE PARTY OF	Production Production	Mar Theory	dia manjigian ma
1	File Year Barrier, Audia	Arus Bushqu	Calculation Control	CHARLES.	Notes National	and the same of th	- Companies	Was Therefore	der samplifieren be
non-temporale	- mountain	- Marketina	Mark Spirited States and St	PERSONAL PROPERTY.	none make		renewan	Name and Address	estrating than min
1	record	rytina thopolaetika		10000	NY ARRON	the state of the later of the	*****	Color St. Name	and the state of the state of
1	Free aboutton B.A.	Philip Works	Arthur Arthur Arthur	10000	Neis Marin	all a reconstituence by	PRODUCTION OF THE PROPERTY OF	NUMBER OF STREET	Automobile Committee
territor transport	Saptar Ayram Sapras Saffari	CONTRACTOR	ANTAGON CONTRACTOR	enader.	DOING TOWNS	are management	PERSONAL PROPERTY.	NOUN COOK	do recition at
	No Service Service Respect	na in terms	with the first column to	realise	reduced foreign	orbata kerenja Madustake	rischmissione	of the William The origin	de marythan mir
Total Control	Special Control	Robert Radya	But hope but the	ertedos	entral de	and a report front of the	Section 2	Name of Street	
Ser tearing	Star Carry	COURTY BUILD	printerio Leverin	reveals.	SULES NO.	to an production in the	Sec. 250	of an Theory	der transpiration in the
non Malines				_					
that south trapants	rate and taken topal	Party No Partidia	NAME OF STREET	realization.	elema ferrenza	of all security and control	100000	ella fichian	discharge has mit
that south tragrance	Topic Control	Perio de Partida Perio de Partida Perio de Partida	Wichington on Wichington on Wichington on	COLUMN COLUMN COLUMN	Marian Saranga Marian Saranga Marian Saranga	Charles of Documents Charles on the Park Charle Charles	100000 100000 100000	ora ti situa ora ti situa ora ti situa ora ti situa	die ferführende die geführende die geführende die geführende
that squity trapants	es tais Tailries Espail Filts anumation Fallington Fig. of other Fig. of other Fig. of other	Perio de Fanda Perio de Fanda Perio de Panda Perio de Panda	Vikilla (lab. nas Vikilla (lab. nas Vikilla (lab. nas Vikilla (lab. nas	COLUMN CO	Marian Nathanga Marian Nathanga Marian Nathanga Nathanga	effective sign finds in the effect owner finds in the effect owner finds in the effect owner finds in the effective finds in the	TENTES TENTES TENTES TENTES	Starting Starting Starting Starting Starting Starting Starting	des transpiritues in to the fortificate into the fortificate into the fortificate into
Main squity tragrams order service that	en inter finaliste fraguet helb association finaliste fragueta finaliste finaliste association finaliste association finaliste value to the finaliste value of the finaliste	Ports to Facility Ports to Fac	With Enths (Subs. 100)	TOTAL PARTY	Marina Nathanga Marina Nathanga Marina Nathanga Marina Nathanga Marina Nathanga		PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF	The State of	
Mast squity fregrense Mastr Service Son Mastria Mastria Mastria Mastria Mastria Mastria	The track Technical England Fallin constrained Salterigation Top and prices Salterigation S	Puris to Facilita Audiora Ministral Puris to Facilita Puris to Fac	NATIONAL DISCONSISSION OF THE PROPERTY OF T	COLUMN TO THE PARTY OF T	Monte Santanga Monte Santanga Monte Santanga Ad-Magaga Wind Santanga Monte Santanga Monte Santanga Monte Santanga Monte Santanga	Antonia angalipakuski Antonia antoniji kukuski Antonia antoniji kukuski Antonia antoniji kukuski Antonia kungo jilakuski Antonia kungo jilakuski Antonia kungo jilakuski	PACIFICATION OF THE PACIFI	Contract The School The Scho	
Made squity fragments where service has service sound	you have Tradelina's England and the Control of the Control adding to the Control adding	Puris de Parida Paris de Parida Paris de Parida Paris de Parida Adrica Ministral Paris de Parida Adrica Ministral Paris de Parida Paris de Paris d	Service State of the Service of the	CONTRACT CONTRA	Allerian Santanga Allerian Santanga Allerian Santanga Allerian Santanga Antari An	And the second s	Particular And Partic	Clas Talengi Clas To Northus Clas To Northus Clas To Northus Clas Thomas Wine Thomas Clas Thomas Clas Thomas Clas Thomas Clas To Northus Clas To Northus	
Made sayah) Programme Material Market Nam Material Material	The Note Technical Separation of the Control of Technical Separation of Techni	Paris de Tanda Paris	The Action of Season related by the Season r	CONTRACT CONTRA	Person harizanja Person harizanja	ответь и уго фолькой от ответ и извету польтой ответ и извету польтой ответи и извету польтой от ответи и извету польтой ответи и извету польтой от ответи и извету польтой от ответи и извету польтой от ответи и извету польтой от от от от от от от от от от	TOTAL CONTROL	The Marky The Scholar	Ann there of the term is a few of the term in the term
Made to pility the grants status harder than status handing	The New Yorkship Supple The Control Supple T	Parts to Totalia Parts to Totalia Parts to Totalia Malfres Minister or the Ministe	Aut is followed in the control of th	CONTRACT CONTRA	Manina Nariwelja Manina Nariwelja Manina Nariwelja Manina Nariwelja Manina Nariwelja Manina Nariwelja Manina Nariwelja Manina Ma	Control of the Contro	Secretaria del Secret	The States The St	Ann hang of habour at the same free for finish state. For finish finish state. For finish finish state. For finish finish state. For finish finish finish state. For finish finish finish state. For finish finish state. For finish stat
Major kayakiy Pagrasina Milata	Non-technical biopad solid solid solid biopad Salis region Salis regi	Party to Training Authors Ministration and the Magazin Section State State Section S	And the second s	CONTRACT CONTRA	Manina harinanga Manina harinanga Manina harinanga Manina harinanga Manina Maninanga Manina Maninanga Manina Maninanga Manina Maninanga Manina Maninanga Manina Maninanga Manina	Control of the Contro	Section 4.1 Sectio	Con Manage Tan Shafinan Tan	Annual Programme of the Annual
Make to play the grants. Whate Whate White Whit	And have industrial topical with a controlled and property of the controlled and property of	Note to Frenche Sale t	And a finite place of the second of the seco	CONTROL OF THE PARTY OF THE PAR	America Nationary America Natio	Secretary of Delantical Secret	Technologies Te	Vice Valency The Scholars Th	And the second of the second o
Made beyong the grants. Makes to the second	No hair National August All San	Form to Frankle Form to Frankle Form to Frankle Form to Frankle Andrew An	A CONTROL OF THE PROPERTY OF T	CONTRACT CONTRA	Person Manager Person	Section of the Control of the Contro	STATEMENT OF THE STATEM	Control of the Contro	Ann interpretation in the property of the control of the property of the control of the property of the proper
Make Separate Programme Street Separate Separate Separate Separate Separate Separate Separa	And the Markette Anguard Anguarde Sanguarde Anguarde	Anni ya Anaba Ani ya Anaba Ani ya Anaba Ani ya Anaba Anika Ahaba Anika Ahaba Anika Ahaba Anika Ahaba Anika	The second secon	PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF	South Manager So	Section of the Control of the Contro	SECURITY SEC	AND TRANSPORT OF THE PROPERTY	Ann comprehensive in the compr
Made equity trap announced from the control of the	No Committee Services Open State Open St	Forth No. Trackle Forth No. Tra	The behavior and processing of the behavior and processing or and the behavior and the behav	CONTRACTOR CONTRA	Some Nationally South Salvanian Salvanian South Salvanian	Windowsky Charles (1997) Windowsky Charles	STATEMENT STATEM	THE STATE OF THE S	And the second s
Shall be all y the granes when the state of the state when the state of the state o	The same statistical beyond the control of the cont	And the second s	No. 4 Mary Special Code On A Strategister Code On A	PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF	Some Services So	A CONTRACTOR OF THE PROPERTY O	SECURITY SEC	The National Part of the Control of	Ann American Service of the Control
State topic of trap cannot be a second or second	Section Control Course Septiment Septiment	No. 19 No	An interpretation and production and	PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF	Some Services Some S		SECURITY SEC	The National Control of the Control	An interpretation in the control of
Shall haydig trapustor shallon sha shallon shallon shallon shallon shallon shallon shallon shallon sha shallon sha shallon sha sha sha sha sha sha sha sha sha sha	A CONTROL OF THE PROPERTY OF T	THE STATE OF THE S	No. 6 Mary Special Conference of the Conference	PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF	Some Services South Manage Sout	And the state of t	STATEMENT OF THE STATEM	A CONTROL OF THE PROPERTY OF T	An interpretation of the property of the prope
State Supply the process of the state of the	The control of the co	Control of the Contro	And A STATE STATE AND A STATE	PUBLISHED TO SERVICE AND ADDRESS OF THE PUBLISH	Some Services South Manage S	And the state of t	SECURITY SEC	Control of the Contro	Selection of the control of the cont
Make haping may access Section 1. Section 1	A CONTROL OF THE PROPERTY OF T	Control of the Contro	No. 6 Mary State Control of the Cont	PUBLISHED TO SELECT THE PUBLISH TO SELECT THE PUBLISH TO SELECT THE PUBLISH TH	Seman Service of Servi		Secretary Control of the Control of	Control of the Contro	Control of the Contro
State to play the greater	White the State State of State	Control of the Contro	And the second s	PERSONAL PROPERTY OF THE PERSONAL PROPERTY OF	Month Services	And the property of the proper	STATE OF THE STATE	CONTROL OF THE CONTRO	
State Supplies of the process of the state o	A CONTRACT STATE OF THE PARTY O	Control of the Contro	The Authority of the Control of the	CONTRACT CONTRA	Access Principal Control Contr	And the state of t	Marie Mari	Continue Con	
State to print the greater and the state of	The state of the s	Control of the Contro		TOTAL STATE OF THE	Access Transpage The Control of	And the property of the proper	Marie Mari	Continued to the contin	
Seat supplied the ground of the state of the	The second secon	New Yorkship Ning St. 1988.	Anterior and Anter	CONTRACT CONTRA	Amen Service Control of the Control	And the state of t		CONTROL OF THE PROPERTY OF THE	
Seat reported from process of the control of the co	The state of the s	MON WINDOWS AND	And the property of the control of t	STATE OF THE STATE	Amount browning The Control Minings The Control M		STATE OF THE STATE	CONTROL OF THE CONTRO	
Seat support regiments Section Sectio	The second secon	Service of the control of the contro		STATE OF THE PARTY	Amen brompy The Strain Strain Strain The Strain Strain Strain Strain The Strain Strain Strain The Strain Strain Strain The Strain Strain Strain The Strain	And the second s	STATE STAT	CONTROL OF THE PROPERTY OF THE	
Seal requirement of the control of t		MON WATER AND A STATE OF THE AND	And the second s	STATE OF THE PARTY	Amen brompy The Control of Control The Con	The second secon	2002 24	20 V USAN 20 V U	
Seat support regiments Section Sectio	The second secon	The Control of the Co		SIGNATA SIGNAT	See			CONTROL OF THE PROPERTY OF THE	
Seal requirement of the control of t	The second secon	The control of the co	And the second s	SIGNATA SERVICE SERVIC	Amen bromps Amen bromps Amen bromps Amen and amen Amen and amen and amen Amen a		2000 20	STATEMENT OF THE STATEM	
Seal Seal Seal Seal Seal Seal Seal Seal	The second secon	The services of the services o		STATE STAT	Amen Manage Amen			THE CONTROL OF THE CO	
Seal and property of the control of	The state of the s	THE STATE OF THE S	And the second s	CONTROL OF THE PARTY OF THE PAR	See			20 V V V V V V V V V V V V V V V V V V V	
Seal of the seal o	The second secon	The control of the co		SIGNATA SIG	See			THE VALUE OF THE PARTY OF THE P	
Seal and property of the control of	The second secon	The control of the co		STATE STAT	Sees Manage Sees Manage Sees Manage Sees Sees Sees Sees Sees Sees Sees Se			20 - Value 20 - Value 21 - Value 22 - Value 23 - Value 24 - Value 25 - Value 26 - Value 27 - Value 27 - Value 28 - Value 29 - Value 29 - Value 20 - Value 21 - Value 21 - Value 22 - Value 23 - Value 24 - Value 25 - Value 26 - Value 27 - Value 28 - Value 28 - Value 29 - Value 29 - Value 20 - Value 21 - Value 21 - Value 22 - Value 23 - Value 24 - Value 25 - Value 26 - Value 27 - Value 27 - Value 28 - Value 28 - Value 28 - Value 29 - Value 29 - Value 20 - Value 21 - Value 21 - Value 22 - Value 23 - Value 24 - Value 25 - Value 26 - Value 27 - Value 27 - Value 28 - Value 28 - Value 28 - Value 28 - Value 29 - Value 29 - Value 20 - Value 21 - Value 21 - Value 22 - Value 23 - Value 24 - Value 25 - Value 26 - Value 27 - Value 27 - Value 28 - Value 28 - Value 28 - Value 29 - Value 20 - Value	
Seal of the Property of the Pr		MONEY WANDERSON OF THE PROPERTY OF THE PROPERT			See			13 - Value 14 - Value 15 - Value 16 - Value 17 - Value 18 - V	
Seal only the Park of Seal of	A CONTRACTOR OF THE PROPERTY O			STATE STAT	Service Control of the Control of th			10 Y VANCO 20 Y VANCO	
Seal on the Property of the Pr		STATE STATE OF THE						20 V V V V V V V V V V V V V V V V V V V	
Seal of the Property of the Pr					See				
Seal on the Property of the Pr		SOLVE STATE OF THE						10 10 10 10 10 10 10 10	
Sali single Fall plane. The sali single Fall plane is sali single		SON STATES OF THE STATES OF TH						10 - Valor	
Seal only National Seal of Sea								10 V V V V V V V V V V V V V V V V V V V	
Seed of the Conference of the		SON STATES OF THE STATES OF TH		STATE STAT				10 10 10 10 10 10 10 10	
Seal only he had prome to the seal of the				STATE STAT				10 V Vac. 10 V Vac. 10 V Vac. 11 V Vac. 12 V Vac. 13 V Vac. 14 V Vac. 15 V Vac. 16 V Vac. 17 V Vac. 18 V Vac. 18 V Vac. 19 V Vac. 19 V Vac. 10 V Vac. 10 V Vac. 10 V Vac. 11 V Vac. 11 V Vac. 12 V Vac. 13 V Vac. 14 V Vac. 15 V Vac. 16 V Vac. 17 V Vac. 18 V Vac. 18 V Vac. 19 V Vac. 19 V Vac. 10 V Vac. 11 V Vac. 11 V Vac. 11 V Vac. 11 V Vac. 12 V Vac. 13 V Vac. 14 V Vac. 15 V Vac. 16 V Vac. 17 V Vac. 18 V Vac. 18 V Vac. 19 V Vac. 19 V Vac. 10 V Vac. 10 V Vac. 10 V Vac. 11 V Vac. 11 V Vac. 11 V Vac. 11 V Vac. 12 V Vac. 13 V Vac. 14 V Vac. 15 V Vac. 16 V Vac. 17 V Vac. 18 V Vac. 18 V Vac. 19 V Vac. 19 V Vac. 19 V Vac. 10 V Vac. 11 V Vac. 11 V Vac. 11 V Vac. 11 V Vac. 12 V Vac. 13 V Vac. 14 V Vac. 15 V Vac. 16 V Vac. 17 V Vac. 18 V Vac. 19 V Vac. 19 V Vac. 19 V Vac. 10 V Vac. 11 V Vac. 11 V Vac. 11 V Vac. 12 V Vac. 13 V Vac. 14 V Vac. 15 V Vac. 16 V Vac. 17 V Vac. 18 V Vac. 19 V Vac. 19 V Vac. 10 V Vac.	
Seal Seal Seal Seal Seal Seal Seal Seal									
The state of the s									
Test and the Test and the Test and Test				Section Sect					
The state of the s				STATE STAT					
Test and the Test				STATE STAT					
The state of the s									
The state of the s								The content of the	
The state of the s									
STATEMENT OF THE PROPERTY OF T									
The state of the s									
Total Control									
Section 1									
Services of the services of th									
The state of the s									

	Active Mashinanis						
	Mashinani Name	Location	County	Mobile Number	Contact Name	Email Address	
1	Orokise Sacco	Rongai	Kajiado	0722-520050	Kamau Gatheca	orokisesacco@yahoo.com	
2	Trojan Trading Ltd	Kiambu town	Kiambu	0713-758615	Chris Wainaina	trojan.trading@yahoo.com	
3	Cider Vine	Kikuyu	Kiambu	0724-457610	Leah Wanjiru	leah@cidervine.co.ke	
4	Best Value Agencies	Kirinyaga Road	Nairobi	0720-797801	Chyprian Mutua	valuebest74@gmail.com	
5	Chann Holdings	Nairobi	Nairobi	0723-719899	Wambui Ndumia	wambuindumia86@gmail.com	
6	Polparts East Africa	Mombasa town	Mombasa	0723-314026	Paul Muganda	muganda2013@gmail.com	
7	Lil Motors	Mlolongo	Machakos	0718-556677	Paul Mwai	paul.mwai@lilmotors.co.ke	
8	Lethbridge Limited	Nairobi	Nairobi	0790-514062	George Kinyanjui	lethbridgelimited@gmail.com	
9	Lethbridge Limited	Narok	Narok	0713 - 266768	Esther Kinyanjui	shikokinyash327@gmail.com	
10	Mfam Auto Spares	Kamakis	Kiambu	0714 - 043910	Ruth Wanjiru Mwaura	rmwaura949@gmail.com	

Mashinani * Parts ONLY

Bank	Coop	NCBA	Gulf Africa Bank	Stanbic	Equity
Types of Isuzu vehicle	Isuzu D-Max Pickups/ N& F SEries	Isuzu D-Max Pickups/ N& F Series N&F Series School Buses	Isuzu D-Max Pickups/ N& F SEries	Isuzu D-Max Pickups/ N& F SEries	Isuzu D-Max Pickups/ N& F Series trucks, N&F Series School Buses
Deposit (minimum, subject to appraisal)	59	5%	5% Musharaka Contract/upto 0% Murabaha (subject to appraisal)	59	5%
Financing (maximum, subject to appraisal)	95%	95%	95% Musharaka Contract/upto 0% Murabaha (subject to appraisal)	95%	95%
Repayment period	5 years	5 years/6 years for School Buses	5 years-Musharakah Contract - Terms can change/ 3 years-Murabaha Contract-Terms do not chan	5 years	5 years, 2 years for PSVs (TBA),6 years Isuzu Buses
Interest Rate	13% p.a.	13% p.a.	% of profits per month	13% p.a.	13% p.a.
Working Capital	500,000 Dmax SC/DC N&F Series trucks	N/A	N/A		(subject to credit appraisal): • 500,000 Pick-Ups & N series. • 1,000,000- For D-Max, MUX, F & E series
Repayment holiday	60 days	90 days/one-term for Isuzu Buses	60 days	60 days	60 days-upon request

IR BAG 10.7
10.7
217
1710
1081
Std
std
std

ISUZU mu-X Specifications						
MODEL	mu-X RJ05 1.9 L	mu-X RJ05 3.0 L				
Drive, Transmission	4X4, Automatic	4X4, Automatic				
ENGINE						
	4.01 1- 11- 4 - 41-4	2.01 1-11-4				
Туре	1.9L, In-line 4-cylinder common-rail direct fuel injection	3.0L, In-line 4-cylinder common-rail direct fuel injection with				
30	with intercooled Variable Geometry System turbo charger	intercooled Variable Geometry System turbo charger				
Emmission Level	Euro 2	Euro 2				
Displacement (cc)	1,899	2,999				
Max Power kW(PS)/rpm	110 (149) / 3,600	140 (190) / 3,600				
Max Torque Nm(kgm)/rpm*	350 (35.7) / 1,800 - 2,600	450 (45.9) / 1,800 - 2,800				
TRANSMISSION	6-speed auto	6-speed auto				
SUSPENSION SYSTEM						
Front	Independent, coil springs, gas shock abso	rbers, upper & lower wishbones, stabiliser bar				
Rear	Five-link coil suspension, ga	s shock absorbers, stabiliser bar				
Brake system -Front & Rear	Ventilated front disc 1	7"with twin piston callipers				
TYRES & WHEELS						
Tyres	265/60 R18 (H/T Pattern)	265/60 R18 (H/T Pattern)				
Wheels	18" x 7.5J Alloy	18" x 7.5J Alloy				
Spare Tyre	18" Alloy	18" Alloy				
WEIGHT, CAPACITIES & DIMENSIONS	*					
Length (mm)	4.850	4.850				
Width (mm)	1.870	1.870				
Height (mm)	1.822	1,822				
Ground clearance (mm)	227	227				
Seating capacity (persons)	7	7				
Fuel Tank capacity (litre)	80	80				
INTERIOR FEATURES						
Power Assisted Steering (PAS)	Equipped	Equipped				
Height adjustable steering column	Manual / Tilt	Manual / Tilt				
Leather steering wheel with multifunction controls	Equipped	Equipped				
Seat trim	Leather	Leather				
Seating capacity	7	7				
Driver's Seat Adjustable	Manual Assist - Six-way adjustable	Power Assist - Eight-way adjustable electric				
	Automatic Climate Control . dual zone with rear cabin	Automatic Climate Control, dual zone with rear cabin cooling				
Air conditioner	cooling vents	vents				
Sun visor vanity mirror	Driver & Passenger with Vanity Mirror & Driver Ticketholder	Driver & Passenger with Vanity Mirror & Driver Ticketholder				
Multi Information Display (MID), Dashboard		· · · · · · · · · · · · · · · · · · ·				
illumination control	Equipped	Equipped				
Cruise Control		Equipped				
Electrically operated windows	All with Driver Auto Up/ Down with Jam Protection	All with Driver Auto Up/Down with Jam Protection & Timer				
Door trim with storage pockets and integrated						
cupholders	Equipped	Equipped				
Fixed rear window, with defogger	Equipped	Equipped				
Interior courtesy lights	Equipped	Equipped				
High-mounted centre stop light	LED	LED				
Front reading lights	Equipped	Equipped				

Front reading lights	Equipped Equipped		
	ISUZU mu-X Specifications		
MODEL	mu-X RJ05 1.9 L	mu-X RJ05 3.0 L	
EXTERIOR FEATURES			
Exterior mirrors	Power Adjustable, Retractable	Power Adjustable, Retractable	
Side steps	Equipped	Equipped	
Mudflaps	Front & Rear	Front & Rear	
Daytime running lights (DRL)	LED	LED	
BI-LED Headlights with "on" warning buzzer, Rear			
LED combination tail-lights, Luggage lamp	Equipped	Equipped	
INFOTAINMENT			
CD Frontloader, USB, auxiliary, Steering Wheel			
Controls and Bluetooth	Equipped	Equipped	
No Of Speakers	6	8	
SAFETY			
ABS Brakes, Electronic Brake-force Distribution			
(EBD), Emergency Brake Assist, Electronic Stability			
Control (ESC), Hill Descent Control (HDC)	Equipped	Equipped	
Variable Speed Intermittent Wipers	Equipped	Equipped with Rain sensing wipers	
Airbags	6 - Dual front airbags(driver+passenger), roof rail, and side	7- Dual front airbags(driver+ passenger), roof rail, and side	
Airbags	airbags	airbags, Knee	
Automatic Door Unlock with SRS Airbag Deploy	Equipped	Equipped	
Daytime running lights (DRL)	Equipped	Equipped	
Fog Lamps - Front	Equipped	Equipped	
Fog Lamps - Rear	-	Equipped	
Front Headlamp Levelling	Automatic	Automatic	
Rear LED Tail Lamps	Equipped	Equipped	
Side Impact Protection Bars	Equipped	Equipped	
Height adjustable 3-point seatbelts	Equipped	Equipped	
ISOFIX Child Seat Anchorage	Equipped - 2nd Row Seat Outside & Centre	Equipped - 2nd Row Seat Outside & Centre	
High Level Brake Light	Equipped	Equipped	
Rear Park Assist	Equipped - Rear Camera	Equipped - Rear Camera	
Anti-theft Alarm, transponder Immobiliser & Keyless			
Entry, Remote Central Locking and Speed Sensing			
Automatic Door Lock	Equipped	Equipped + Remote start Engine	
Passive Entry and Start System (Push Button)	Equipped	Equipped	
Follow Me Home Headlamps	Equipped	Equipped	
ESS (Emergency Stop Signal)	Equipped	Equipped	
Walk Away Auto Door Lock	Equipped	Equipped	
LSD/Difflock	Difflock Equipped	Difflock Equipped	

ISUZU N-SERIES TRUCKS	NLR77E	NMR85H	NQR81K	NQR81M	NPS81H
Models	NLR77U-EE1AYN	NMR85U-HH5AY	NQR81U-MN5VAY	NQR81U-KN5VAY	NPS81U-HJ5VAY
Axle layout	4x2	4x2	4x2	4x2	4X4
Rear tyre	Single	Dual	Dual	Dual	Dual
ENGINE Model	4JH1-TC	4JJ1-TC	4HL1-TCN	4HL1-TCN	4HL1-TCN
		Desiel 4 cylinder , Common	Desiel 4 cylinder , Common Rail	Desiel 4 cylinder , Common	Desiel 4 cylinder , Common Rail
	Rail Turbocharged with	Rail Turbocharged with	Turbocharged with Intercooler	Rail Turbocharged with	Turbocharged with Intercooler
Туре	Intercooler	Intercooler		Intercooler	Table Garage Street Trace Cooler
Displacement(L)	3	3	4.8	4.8	4.8
Max Output kW (hp) @ rpm	77 (105)@ 3,200	96(130) @ 2,800	114(150) @ 2,600	114(150) @ 2,600	114(150) @ 2,600
Max Torque Kgm (Nm) @ rpm	23.5(230) @ 1,500-3,200	33.7(330) @ 1,500-2,600	41(402) @ 1,500-2,600	41(402) @ 1,500-2,600	41(402) @ 1,500-2,600
CLUTCH Type	Single Dry Plate	Single Dry Plate	Single Dry Plate	Single Dry Plate	Single Dry Plate
CLUTCH Diameter (mm/inch)	300/12"	300/12"	325/13"	325/13"	325/13"
Operation	Hydraulic Control	Hydraulic Control	Hydraulic Control	Hydraulic Control	Hydraulic Control
TRANSMISSION	Gera 1-5, Reverse	Gera 1-5, Reverse	Gera 1-6, Reverse	Gera 1-6, Reverse	Gera 1-6, Reverse
BRAKES System		Vaccum assited / Hydraulic	Vaccum assited / Hydraulic dual	Vaccum assited / Hydraulic	Vaccum assited / Hydraulic dual
BRAKES SYSTEM	dual circut	dual circut	circut	dual circut	circut
Front & Rear	Drum	Drum	Drum	Drum	Drum
Park Brake	Mechanical, at rear of	Mechanical, at rear of	Mechanical, at rear of transmission	Mechanical, at rear of	Mechanical, at rear of
I air Diarc	transmission	transmission	iviccianical, at real Of transmission	transmission	transmission
Auxiliary	Exhaust Brake	Exhaust Brake	Exhaust Brake	Exhaust Brake	Exhaust Brake
STEERING Operation	EXHAUST BLAKE	Exilaust Blake	Power	Extraust brake	EXHAUST BLAKE
Cabin Type			Tilt Cabin construction		
Windshield			Laminated . Curved		•
Seat belt		2 noint	x 2 for driver & Assistant, 2 Point x 11	for contor cost	
Tubeless tyre	Standard	Standard	Standard	Standard	Standard
Tyre Size	225/70R15C	7.00R16	9.5R17.5	9.5R17.5	9.5R17.5
Rim Size	5.5x15	7.00R16 6x16	9.5K17.5 6.5x17.5	9.5K17.5 6.5X17.5	9.5K17.5 6.5x17.5
FUEL TANK	J.JX13	0.00	0.3x17.5	0.3817.3	U.JX17.3
Capacity (Litres)	75	100	100	100	100
Fuel tank lock	Standard	Standard	Standard	Standard	Standard
Battery	12V-N90	12V-NS70X2		12V-NS70X2	12V-NS70X2
	1		NSIONS (mm)		1
OL - Overall Length	4730	6030	6635	7355	5985
OW - Overall Width	1815	1815	2040	2040	2040
OH - Overall Height	2150	2160	2275	2275	2455
WB - Wheelbase	2475	3345	3815	4500	3365
FOH - Front Overhang	1110	1110	1110	1110	1110
ROH - Rear Overhang	1145	1575	1710	2070	1510
BW - Rear Axle Width	1590	1860	2125	2125	2125
FT - Front Track	1475	1475	1680	1680	1680
RT - Rear Track	1395	1425	1650	1650	1650
EH - Chassis Rear End Height	700	770	830	830	770
HH - Rear Ground Clearance	190	195	220	220	210
CWF - Front Chassis Width	740	740	850	850	850
CWR - Rear Chassis Width	700	700	850	850	850
CE - Cab to Chassis End	3120	4345	4950	5995	4300
CA - Cab to Axle	1900	2770	3240	3925	2790
	1,00		EIGHT (kg)	0,20	2,70
Gross vehicle weight	4100	5500	8000	8 500	7500
Cab chassis mass	1725	2090	2760	2845	2910
CUD CHASSIS HIASS			nterval for 4HK1 & 6HK1 engine/War		2/10
Engine Oil and filter	10,000 km	15,000 km	15,000 km	15,000 km	15,000 km
Fuel filter	20.000 km	30.000 km	30,000 km	30.000 km	30.000 km
Engine Oil Separator	12 months	12 months	12 months	12 months	12 months
Air cleaner	40,000km	60,000 km	60,000 km	60,000 km	60,000 km
	·	·	·		·
Warranty Cover	2yr/100,000 km	2yr/100,000 km	2yr/100,000 km	2yr/100,000 km	2yr/100,000 km

ISUZU F SERIES TRUCKS	FRR90N	FTR90L LSD	FTR90L non LSD	FTS34L, Double Rear Tire	FTS34L, Single Rear Tire	FVR34P	FVZ34T, Cargo truck Chassis	FVZ34T, Tipper Chassis
MODEL	FRR90SU-NCYN	FTR90SU-LDYN	FTR90SU-LDYS	FTS34SU-LDYN	FTS34SU-LDYN	FVR34UU-PDYN	FVZ34UU-TDYS	FVZ34UU-LDYS
Axle layout	4x2	4x2	4x2	4x2	4x2	4x2	6x4	6x4
ENGINE								
Model	4HK1-TCC	4HK1-TCC	4HK1-TCS	6HK1-TCN	6HK1-TCN	6HK1-TCN	6HK1-TCS	6HK1-TCS
Туре	Desiel 4 cylinder , Co	esiel 4 cylinder , Common Rail Turbocharged with Intercooler Desiel 6 cylinder , Common Rail Turbocharged with Intercooler						
Displacement(L)	5193	5193	5193	7790	7790	7790	7790	7790
CLUTCH								
Туре	DRY SINGLE PLATE	DRY SINGLE PLATE	DRY SINGLE PLATE	DRY SINGLE PLATE	DRY SINGLE PLATE	DRY SINGLE PLATE	DRY SINGLE PLATE	DRY SINGLE PLATE
Diameter (mm/inch)	350/14"	350/14"	350/14"	380/15"	380/15"	380/15"	380/15"	380/15"
Operation	HYDRAULIC CONTROL	HYDRAULIC CONTROL	HYDRAULIC CONTROL	HYDRAULIC CONTROL	HYDRAULIC CONTROL	HYDRAULIC CONTROL	HYDRAULIC CONTROL	HYDRAULIC CONTROL
TRANSMISSION	Gear 1-6, reverse	Gear 1-6, reverse	Gear 1-6, reverse	Gear 1-6, reverse	Gear 1-6, reverse	Gear 1-6, reverse	Gear 1-8, reverse, crawler	Gear 1-8, reverse, crawler
SUSPENSION								
BRAKES								
System	AOH	AOH	AOH	AOH	AOH	FULL AIR	FULL AIR	FULL AIR
Park Brake	CENTER DRUM PARKING	CENTER DRUM PARKING	CENTER DRUM PARKING	CENTER DRUM PARKING	CENTER DRUM PARKING	REAR WHEEL PARKING	REAR WHEEL PARKING	REAR WHEEL PARKING
Front& rear	DRUM	DRUM	DRUM	DRUM	DRUM	DRUM	DRUM	DRUM
Auxiliary	EXHAUST BRAKE	EXHAUST BRAKE	EXHAUST BRAKE	EXHAUST BRAKE	EXHAUST BRAKE	EXHAUST BRAKE	EXHAUST BRAKE	EXHAUST BRAKE
Speed limiter	80km/h	80km/h	80km/h	80km/h	80km/h	80km/h	80km/h	80km/h
STEERING								
Operation	POWER	POWER	POWER	POWER	POWER	POWER	POWER	POWER
CAB				Tilt Cal	oin construction			
Sleeper Cab	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Windshield					nated , Curved			
Seat belt				3 point x 2 for driver & A	sistant, 2 Point x 1 for	center seat		
Tyre Tubeless	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Tyre Size	9.5R17.5	11R22.5-16PR	11R22.5-16PR	11R22.5-16PR	11R22.5-16PR	12.00R22.5	12.00R22.5	12.00R22.5
Rim Size	17.5x6.00	7.5x22.5	7.5x22.5	7.5x22.5	7.5x22.5	8.25x22.5	8.25x22.5	8.25x22.5
FUEL TANK Capacity (Litres)	200	200	200	200	200	200	370	370
Battery DIMENSIONS (mm)	12V-NS70X2	12V-NS70X2	12V-NS70X2	12V-NS70X2	12V-NS70X2	12V-NS70X2	12V-NS70X2	12V-NS70X2
OL - Overall Length	8155	7405	7405	7405	7405	8505	9730	7630
OW - Overall Width	2200	2400	2400	2400	2400	2400	2400	2400
OH – Overall Height	2600	2720	2720	2910	2910	2860	2905	2905
WB - Wheelbase	4860	4250	4250	4250	4250	5050	6350	4250
FOH - Front Overhang	1170	1440	1440	1255	1255	1440	1440	1440
ROH - Rear Overhang	2125	1715	1715	1900	1900	2015	1940	1940
BW – Rear Axle Width	2165	2350	2350	2350	2350	2445	2445	2445
FT - Front Track	1790	1990	1990	1965	1965	1970	1970	1970
RT - Rear Track	1660	1790	1790	1790	1790	1845	1845	1845
EH – Chassis Rear Height at Axle	955	1015	1015	1120	1120	1250	1220	1220
CWF - Front Chassis Width	840	850	850	850	850	850	850	850
CWR – Rear Chassis Width	840	850	850	850	850	870	870	870
HH - Rear Ground Clearance	197	275	275	275	275	245	265	265
CE - Cab to Chassis End	6595	5335	5335	5335	5335	6435	7660	5560
CA - Cab to Axle	4430	3620	3620	3435	3435	4420	5070	2970
WEIGHT (kg)								
Gross vehicle weights (GVW)	11000	13500	14200	13000	13000	18000	26000	26000
	3120	4560	4560	5140	5140	5130	7155	6500
Cab chassis mass	3120	4360		s replacement Interval for			/155	0000
Engine Oil and filter	15,000 km	15,000 km	15,000 km	10,000 km	10,000 km	10,000 km	10,000 km	10,000 km
Engine Oil and filter Fuel filter	30,000 km	30,000 km	30,000 km	10,000 km 20,000 km	20,000 km	10,000 km 20,000 km	10,000 km 20,000 km	20,000 km
Engine Oil Separator Air cleaner	12 months 60,000 km	12 months 60,000 km	12 months 60,000 km	12 months 40,000km	12 months 40,000km	12 months 40,000km	12 months 40,000km	12 months 40,000km
Valve Clearance	60,000 km	60,000 km	60,000 km	40,000km 40,000km	40,000km 40,000km	40,000km 40,000km	40,000km 40,000km	40,000km 40,000km
Warranty Cover	1yr/100,000 km	2yr/100,000 km	2yr/100,000 km	2yr/100,000 km	40,000km 2yr/100,000 km	40,000km 2yr/100,000 km	1yr/Unlimited mileage	1yr/Unlimited mileage
vvariality Cover	191/ 100,000 KIII	291/ 100,000 KITI	291/ 100,000 KIII	2917 100,000 KIII	291/ 100,000 KIII	291/ 100,000 KIII	Tyr/ Ommitted inneage	Tyr/ Omminiceu mireage



- · Ease of AFS transition for customers
 - · Same engine and transmission retained
- · Improved overall Gross Vehicle Weight (GVW)
 - FVR90 15 tons
- · Higher capacity rear axle
 - · Higher Gross Allowable Weight
 - · Axle with improved durability robust rear differential system that better support sand harvesting application
 - · Improved clutch life
- · Improved startability
 - · Easy to start and move out of the riverbed when loaded.
- · Increased chassis thickness
 - 8.0mm
 - 4.5mm reinforcement insert
- · Increased rim size
 - 7.5x22.5 (8 studs) to 8.25x22.5 (10 studs)







FVR Unique Selling Points

More Power

- More efficient common rail engine with better
- **Reinforced Chassis Frame**
- Improved chassis frame strength & durability (prevents chassis cracks)
- Improved tractive Force
 - · Enhanced torque
 - · Improved clutch & brake life
 - · Improved starting ability
 - · Improved climbing ability & load carrying capacity
- **Rib Lag Tubeless Tires**
 - · Good for off-road terrain operations (sand harvesting)
 - Higher mileage

- · Enhanced Driver Comfort
 - · Wider cabin with many clever storage compartments
 - · Wider sleeper cabin
 - · Instrument panel with quick -read meters
- · Enhanced Driver Safety
 - · Reinforced cab, wide mirrors for better visibility, bigger headlamps
- · Longer Service Intervals
 - · 10,000kms
- · Warranty cover
 - · 1 years, 100,000 kms
- · Euro 2
- Environmentally friendly • Price • FVR90 KES 6,990,000
 - FVR34P KES 8,588,000

MODEL	FVR90L	FVR34P
ENGINE		
Model	4HK1-TCS	6HK1-TCN
Туре	HIKI 165	OTICE TON
Displacement(L)	5193	7790
Max Output kW (hp) @ rpm	154(210) @ 2,600	177 (240)@ 2,400
Max Torque Kgm (Nm) @ rpm	72(705) @ 1,600	(72)706 @ 1,450
Pre-air cleaner & high air intake pipe	Standard	(72)700 @ 1,430 Standard
Fuel water sedimentors	Standard	Standard
Heavy duty radiator	Standard	Standard
Emission	Euro II	Euro II
CLUTCH	Euron	Editori
Туре	Type: Dry Single Plate	Type: Dry Single Plate
Type	Operation: Hydraulic Control, Air Assist	Operation: Hydraulic Control, Air Assist
Diameter (mm/inch)	350/14"	380/15"
TRANSMISSION	6 Speed	9 Speed
TRANSIVIISSION	Front: Multi Leaf Spring Shock Absorbers - Double	Front: Multi Leaf Spring Shock Absorbers - Double acting
SUSPENSION	acting	Rear: Multi Leaf Spring with Helper Spring
SOSPENSION	Rear: Multi Leaf Spring with Helper Spring	Real: Multi Leal Spring with Helper Spring
	BRAKES	
System	Air Over Hydraulic Dual Circuit	Full Air Dual Circuit, with air dryer and auto brake lining
System	All Over Hydradic Budi Circuit	adjustment
Park Brake	Center Drum Parking	Wheel Parking Barke
Front& Rear	Drum	Drum
Auxiliary	Exhaust Brake	Exhaust Brake
Speed limiter	80km/h	80km/h
STEERING		
Operation	Power	Power
	CAB	
Туре	Tilt Cabin Construction	Tilt Cabin Construction
Sleeper Cab	Standard	Standard
Seat belt	4 point x 2 for driver & Assistant, 2 Point x 1 for center seat	8 point x 2 for driver & Assistant, 2 Point x 1 for center seat
AM-FM Radio	Standard	Standard
	WHEELS & TYRES	
Tyre Size	11R22.5-16PR Tubeless	12.00R22.5 Tubeless
Rim Size	8.25x22.5	8.25x22.5
FUEL TANK	O'LOALLIS .	O'ESTEETS
Capacity (Litres)	200	200
Final Drive Ratio (:1)	6.833	6.143
I mai brive Ratio (.1)	WEIGHT & DIMENSIONS	0.140
Gross vehicle weights (GVW) (Kgs)	15000	18000
Cab chassis mass (Kgs)	4600	5130
Overall Length	7405	8505
Overall Width	2400	2400
Overall Height		
Overall Height Wheelbase	2720	2860
Wheelbase	2720 4250	2860 5060
Wheelbase Front Overhang	2720 4250 1440	2860 5060 1440
Wheelbase Front Overhang Rear Overhang	2720 4250 1440 1715	2860 5060 1440 2015
Wheelbase Front Overhang Rear Overhang Rear Axle Width	2720 4250 1440 1715 2445	2860 5060 1440 2015 2445
Wheelbase Front Overhang Rear Overhang Rear Akle Width Front Track	2720 4250 1440 1715 2445 1990	2860 5060 1440 2015 2445
Wheelbase Front Overhang Rear Overhang Rear Axle Width Front Track Rear Track	2720 4250 1440 1715 2445 1990	2860 5060 1440 2015 2445 1970
Wheelbase Front Overhang Rear Overhang Rear Axle Width Front Track Rear Track Chassis Rear Height at Axle	2720 4250 1440 1715 2445 1990 1845 1095	2860 5060 1440 2015 2445 1970 1845 1250
Wheelbase Front Overhang Rear Overhang Rear Ayle Width Front Track Rear Track Chassis Rear Height at Ayle Front Chassis Width	2720 4250 1440 1715 2445 1990 1845 1095 870	2860 5060 1440 2015 2445 1970 1845 1250 870
Wheelbase Front Overhang Rear Overhang Rear Axle Width Front Track Rear Track Chassis Rear Height at Axle Front Chassis Width Rear Chassis Width	2720 4250 1440 1715 2445 1990 1845 1095 870	2860 5060 1440 2015 2445 1970 1845 1250 870
Wheelbase Front Overhang Rear Overhang Rear Axle Width Front Track Rear Track Chassis Rear Height at Axle Front Chassis Width Rear Chassis Width Rear Ground Clearance	2720 4250 1440 1715 2445 1990 1845 1095 870 870 235	2860 5060 1440 2015 2445 1970 1885 1250 870 245
Wheelbase Front Overhang Rear Overhang Rear Axle Width Front Track Rear Track Chassis Rear Height at Axle Front Chassis Width Rear Chassis Width	2720 4250 1440 1715 2445 1990 1845 1095 870	2860 5060 1440 2015 2445 1970 1845 1250 870

SLV: MUs(multiple Utility Extra) SLV: MUs(multiple Utility Extra) SLV: MUs(multiple Utility Extra) - Score Sept vituality to he jin lighting during the day - Accessorized leather seast, 8 speakers + radio, 2 alrhags - Infordament - Rear camera - Auto crusice control system - Baby seasts can be fitted - 4*4 - 7 seater Syema*100.000m warranty - Outstanding muscular & aggressive styling - Highest ground discranne - Largest single cab core point in its dass - Shift on the fire treat avaluater Control (MVD) - Cumple Dennie - Highest ground discranne - Largest single cab core possible styling - Highest ground discranne - Largest single cab core possible styling - Highest ground discranne - Largest single cab core possible styling - Highest ground discranne - Largest single cab core possible styling - Highest ground discranne - Largest double cab care ground for same styling - Highest ground discranne - Largest double cab care ground for same styling - Highest ground discranne - Largest double cab care ground for same - Safet double cab care ground for same - Safet double cab care ground for same - Largest double cab care ground for same - Safet double cab care ground for same - Largest double cab care ground for same - Largest double cab care ground for same - Safet double cab care ground for same - Largest double cab care ground for same - Safet double cab care ground for same - Safet y belts Safety belts - Are called the ground for same - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are commonded to 2 people - They have 2 three point seat belts for the driver and passenger 2 years or 500 ooklown we.e.f - Are dynamic improves the flow control around the vehicle and reduce the dring resistance), spacious cab with motorized it - Are dynamic improves the flow control around the vehicle and reduce the dring resistance), spacious cab with motorized it - Fall field and careful with ABS - It is a good pay load a	MODEL	SPECS
Sports light utility to help in lighting during the day	MODEL	
SUY: MU-s(multiple Utility Data) Accessorative it, batter seats, 8 speakers + radio, 2 arbage Introduction		
Initialization Init		
Pear camera		
- Auto cruise control system - 8 by system to the fitted - 9 years of the system of th		
Process Double cab/ Crew cab Ormax Single cab	SLIV · MI I-v(multiple Litility Extra)	
Personal Page 2	Sov : 1410 X(Martiple Othicy Extra)	Auto cruise control system
Pomax Single cab Omax		Baby seats can be fitted
Syeary 100,000km warranty		· 4*4
D-max: Single cab - Custanding muscular & aggressive styling - Highest ground clearance - Largest single cab carps box in its class - Shift on the fily rotary actuator Control(4 WD) - Crumples zones(absorbs the main force of impact in case of accident) - Side door beams(protect the passage from side impact in case of accident) - I year unlimited mileage - Guistanding muscular & aggressive styling - Highest ground clearance - Largest double cab carps box in its class - Shift on the fily rotary actuator Control(4 WD) - Crumple zones(absorb) - Shift on the fily rotary actuator Control(4 WD) - Crumple zones - Side door beams(ground clearance) - Shift on the fily rotary actuator Control(4 WD) - Crumple zones - Side door beams(ground clearance) - Shift on the fily rotary actuator Control(4 WD) - Crumple zones - Side door beams - Shift on the fily rotary actuator Control(4 WD) - Crumple zones - Side door beams (ground clearance) - The cabin rate me memoscopus (ground clearance) - The cabin can accommodate 2 people - They have 2 three points set as the for the driver and passenger. - The cabin can accommodate 2 people - They have 2 three points set as the first for the driver and passenger. - Zyears or 100,000/km w. e. c.f - Comfortable driver seat with all suspension - Area dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized till - Trailer hand brake - Anti-role stiffness - Anti-role stiffness - Anti-role stiffness - Till air dual circuit with ABS - Its othass to rake are standard which guarantee safe stopping even when fully loaded. Parking brakes bocks wheels firmly in place - Trailer hand brake - Anti-role stiffness - Has two spearated differential locks with a 4WD driving system for extreme conditions Has two spearated differential locks with a 4WD driving system for extreme conditions Easy body mounting All suspended louarious reclining seats that are adjustable Adjustable andors soxt belds.		· 7 seater
D-max: Single cab - Custanding muscular & aggressive styling - Highest ground clearance - Largest single cab carps box in its class - Shift on the fily rotary actuator Control(4 WD) - Crumples zones(absorbs the main force of impact in case of accident) - Side door beams(protect the passage from side impact in case of accident) - I year unlimited mileage - Guistanding muscular & aggressive styling - Highest ground clearance - Largest double cab carps box in its class - Shift on the fily rotary actuator Control(4 WD) - Crumple zones(absorb) - Shift on the fily rotary actuator Control(4 WD) - Crumple zones - Side door beams(ground clearance) - Shift on the fily rotary actuator Control(4 WD) - Crumple zones - Side door beams(ground clearance) - Shift on the fily rotary actuator Control(4 WD) - Crumple zones - Side door beams - Shift on the fily rotary actuator Control(4 WD) - Crumple zones - Side door beams (ground clearance) - The cabin rate me memoscopus (ground clearance) - The cabin can accommodate 2 people - They have 2 three points set as the for the driver and passenger. - The cabin can accommodate 2 people - They have 2 three points set as the first for the driver and passenger. - Zyears or 100,000/km w. e. c.f - Comfortable driver seat with all suspension - Area dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized till - Trailer hand brake - Anti-role stiffness - Anti-role stiffness - Anti-role stiffness - Till air dual circuit with ABS - Its othass to rake are standard which guarantee safe stopping even when fully loaded. Parking brakes bocks wheels firmly in place - Trailer hand brake - Anti-role stiffness - Has two spearated differential locks with a 4WD driving system for extreme conditions Has two spearated differential locks with a 4WD driving system for extreme conditions Easy body mounting All suspended louarious reclining seats that are adjustable Adjustable andors soxt belds.		3 years/100,000km warranty
D-max Single cab D-max Single cab single ca		
D-max Single cab D-max Single cab single ca		Outstanding muscular & aggressive styling
P-max Single cab - Largest single cab cargo box in its class - Shift on the fir yoray actuator Control(4 WD) - Crumple zones (absorbs the main force of impact in case of accident) - Side door bearning/protect the passage from side impact in case of accident) - I year unlimited mileage - Outstanding muscular & aggressive styling - Highest ground clearance - Largest double cab cargo box in its class - Shift on the fir yotary actuator Control(4 WD) - Crumple zones - Side door bearns - 1 year unlimited mileage - Side y belts - Side door bearns - 1 year unlimited mileage - Side y belts - 4*2 light duty trucks with forward control chassis cabins - The cabin can accommodate 2 people - The cabins are the monocoque till type with laminated windscreens - The Cabin can accommodate 2 people - They have 2 time point sea to lets for the driver and passenger 2 years or 100,000km w.e.c.f - Comfortable driver seal with air suspension - And One of the accommodate of the seal with air suspension - And Shift on the seal with air suspension - And Shift on the seal with air suspension - And Varieties braking system ABS that prevents tyres from locking during braking - Talair hand brake - Anti-roll stiffness - Anti-roll stiffness - Reference - FEATURES - If all and said count with ABS - It seams brakes are at sandard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larges headlamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather FEATURES - Has a good pay load alliewance - Telescope and this able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate difference load capacity and body mounting capacity - Has two separate difference load capacity and body mounting capacity - Has two separate difference load capacity and body mounting capacity - Has two separate difference load capacity and body mounting All suspended loarnious reclaining seats that are adjustable Adjustable a		
- Shift on the fly rotary actuator Control(4 WD) - Crumple conselpations the main force of impact in case of accident) - Side door beams(protect the passage from side impact in case of accident) - Voutsanding muscular & aggressive styling - Highest ground clearance - Largest double cab cargo box in its class - Shift on the fly rotary actuator Control(4 WD) - Crumple zones Solder or Shift on the fly rotary actuator Control(4 WD) - Crumple zones - Side door beams - 1 year unlimited mileage - Sterty bebts - 4'2 light duty trucks with forward control chassis cabins - The cabin can accommodate 2 people - They have 2 three point seat belts for the driver and passenger 2 years of 100,000km w.e.c.f - The cabin can accommodate 2 people - They have 2 three point seat belts for the driver and passenger 2 years of 100,000km w.e.c.f - Power, litt and telescopk steering(one can adjust the position of the steering wheel) - Comfortable driver seat with air suspension - Ano dynamic[improves the flow control around the vehicle and reduce the drag resistance], spacious cab with motorized till - For a part of the passenger For a part of the passenger For a passe		
- Crumple zones (six de dor beams protect the passage from side impact in case of accident) - Six de dor beams protect the passage from side impact in case of accident) - I year unlimited mileage - Outstanding muscular & aggressive styling - Highest ground clearance - Largest double cab acrogo box in its class - Shift on the fly rotary actuator Control(4WD) - Crumple zones - Six door beams - I year unlimited mileage - 4 '2 light duty trucks with forward control classis cabins - I year unlimited mileage - A '1' light duty trucks with forward control classis cabins - The cabins are the monocoque tilt trype with laminated windscreens - The cabins are the monocoque tilt trype with laminated windscreens - The cabins are the monocoque tilt trype with laminated windscreens - The cabins are the monocoque tilt trype with laminated windscreens - The cabins are the monocoque tilt trype with laminated windscreens - The cabins are the monocoque tilt trype with laminated windscreens - The cabins are best both of the driver and passenger Years or 100,000m w.c.t Years or 100,000m w.c.t Years or 100,000m w.c.t Years or 100,000m w.c.t Are of dynamic[improves the flow control around the vehicle and reduce the drag resistance], spacious cab with motorized till - Anti-Individual for the state are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larger headlamp butbs for better visibility at right time - Follows flower in the state are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larger headlamp butbs for better visibility at right time - Follows flower wishility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase of a greater load capacity and body mounting capacity - Has to so epand effected loads with a 4WD driving system for extreme conditions Easy body mounting - An suspended busurious reclining seats that are adjustable Adjustable anchor seat bets.		
Side door beams/protect the passage from side impact in case of accident) 1 year unlimited mileage - Outstanding muscular & aggressive styling - Highest ground clearance - Largest double cab carge box in its class - Shift on the fly rolany actuator Control(4 WD) - Crumple zones - Side door beams - 1 year unlimited mileage - Safety belts - 4*2 light duty trucks with forward control chassis cabins - The cabin can accommodate 2 people - The cabin can accommodate 2 people - Thy have 2 three points east belts for the driver and passenger. 2 years or 100,000km w.e.c.f - ARE INTERIOR - Power, tilt and telescopic steering(one can adjust the position of the steering wheel) - Comfortable driver seat with air suspension - Aero dynamic/improves with his suspension - Aero dynamic/improves with his suspension - Aero dynamic/improves with his prevents tyres from locking during braking - Trailer hand brake - Anti-roll stiffness - Features - It are haust trailers and brakes - It is erhaust trailers and subject time - Fog lamps increase the level of safety in bad weather Features - Tight turning dameter - Telecopic and it is able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Ha to su separate differential locks with 4 AVD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions An suspended luxurious reclining seats that are adjustable An suspended luxurious reclining seats that are adjustable.	D-max: Single cab	
1 year unlimited mileage		
Definition of the steering wheel) For its plant of the steering wheel - Outstanding muscular & aggresslve styling - Highest ground clearance - Largest double cab cargo box in its class - Shift on the fly rotary actuator Control(4WD) - Crumple zones - Side door beams - 1 year unlimited mileage Safety belts - 4*2 light duty trucks with forward control chassis cabins - The cabins are the monocoque tilt type with laminated windscreens - The cabin can accommodate 2 people They have 2 three point such belts for the driver and passenger. 2 years or 100,000km w.e.c.f CAB & INTERIOR - Power, tilt and telescopic steering(one can adjust the position of the steering wheel) - Comfortable driver seat with air suspension - Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized til SAFETY FEATURES - Anti-lock braining system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-roll stiffness SAFETY FEATURES - Full air dual circuit with ABS - Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larger headlamp bulbs for better visibility - Tight turning diameter - Fog lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Fig lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Fog lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Telescopic and tilt abs steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chasis and optimal wheelbase dimensions with this it can endure punishable conditions Easy body mounting Air suspended tuxnious recipining seats that are adjustable Adjustable anchors east betts.		
Pomac Double cab/Crew cab - Largest double cab carge box in its class - Shift on the fly rotary actuator Control(4 WID) - Crumple genes - Side door beams - 1 year unlimited mileage - Safety bets - 4*2 light duty trucks with forward control chassis cabins - The cabins are the monocoque tilt type with laminated windscreens - The cabin can accommodate 2 people - They have 2 three point seat bets for the driver and passenger 2 years or 300,000km w.e.c.f - Power, tilt and telescopic steering(one can adjust the position of the steering wheel) - Comfortable driver seat with air suspension - Aero dynamic[improves the flow control around the vehicle and reduce the drag resistance], spacious cab with motorized til - Aero dynamic[improves the flow control around the vehicle and reduce the drag resistance], spacious cab with motorized til - Foll air dual circuit with ABS - Trailer hand brake - Anti-ols thinking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-ols tilfness - Fell air dual circuit with ABS - It seehaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headilamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather. - FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions All suspended luxurious rediining seats that are adjustable Aflystable anchor seed helts Aflystable anchor seed helts Aflystable anchor seed helts.		Tyear uninfinited finiteage
Pomac Double cab/Crew cab - Largest double cab carge box in its class - Shift on the fly rotary actuator Control(4 WID) - Crumple genes - Side door beams - 1 year unlimited mileage - Safety bets - 4*2 light duty trucks with forward control chassis cabins - The cabins are the monocoque tilt type with laminated windscreens - The cabin can accommodate 2 people - They have 2 three point seat bets for the driver and passenger 2 years or 300,000km w.e.c.f - Power, tilt and telescopic steering(one can adjust the position of the steering wheel) - Comfortable driver seat with air suspension - Aero dynamic[improves the flow control around the vehicle and reduce the drag resistance], spacious cab with motorized til - Aero dynamic[improves the flow control around the vehicle and reduce the drag resistance], spacious cab with motorized til - Foll air dual circuit with ABS - Trailer hand brake - Anti-ols thinking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-ols tilfness - Fell air dual circuit with ABS - It seehaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headilamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather. - FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions All suspended luxurious rediining seats that are adjustable Aflystable anchor seed helts Aflystable anchor seed helts Aflystable anchor seed helts.		
Pomac Double cab/Crew cab - Largest double cab carge box in its class - Shift on the fly rotary actuator Control(4 WID) - Crumple genes - Side door beams - 1 year unlimited mileage - Safety bets - 4*2 light duty trucks with forward control chassis cabins - The cabins are the monocoque tilt type with laminated windscreens - The cabin can accommodate 2 people - They have 2 three point seat bets for the driver and passenger 2 years or 300,000km w.e.c.f - Power, tilt and telescopic steering(one can adjust the position of the steering wheel) - Comfortable driver seat with air suspension - Aero dynamic[improves the flow control around the vehicle and reduce the drag resistance], spacious cab with motorized til - Aero dynamic[improves the flow control around the vehicle and reduce the drag resistance], spacious cab with motorized til - Foll air dual circuit with ABS - Trailer hand brake - Anti-ols thinking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-ols tilfness - Fell air dual circuit with ABS - It seehaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headilamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather. - FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions All suspended luxurious rediining seats that are adjustable Aflystable anchor seed helts Aflystable anchor seed helts Aflystable anchor seed helts.		
Pomaic Double cab/Crew cab - Shift on the fiv protary actuator Control(4 WD) - Cumple zones - Side door beams - 1 year unlimited mileage Safety bets - 4 *2 light duty trucks with forward control chassis cabins - The cabins are the monocoque tilt type with laminated windscreens - The cabin can accommodate 2 people They have 2 three point seat beths for the driver and passenger. 2 years or 100,000km w.e.c.f - Power, tilt and telescopic steeringione can adjust the position of the steering wheel) - Comitortable driver seat with air suspension - Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized til SAFETY FEATURES - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Full air dual circuit with ABS - It ts exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headsimp blubs for better visibility at night time - Fog lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Right chassis and optimal wheelbase dimensions with this it can endure punishable conditions Right province and province and punishing seats that are adjustable Allystable andror seed belts.		
- Shift on the filty rotary actuator Control(4 WD) - Crumple cones - Side door beams - 1 year unlimited mileage Safety belts - 4*2 light duty trucks with forward control chassis cabins - The cabins are the monocoque tilt type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - Power, tilt and telescopic steering(one can adjust the position of the steering wheel) - Comfortable driver seat with air suspension - Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized till the position of the steering wheel laminated windscreens - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer thand brake - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer thand brake - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer thand brake - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer thand brake - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer thand brake - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trai		
- Crumple zones - Side door beams - 1 year unlimited mileage Safety belts - 4 2 light duty trucks with forward control chassis cabins - The cabins are the monocoque tilt type with laminated windscreens - The cabins are the monocoque tilt type with laminated windscreens - The cabins are the monocoque tilt type with laminated windscreens - The cabins are the monocoque tilt type with laminated windscreens - The cabins are the monocoque tilt type with laminated windscreens - The cabins are the monocoque tilt type with laminated windscreens - The cabin can accommodate 2 people - They have 2 three point seat belts for the driver and passenger 2 years or 100,000km w.e.c.f - CAB & INTERIOR - Power, tilt and telescopic steering(one can adjust the position of the steering wheel) - Comfortable driver seat with air suspension - Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized till safety in Table than brake - Anti-roll stiffness - Anti-roll stiffness - SAFETY FEATURES - Trailer hand brake - Anti-roll stiffness - Forli air dual circuit with ABS - Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather. - FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions All suspended luxurious reclaining seats that are adjustable Adjustable anchor seat bets Adjustable anchor seat bets.		
Crumple Zones Side to Or beams 1	D-may: Double cab/Crew cab	Shift on the fly rotary actuator Control(4 WD)
- 1 year unlimited mileage Safety belts - 4*2 light duty trucks with forward control chassis cabins - The cabins are the monocoque tilt type with laminated windscreens - The cabin can accommodate 2 people They have 2 three point seat belts for the driver and passenger. 2 years or 100,000km w.e.c.f - Power, tilt and telescopic steering(one can adjust the position of the steering wheel) - Conflortable driver seat with air suspension - Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized till SAFETY FEATURES - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-roll stiffness SAFETY FEATURES - Full air dual circuit with ABS - Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larger headlamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions Adjustable anchor seat belst.	D-Max. Double cab/ crew cab	· Crumple zones
Safety belts - 4°2 light duty trucks with forward control chassis cabins - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - The cabins are the monocoque lift type with laminated windscreens - They have 2 three point seat belts for the driver and passenger. 2 years or 100,000km w.e.c.f CAB & INTERIOR - Power, tilt and telescopic steering(one can adjust the position of the steering wheel) - Comfortable driver seat with air suspension - Aero dynamic/improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized til SAFETY FEATURES - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-roll stiffness SAFETY FEATURES - Full air dual circuit with ABS - Its schaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larger headlamp bulbs for better visibility at high time - Fog lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Rigid chassis and optimal wheelbase of a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Easy body mounting All suspended luxurious reclining seats that are adjustable Adjustable anchor seat belts.		· Side door beams
*** 4*2 light duty trucks with forward control chassis cabins** *** The cabins are the monocoque till type with laminated windscreens** *** The cabins an accommodate 2 people** They have 2 three point seat belts for the driver and passenger. 2 years or 100,000km w.e.c.f. **CAB & INTERIOR** *** Power, tilt and telescopic steering(one can adjust the position of the steering wheel)** **Comfortable driver seat with air suspension** **Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized tile steering wheel** **SAFETY FEATURES** **Anti-roll stiffness** **SAFETY FEATURES** **Anti-roll stiffness** **SAFETY FEATURES** **FUll air dual circuit with ABS** **It sewhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headiamp bulbs for better visibility at night time** **Fog lamps increase the level of safety in bad weather.* **FEATURES** **Has a good pay load allowance** **Outstanding driver visibility* **Tight turning diameter** **Telescopic and tilt able steering** **Optimize wheelbase for a greater load capacity and body mounting capacity** **Has two separate differential locks with a 4WD driving system for extreme conditions.** **Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions.** **Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions.** **Radjustable anchor seat belts.**		· 1 year unlimited mileage
NSeries - The cabins are the monocoque tilt type with laminated windscreens - The cabin can accommodate 2 people They have 2 three point seat betts for the driver and passenger. 2 years or 100,000km w.e.c.f - CAB & INTERIOR - Power, tilt and telescopic steering(one can adjust the position of the steering wheel) - Comfortable driver seat with air suspension - Aero dynamk(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized tile - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-roll stiffness - SAFETY FEATURES - Full air dual circuit with ABS - Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larger headlamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions Easy body mounting Adjustable anchor seat belts.		Safety belts
NSeries - The cabins are the monocoque tilt type with laminated windscreens - The cabin can accommodate 2 people They have 2 three point seat betts for the driver and passenger. 2 years or 100,000km w.e.c.f - CAB & INTERIOR - Power, tilt and telescopic steering(one can adjust the position of the steering wheel) - Comfortable driver seat with air suspension - Aero dynamk(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized tile - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-roll stiffness - SAFETY FEATURES - Full air dual circuit with ABS - Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larger headlamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions Easy body mounting Adjustable anchor seat belts.		
The cabin can accommodate 2 people They have 2 three point seat belts for the driver and passenger. 2 years or 100,000km w.e.cf CAB & INTERIOR Power, tilt and telescopic steering(one can adjust the position of the steering wheel) Comfortable driver seat with air suspension Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized til SAFETY FEATURES Anti-roll stiffness SAFETY FEATURES Full air dual circuit with ABS Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time Fog lamps increase the level of safety in bad weather. FEATURES Has a good pay load allowance Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Afjustable anchor seat belts.		4*2 light duty trucks with forward control chassis cabins
They have 2 three point seat belts for the driver and passenger. 2 years or 100,000km w.e.c.f CAB & INTERIOR Power, tilt and telescopic steering(one can adjust the position of the steering wheel) Comfortable driver seat with air suspension Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized tile SAFETY FEATURES Anti-roll stiffness SAFETY FEATURES It is exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time Fog lamps increase the level of safety in bad weather. FEATURES Has a good pay load allowance Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Af justable anchor seat belts.		The cabins are the monocoque tilt type with laminated windscreens
They have 2 three point seat belts for the driver and passenger. 2 years or 100,000km w.e.c.f CAB & INTERIOR Power, tilt and telescopic steering(one can adjust the position of the steering wheel) Comfortable driver seat with air suspension Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized tile SAFETY FEATURES Anti-roll stiffness SAFETY FEATURES It is exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time Fog lamps increase the level of safety in bad weather. FEATURES Has a good pay load allowance Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Af justable anchor seat belts.	N-Series	The cabin can accommodate 2 people
Zyears or 100,000km w.e.c.f CAB & INTERIOR Power, tilt and telescopic steering(one can adjust the position of the steering wheel) Comfortable driver seat with air suspension Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized till service of the second provided to the second provided the second provided to the second provided to the second provided the second provided to the second provided the second provided the second provided the second provided to the second provided the second		
CAB & INTERIOR Power, tilt and telescopic steering(one can adjust the position of the steering wheel) Comfortable driver seat with air suspension Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized tile SAFETY FEATURES Anti-lock braking system-ABS that prevents tyres from locking during braking Trailer hand brake Anti-roll stiffness SAFETY FEATURES Full air dual circuit with ABS Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time Fog lamps increase the level of safety in bad weather. FEATURES Has a good pay load allowance Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		
F-Series Power, tilt and telescopic steering(one can adjust the position of the steering wheel) Comfortable driver seat with air suspension Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized tile SAFETY FEATURES Anti-lock braking system-ABS that prevents tyres from locking during braking Trailer hand brake Anti-roll stiffness SAFETY FEATURES Full air dual circuit with ABS Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time Fog lamps increase the level of safety in bad weather. FEATURES Has a good pay load allowance Ustsanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separated differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		
F-Series Power, tilt and telescopic steering(one can adjust the position of the steering wheel) Comfortable driver seat with air suspension Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized tile SAFETY FEATURES Anti-lock braking system-ABS that prevents tyres from locking during braking Trailer hand brake Anti-roll stiffness SAFETY FEATURES Full air dual circuit with ABS Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time Fog lamps increase the level of safety in bad weather. FEATURES Has a good pay load allowance Ustsanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separated differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		CAB & INTERIOR
EXZ Comfortable driver seat with air suspension Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized till		
Aero dynamic(improves the flow control around the vehicle and reduce the drag resistance), spacious cab with motorized till SAFETY FEATURES Anti-lock braking system-ABS that prevents tyres from locking during braking Trailer hand brake Trailer hand brake Anti-roll stiffness SAFETY FEATURES Full air dual circuit with ABS Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time Features FEATURES Patures Has a good pay load allowance Has a good pay load allowance Tight turning diameter Tight turning diameter Tight turning diameter Tight turning diameter Tight stopping and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. All suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		
SAFETY FEATURES - Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-roll stiffness SAFETY FEATURES - Full air dual circuit with ABS - Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larger headlamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions Easy body mounting Air suspended luxurious reclining seats that are adjustable Adjustable anchor seat belts.		
SAFETY FEATURES Anti-lock braking system-ABS that prevents tyres from locking during braking Trailer hand brake Anti-roll stiffness SAFETY FEATURES SAFETY FEATURES Full air dual circuit with ABS It sexhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time Fog lamps increase the level of safety in bad weather. FEATURES Has a good pay load allowance Outstanding driver visibility Tight turning dlameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.	FY7	rate dynamical provide the new control and and the remains and
- Anti-lock braking system-ABS that prevents tyres from locking during braking - Trailer hand brake - Anti-roll stiffness SAFETY FEATURES - Full air dual circuit with ABS - Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larger headlamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions Ray body mounting Air suspended luxurious reclining seats that are adjustable Adjustable anchor seat belts.	LAZ	SAFETY FEATILIPES
F-Series - Trailer hand brake - Anti-roll stiffness SAFETY FEATURES - Full air dual circuit with ABS - Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larger headlamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions Easy body mounting Air suspended luxurious reclining seats that are adjustable Adjustable anchor seat belts.		
FEATURES - Has a good pay load allowance - Unstanding direver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4WD driving system for extreme conditions Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions Air suspended luxurious reclining seats that are adjustable Adjustable anchor seat belts.		
SAFETY FEATURES - Full air dual circuit with ABS - Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place - Larger headlamp bulbs for better visibility at night time - Fog lamps increase the level of safety in bad weather. FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4VVD driving system for extreme conditions. - Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. - Easy body mounting. - Air suspended luxurious reclining seats that are adjustable. - Adjustable anchor seat belts.		
Full air dual circuit with ABS Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time Fog lamps increase the level of safety in bad weather. FEATURES Has a good pay load allowance Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		· Alterior stimess
Full air dual circuit with ABS Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time Fog lamps increase the level of safety in bad weather. FEATURES Has a good pay load allowance Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		SALETY EEATI IDES
Its exhaust brakes are standard which guarantee safe stopping even when fully loaded. Parking brakes locks wheels firmly in place Larger headlamp bulbs for better visibility at night time Fog lamps increase the level of safety in bad weather. FEATURES Has a good pay load allowance Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		
Larger headlamp bulbs for better visibility at night time FEATURES Has a good pay load allowance Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		
FEATURES Has a good pay load allowance Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4VVD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		
FEATURES - Has a good pay load allowance - Outstanding driver visibility - Tight turning diameter - Telescopic and tilt able steering - Optimized wheelbase for a greater load capacity and body mounting capacity - Has two separate differential locks with a 4VVD driving system for extreme conditions. - Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. - Easy body mounting. - Air suspended luxurious reclining seats that are adjustable. - Adjustable anchor seat belts.		
Has a good pay load allowance Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		Fog lamps increase the level of safety in bad weather.
Has a good pay load allowance Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		
F-Series Outstanding driver visibility Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts.		
 Tight turning diameter Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts. 		
 Telescopic and tilt able steering Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4VVD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts. 	F-Series	
 Optimized wheelbase for a greater load capacity and body mounting capacity Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts. 		
 Has two separate differential locks with a 4WD driving system for extreme conditions. Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts. 		
 Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions. Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts. 		Optimized wheelbase for a greater load capacity and body mounting capacity
 Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts. 		Has two separate differential locks with a 4WD driving system for extreme conditions.
 Easy body mounting. Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts. 		Rigid chassis and optimal wheelbase dimensions with this it can endure punishable conditions.
 Air suspended luxurious reclining seats that are adjustable. Adjustable anchor seat belts. 		

ISUZU SERVICE SCHEDULE FOR 6TH GENERATION TRUCKS, Dmax

13020 3LI					I OLIV			oono,
Service Schedule: IS	UZU NQR66	/NPR66/NK	R66/NHR55	Trucks				
Interval	Minor	Medium	Minor	Major	Minor	Medium	Minor	Major
Mileage (Km)	7,500	15,000	22,500	30,000	7,500	15,000	22,500	30,000
Oil Filter	Х	х	Х	х	Х	х	х	х
Engine Oil Change	Х	Х	Х	х	Х	х	х	х
Fuel Filter-Main		х		х		х		х
Pre-Fuel filter				х				х
Transmission oil				х				х
Differential Oil				х				х
Air Cleaner				х				х
Service Schedule: IS	UZU FVZ23/I	FVX23/FSR3	33/FRR33/F	VR23 Trucl	ks	•		,
Interval	Minor	Medium	Minor	Major	Minor	Medium	Minor	Comprehe nsive
Mileage (Km)	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000
Oil Filter: Main	Х	х	х	х	х	х	х	х
Engine Oil	Х	х	х	х	х	х	х	х
Oil Filter: Partial	х	х	х	х	х	х	х	х
Fuel Filter : Main		х		х		х		х
Pre fuel Filter				х				х
Transmission oil				х				х
Differential oil				х				х
Air Cleaner : Outer								х
Air Cleaner : Inner								х
Service Schedule: Dr	nax Pick up	s (Old Mode	I) TFR54/TF	S54/TFS77	TFS85		'	'
Interval	Minor	Medium	Minor	Major	Minor	Medium	Minor	Major
Mileage (Km)	5,000	10,000	15,000	20,000	5,000	10,000	5,000	20,000
Oil Filter	Х	х	х	х	х	х	х	х
Engine Oil	Х	х	х	х	х	х	х	х
Fuel Filter : Main	Х	х	х	х	х	х	х	х
Pre fuel Filter				х				х
Air Cleaner				х				х
Transmission oil				х				х
Transfer case oil				х				х
Front differential oil				х				х
Rear differential oil				х				х
Pollen filter				х				х

05.74	U 7TH	No.	amenta.	#1000 #1000	45.00 MIL.200	****	NAME OF THE PERSON	#2 2	
PETER PIC		GEN GEN GEN GIN GIN GIN GIN GIN GIN GIN GIN GIN GI	Ť	Ť	Ě	Ě	Ť	Ť	
AN COL	alts	STRL MART MARKET	ì	1	2	ì	ì	Ä	
		Strat LTSL MADE 15540	T	H		H	H	1	
		Grands Grands Grands LTSL HARRY GRAND GRAND				Г	Г	1	
		49,75. 65010	H	H		H		,	
		CAD Paradas #13.7% Baserial Outs Supplemental Capter Supplemental Capter Supplemental Supplement			1			*	
		MULTPU HPOME	F	F	F	F	F	F	
		CONTRACT CON	\vdash	\vdash		H	H		
		963 9 5 4 907 4						,	
	_	rich maring prome.			Ĺ	L		Ĺ	
	etsu rea		10,000			## T	TE, pass MEDICAN	#1 22	
UEL PIL	na.	GENERAL STATES	1	1	1	1 1	1	1 1	
AM CUE	Alts	CATER COMMON STREET STATE STAT			÷			1 1	
		SECTION AND ADDRESS OF THE PARTY NAMED IN COLUMN TO ADDRESS OF THE PARTY NAMED IN COLU				Н	Н		
		Gran of 1755	Г			Н			
		CA CA CA CA CA CA CA CA CA CA CA CA CA C	\vdash	\vdash		_	_		
		GLE COST No. 1 TO COST SPORE OFFICER OFFICER OFFICER			1			1	
		DF 100	Ĺ	Ĺ	Ĺ	Ĺ	Ĺ	Ļ	
		100 miles	H	H	Ĺ	H	H	Ļ	
		TALL TALL TALL TALL TALL TALL TALL TALL							
at See	etsu rea	6P 155						8000 807°	
442		1070))	* * * * * * * * * * * * * * * * * * *		Ť		1	
A CUE	ALIA .	OLIVE Copies of LTSL MART			÷			1	
		HOMAN DATE ATTO MANUAL HOMAN	\vdash	H		H	H	,	
		45.75. 60000	\vdash	\vdash		\vdash			
		0.4 Suan Sua 3.70 8014			1	,	,	*	
_	_	OFFICE OF STREET	_	\vdash		\vdash	H		
		601 64564 6014			1			*	
_	_	Plain State of State of State of State of State of		-	ľ	٦	١	ľ	
Part Date	TOUR	Delle State	espite Black	MARKET THE PARTY NAMED IN	MARCA T	MILES T	May Cit.	entitions of	
	ALC:	diament Filement PRE Full Q. TER Common	E	200		1	E	ă.	
terr	_	- CONTRACT		ľ	ľ	_		Ť	
		SERVE STRE	Т						
		- CONTROL OF THE PARTY NAMED IN COLUMN TO A PART				Ţ			
		Name (A. Till) SOUT A LABOR OPERADE Markeninger				H		,	
	_	Town Control of the C				١.			
_	_	en facial SOCI A SOCIAL	F	F	F		F	F	
at trock	nemu rije	many man man man man man man man man man man					L	L	
Part Date DE FETE FUEL FIL	nytian.	OUN COLOR	-	-	11,500 10,550 	*****	Name Name and Name	COMPAND COMPAN	
AN CUS		0.750 0.750 0.750	Ė	Ė	÷	Ė	Ė	-	
		CTO STREET STREE			Ċ			Ċ	
		HOLES AND			Ĺ		١.	Ĺ	
		Total Control	Н	Н	Н				
		100 ATP 100 AT						Ė	
	104	ne menty promo- salici por sal	L	L	L	L	L	L.	
an Danie	eteu FEA	promoting promot	HARRIST .	H. 500	15,000 MIL-200	##### #####	Hipsa Milliona -	COMPAN COMPAN COMPAN	
OR FUE	AEX	PAGE FUEL		Ė	÷				
- Carr	_	ACTEN ACTEN ACTEN ACTEN ACTEN ACTEN ACTEN	É	É	É	É	É	É	
		COMMO CAL CALL AND							
		OFFICE OFFICE OFFICE OFFI OFFI OFFI OFFI OFFI OFFI OFFI OFF		Ľ	Ľ	Ľ	Ľ	Ľ	
			_		H	H	H	-	
							Н	-	
		400a							
OR OTHER	TI NOW								
	opin.	400a			Magazi Militari -			61.00 MISSON	ALIEN MASSE
	O I I I I I I I I I I I I I I I I I I I	400a		HIDON -	Hanna Hanna -		8,000 CEST -	41.00 07300 -	Name Section
A ALTE	O I I SON	400a		HONE -	March March			61,000	Name of Street, Street
PART SHAPE FOR THE STATE OF THE	i month	400a		PERSON .	-		4.00	etania etania	ALIES EASTER
	O I work	400a		PERSON		-		40.000 WESTON	74,300
CARLES CO.	o I soon	400a		WILLIAM TO A STATE OF THE STATE	11,000 12,000 1	4.00 0.00 1		# 100 m	State
CONTRACTOR OF THE CONTRACTOR O	O S NOW,	400a		10.000	14.000 14.000	11,000 11,000	11.00	61,000 	Harris Harris
A A TOTAL	O S SONS FOR	400a		10000 TOOL TOOL TOOL TOOL TOOL TOOL TOOL	14.000 	1000	\$2,000 \$200 \$100 \$100 \$100 \$100 \$100 \$100 \$	# 1000 PER 1	Manual Ma
A ALTO	San No.	400a		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10,000 0 000 0 000	11,000 11,000 11,000 11,000 11,000 11,000		11,000	St. son
A PART OF THE PART	AAS ASS ASS ASS ASS ASS ASS ASS ASS ASS	400a		30.000 0 10.000 0 10.0000 0 10.000 0 10.000 0 10.000 0 10.000 0 10.000 0 10.000 0 10.0	11,000 10	41,000 	1000	64,000 0000000 	14,000 64-05 1 2 2 2 3 1 1 1 1 1
CALLED TO THE TOTAL TO THE TOTA	STATE OF THE STATE	400a		# 10.000 # 10.000 # 10.000 # 10.000 # 10.000	# 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	11.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.000 10.0000 10.000	11.000 	44.000 Wilson	Na pos Wallet
President State of the Control of th	MACA FOR STATE OF THE PROPERTY	400a		26.300 26	\$3.000 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	84,000 800000		Story County of the County of
Part has been been been been been been been bee	MANUAL FOR STATE OF THE PARTY O	400a		34.300	13,300 20000	14.000 	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 mm	51,000 51,000
PART COMMENT OF THE PART OF TH	Maria Fall Maria	400a		10,000 mm	## 3500 ## 2500 ## 250	10.000 1	14 500 P	14,000 14	Maries County of the County of
CONTROL OF THE PROPERTY OF THE	Carlot Control	400a		2000 C	10000000000000000000000000000000000000	10000000000000000000000000000000000000	10 000 000 000 000 000 000 000 000 000	A MARIAN	14 100 100 100 100 100 100 100 100 100 1
A 72.00	AMAS AMAS AMAS AMAS AMAS AMAS AMAS AMAS	400a		36.300 WESTON	\$2,000 \$2,000	14 300 F	14.000 		SALESSA SALESS
A TATES	The second secon	400a			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14.000 	44 AM	14.000 15.000 1.0000 1.0
A TANKS	AND THE STATE OF T	400a		# # # # # # # # # # # # # # # # # # #	2 30 30 30 30 30 30 30 30 30 30 30 30 30	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	11.000 mm m m m m m m m m m m m m m m m m		STATES OF THE PROPERTY OF THE
CALLES ON THE SECOND SE	A STATE OF THE PROPERTY OF THE	400a		# 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$1,000 a c c c c c c c c c c c c c c c c c	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10.000 mm /	TOTAL CONTRACTOR OF THE PARTY O	TALENT COMMENT OF THE PROPERTY
CALLES ON THE CA		400a		2335 2335 2335 2335 2335 2335 2335 2335	1.000 1.0000 1.000 1.00	100000 TO 100000	14.000 mm.	1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10000000000000000000000000000000000000
COLUMN TO THE PARTY OF THE PART	A COLUMN AND A COL	400a		# 14.000 # 12.000 # 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1	# 3 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	\$1,000 	13.335 13.355 13	1	14 200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
CALL STATE OF THE		400a		3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	# 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	14 300 14 300 14 300 14 300 15 300 16	11.000 a control of the control of t	TO SECONDARY OF THE PROPERTY O	TARREST OF THE PROPERTY OF THE
2015 St. 150 S		400a		3.332 3.322 3.222 3.222	\$1.000 PER 100	14.000	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TO THE PARTY OF TH	SAME STATE OF THE
20 CONTROL OF THE CON		400a		# 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	# 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		TO THE PARTY OF TH	TABLE TO THE PARTY OF THE PARTY
		400a		# 345 #	## 190 PE	11,000 11,000	14.500 14.500 15.500 16.500	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TALLED TO THE PARTY OF THE PART
PACE SECURITY OF THE SECURITY		400a		# 2 10 10 10 10 10 10 10 10 10 10 10 10 10		# 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	14.000 a a a a a a a a a a a a a a a a a a	TOTAL CONTROL OF THE PARTY OF T	TALLED TO THE PARTY OF THE PART
Section 1 and 1 an		400a			\$2.00 P	11.000 11.0000 11.000 11.000 11.000 11.000 11.000 11.000 11.000 11.000 11.0	14.045 14.045		TOTAL CONTROL OF THE PARTY OF T
STATE OF THE STATE		400a			\$2.000 PM	11.000 11.0000 11.000 11.000 11.000 11.000 11.000 11.000 11.000 11.000 11.0			TALEST TO SERVICE AND ADDRESS OF THE PARTY O
SALES OF THE SALES		400a		# 100 mm in the control of the contr	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				NOTE OF THE PARTY
SECTION AND ADMINISTRATION ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION ADMINISTRATION AND ADMINISTRATION ADM		400a		### 1995 1995	## 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		100 PM		
SECULIAR SECU		400a			200 A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100 mm m			
SECTION AND ADMINISTRATION ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION ADMINISTRATION AND ADMINISTRATION ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION		400a			### 1995 1995				100 CONT. 100 CO
AND		400a			Table Tabl	Table Tabl		- 100 Miles (100 Miles	
Section and the section of the secti		400a				### Page 12 Pa			
20 20 20 20 20 20 20 20 20 20 20 20 20 2		400a			### CANAGE AND ADDRESS AND ADD	**************************************			

Filters a management of the control of the control

		Isuzu	Trucks S	ervice Int	tervals (k	m)		
Model	Minor	Medium	Minor	Major	Minor	Medium	Minor	Comprehensive
FVZ	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000
FVX	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000
FRR	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000
FSR	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000
FTS	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000
NQR/NPR	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000
NKR	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000
NHR	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000
Isuzu mu-X (SUV)	10,000	20,000	30,000	40,000	50,000	60,000	70,000	80,000
RT 50 TFR 54 LEED	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000
		Isuzu	D-Max 9	Service In	tervals (k	m)		
RT TFS 86	10,000	20,000	30,000	40,000	50,000	60,000	70,000	80,000
RT 50 TFR 54 LEED	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000
RT TFS 85 Luxury	10,000	20,000	30,000	40,000	50,000	60,000	70,000	80,000
RT TFS 86	10,000	20,000	30,000	40,000	50,000	60,000	70,000	80,000
TFS 54 D-MAX	5,000	10,000	15,000	20,000	25,000	30,000	35,000	40,000
TFS 85 I190	5,000	10,000	15,000	20,000	25,000	30,000	35,000	40,000
TFS 77	5,000	10,000	15,000	20,000	25,000	30,000	35,000	40,000

	Service Schedule: ISUZU NQR/NPR/NKR/NHR Trucks								
Interval	Minor	Medium	Minor	Major	Minor	Medium	Minor	Major	
Mileage (Km)	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000	
Oil Filter	x	×	х	х	x	х	х	×	
Engine Oil Change	×	×	x	x	x	x	x	x	
Fuel Filter-Main				x				×	
Pre-Fuel filter (Sedimenter)				x				x	
Gear & Differential Oil				x				×	
Air Cleaner				x				×	

	Service Schedule: ISUZU FVZ/FVX/FSR/FVR Trucks 6th Gen										
Interval	Minor	Medium	Minor	Major	Minor	Medium	Minor	Comprehensive			
Mileage (Km)	7,500	15,000	22,500	30,000	37,500	45,000	52,500	60,000			
Oil Filter: Main	×	×	х	×	×	×	х	x			
Engine Oil	×	x	x	x	x	x	х	x			
Oil Filter: Partial		×		x		×		x			
Fuel Filter : Main		×		×		×		x			
Pre fuel Filter (Sedimenter)				x				x			
Oil Change (Gear,Diff)				x				x			
Air Cleaner : Outer				×				x			
Air Cleaner : Inner								x			

Interval	Minor	Medium	Minor	Major		
I-190 Model -TFR/S 54/77/32	5,000	10,000	15,000	20,000		
Oil Filter	×	×	х	х		
Engine Oil	×	×	х	х		
Fuel Filter : Main		×		х		
Pre fuel Filter (Sedimenter)	Inspect every Service & replace when the fuel filter warning light comes on					
Air Cleaner				×		
Oil Change (Gear, Transfer, Diff)				х		

Service Schedule: Dm	ax Pick up	s (New Mo	del)
Interval	Minor	Medium	Major
RTXX-S/C & D/C (TFR/S 85 & 86)	10,000	20,000	30,000
Oil Filter	×	×	х
Engine Oil	x	×	x
Fuel Filter : Main Pre fuel Filter (Sedimenter)	when the fu	ery service and el filter/water ng light comes	seperator
Air Cleaner			х
Gear, Transfer, Diff oil			х

Service :	Schedule:	Mu-X	
Interval	Minor	Medium	Major
RTXX- S/C & D/C (TFR/S 85 & 86)	10,000	20,000	30,000
Oil Filter	×	×	x
Engine Oil	×	x	×
Fuel Filter : Main Pre fuel Filter (Sedimenter)			d Replace when erator warning on.
Air Cleaner			x
Gear, Transfer, Diff oil			

	ES SERVICE MENU ANA					
MODEL	MINOR	MEDIUM	MAJOR	COMPREH	Service Int	erval (km
FRR 33	19,000	20,000	35,000	54,000	7,500	
FSR 33	20,000	21,000	40,000	59,000	7,500	
FTS 33	20,000	23,000	46,000	65,000	7,500	
FVR 23	31,000	32,000	57,000	76,000	7,500	
FVX 23	30,000	32,000	58,000	79,000	7,500	
FVZ 23	30,000	32,000	65,000	84,000	7,500	
F-SERI	ES SERVICE MENU ANA	LYSIS 7TH GEN				
FRR90						
	20,000	29,000	45,000	58,000	15,000	
FTR90 NON LSD	17,000	20,000	61,000	63,000	10,000	
FTR90 LSD						
	17,000	20,000	61,000	63,000	10,000	
FVZ34N/T					·	
	25,000	28,000	87,000	88,000	10,000	
GXZ60N						
	54,000	N/A	100,000	120,000	20,000	
N-SERI	ES SERVICE MENU ANA	LYSIS 6TH GEN				
NQR66 NPR66	17,000		38,000	N/A	7,500	
NKR66		,				
	15,000	20,000	35,000	N/A	7,500	
NHR55						
	13,000	17,000	32,000	N/A	7,500	
N-SERI	ES SERVICE MENU ANA	LYSIS 7TH GEN				
NPS81	25,000	25,000	53,000	N/A	15,000	
NQR81						
	25,000	25,000	49,000	N/A	15,000	
NMR85						
	19,000	19,000	48,000	N/A	15,000	
NLR77	.,,					
	16,000	22,000	46,000	N/A	15,000	
TC	* CEDIEC CEDVICE MENI	I ANIAI VEIC				
	* SERIES SERVICE MENU		50.000	11/4		
RT TFS 85 Luxury (Automatic) RT TFS 85 Luxury (Manual)	20,000	20,000	50,000	IN/A		
KT TES OS LUXUTY (MANUAI)	20,000	20,000	E1 000	NI/A		
DT TES 84.2.51 /S/C \$. D/C\				1		
RT TFS 86 2.5 L (S/C & D/C)	20,000	 	51,000 51,000			
RT TFR 86 2.5 L (S/C & D/C) RT TFR 54 LEED (S/C)	20,000 17,000	 		·		
TFS85 (OLD MODEL) (S/C & D/C	17,000	 		·		
TFS 77 (S/C & D/C)	16,000		39,000			
TFS 54 DMAX (D/C)	10,000	10,000	37,000	14/7		
	16,000	16,000	39,000	N/A		
TFR54-KB250 (S/C)	10,000	10,000	57,000	. 47.1		
,	16,000	16,000	32,000	N/A		
TFR 54 99 Model (S/C)						
· · ·	16,000	16,000	32,000	N/A		
	,	·	· · · · ·	N/A		
mu-X (UCS) SERIES SERVICE M	ENU ANALYSIS				
mu-X 2.5L & 3.0L						
	20,000	20,000	50,000	N/A	10,000	

	REVISED SERVICE M			_			
Part Description.	SERVICE MENU PRICINO TYPE	Part no.	T	QTY		mu-X- 2.5L & 3.	OL
OIL FILTER	MAIN	8981650710	8981650710	1	MINOR X	MEDIUM	MAJOR X
FUEL FILTER POLLEN FILTER	MAIN POLLEN FILTER	8981394280	8981394280	1			x x
AIR CLEANER	OUTER Engine Oil [LTS] 5W-40, CI/CJ-4 (Fully Synthetic)	8981402660 481182145	8981402660 481182144	1 4	х	X	X X
	Engine Oil [LTS] SW-40, CI/CJ-4 (Fully Synthetic) T/M oil [LTS] Automatic; Mobil ATF 3309	481182121 51-0155-008	481182191 51M155008	11	X	X	×
LUBES	Tranfer case Oil [LTS]-DeoMAX DM12 15W40 CI-4 Rear Diff Oil (LSD)(LTS): 85W-90LS, GL 5	441077008 511288008	44M077008 51M288008	1.5			x v
	Front Diff Oil [LTS]:80W-90 GL-5	510155008	51M155008	1.5		-	x
	GREASE PROP Grease [KGS]	641279009 53-0222-009	641279009 530222009	0.25			X
	SERVICE MENU PRICING						
Part Description.	ТҮРЕ	Part no.		QTY		xury (Automat	ic) MAJOR
OIL FILTER FUEL FILTER	MAIN	8981650710	8981650710	1	X	X	X
OCLEN FILTER AIR CLEANER	POLLEN FILTER OUTER	8981394280 8981402660	8981394280 8981402660	1 1			x x
THE CLEANER	Engine Oil [LTS] 5W-40, CI/CJ-4 (Fully Synthetic) Engine Oil [LTS] 5W-40, CI/CJ-4 (Fully Synthetic)	481182145 481182121	481182144 481182191	4	X	X	x
	T/M oil [LTS] Automatic; Mobil ATF 3309	51-0155-008 441077008	51M155008	11	^		x
UBES	Tranfer case Oil [LTS]-DeoMAX DM12 15W40 CI-4 Rear Diff Oil (LSD)(LTS]: 85W-90LS, GL 5	511288008	44M077008 51M288008	1.5			X
	Front Diff Oil [LTS]:80W-90 GL-5 GREASE PROP	510155008 641279009	51M155008 641279009	1.5 0.25	X	X	X X
	Grease [KGS]	53-0222-009	530222009	2			X
Part Description.	SERVICE MENU PRICING	Part no.	T	QTY	RT TE	S 85 Luxury (M	tanual)
OIL FILTER	MAIN	8981650710	8981650710	1	MINOR	MEDIUM	MAJOR X
UEL FILTER	MAIN			1			x x
OLLEN FILTER AIR CLEANER	POLLEN FILTER OUTER	8981394280 8981402660	8981394280 8981402660	1			x
	Engine Oil [LTS] SW-40, CI/CJ-4 (Fully Synthetic) Engine Oil [LTS] SW-40, CI/CJ-4 (Fully Synthetic)	481182145 481182121	481182144 481182191	4	X X	X X	X X
UBES	Trans Oil [LTS]-DeoMAX DM12 15W40 CI-4 Tranfer case Oil [LTS]-DeoMAX DM12 15W40 CI-4	441077008 441077008	44M077008 44M077008	3 1.5			X X
out.	Rear Diff Oil (LSD)(LTS): 85W-90LS, GL 5 Front Diff Oil (LTS):80W-90 GL-5	511288008 510155008	51M288008 51M155008	3			X X
	GREASE PROP Grease [KGS]	641279009 53-0222-009	641279009 530222009	0.25	X	х	X
	SERVICE MENU PRICING			-		DT TEC 9/ 0.T	
art Description.	ТҮРЕ	Part no.		QTY	MINOR	RT TFS 86 2.5 MEDIUM	MAJOR
DIL FILTER UEL FILTER	MAIN MAIN	8981650710	8981650710	1	X	X	X X
OLLEN FILTER NIR CLEANER	POLLEN FILTER OUTER	8981394280 8981402660	8981394280 8981402660	1			X X
	Engine Oil [LTS] 5W-40, CI/CJ-4 (Fully Synthetic) Engine Oil [LTS] 5W-40, CI/CJ-4 (Fully Synthetic)	481182145 481182121	481182144 481182191	4	X X	X X	X X
UBES	Trans Oil [LTS]-DeoMAX DM12 15W-40, CI-4 Tranfer case Oil [LTS]-DeoMAX DM12 15W-40, CI-4	441077008 441077008	44M077008 44M077008	3		-	x x
	Rear Diff Oil (LSD)(LTS); 85W-90LS, GL-5	511288008	51M288008	3			x
	Front Diff Oil (LTS):80W-90, GL-5 Grease (KGS) Grease hub EP3	510155008 641279009 53-0222-009	51M155008 641279009 530222009	1.5 0.25 2	X	X	X
			530222009	. 2			
Part Description.	SERVICE MENU PRICING	Part no.		QTY		RT TFR 86 2.5	L
DIL FILTER	MAIN	8981650710	8981650710	1	MINOR	MEDIUM	MAJOR X
CUEL FILTER FOLLEN FILTER	MAIN POLLEN FILTER	8981394280	8981394280	1			X X
NR CLEANER	OUTER Engine Oil [LTS] SW-40, CI/CJ-4 (Fully Synthetic)	8981402660 481182145	8981402660 481182144	1 4	X	X	X X
UBES	Engine Oil [LTS] 5W-40, CI/CJ-4 (Fully Synthetic) Trans Oil [LTS]-DeoMAX DM12 15W-40 CI-4	481182121 441077008	481182191 44M077008	3	Х	Х	X
	Diff Oil (LSD)(LTS); 85W-90LS, GL-5 Grease [KGS]	511288008 641279009	51M288008 641279009	0.25	X	X	X X
	Grease hub EP3	53-0222-009	530222009	2			х
	SERVICE MENU PRICING		_	_			
	SERVICE MENO PRICING					DT TED SALES	D
Part Description.	TYPE	Part no.		OTY		RT TFR 54 LEE	
Part Description. OIL FILTER	TYPE MAIN	Part no. 8973099270	8973099270	QTY 1	MINOR X	MEDIUM X	MAJOR X
	MAIN MAIN OUTER	1	8973099270 8981402660	_	MINOR X	MEDIUM	
DIL FILTER Fuel filter	MAIN MAIN OUTER Engine Oil [LTS]: 15W-40, CF-4	8973099270	8981402660 44M937008 44M937008	1 1 6	MINOR X	MEDIUM	
OIL FILTER UEL FILTER UIR CLEANER	MAIN MAIN OUTER	8973099270 8981402660 44-3344-008	8981402660	1 1 1	MINOR X	MEDIUM X	MAJOR X X X
OIL FILTER UEL FILTER UIR CLEANER	MAIN MAIN OUTER Engine Oil [175]: 15W-40, CF-4 Transmission Oil [175]: 15W-40, CF-4 Oil Oil (175): 25W-90, Oc-5	8973099270 8981402660 44-3344-008 44-3344-008 510155008	8981402660 44M937008 44M937008 51M155008	1 1 6 3 2.5	MINOR X	MEDIUM X	MAJOR X X X X X X
OIL FILTER L'UEL PILTER AIR CLEANER	MAIN MAIN OUTS OUTS TOPP OF THE TOPP OF A TOPP OF THE TOPP OF A TOPP OF THE TOPP OF A GRACE PROP GRACE PROP GRACE PROP GRACE PROP GRACE PROP	8973099270 8981402660 44-3344-008 44-3344-008 510155008 641279009 53-0222-009	8981402660 44M937008 44M937008 51M155008	1 1 6 3 2.5	MINOR X	MEDIUM X	MAJOR X X X X X X
NE LESTES USES ENTERS USES ENTERS USES ENTERS USES ENTERS USES	MAIN MAIN OUTE Engine Oil [17]: 15W-40, CT-4 Transmission Oil [17]: 15W-40, CT-4 DIF Oil [15]: 50W-90, CL-5 DIFFOR OIL TO IN T	8973099270 8981402660 44-3344-008 44-3344-008 510155008 641279009 53-0222-009	8981402660 44M937008 44M937008 51M155008	1 1 6 3 2.5	x	X X X FS 85 (Old Moc	MAJOR X X X X X X X X X X X X X X X X X X X
NEL TEXTS USE TEXTS USE TEXTS USES VARIETY VAR	OARS OOTE Engles 01(133): 13W-40, CF-4 Transmission 01(135): 13W-40, CF-4 Transmission 01(135): 13W-40, CF-4 Transmission 01(135): 13W-40, CF-4 OFF 01(135): 13W-40, CF-4 TYPE SERVICE MENU PRICING TYPE	8973099270 8981402660 44-3344-008 44-3344-008 510155008 641279009 53-0222-009	8981402660 44M937008 44M937008 51M155008 641279009 530222009	1 1 6 3 2.5 0 2	x	MEDIUM X	MAJOR X X X X X X X X X
DE FILTER UNE PETER UNE LEAVER UNES VARIET DESCRIPTION. DE FILTER WAS FILTER WAS FILTER WAS FILTER	MAIN MAIN MAIN MAIN MAIN MAIN MAIN MAIN	8973099270 8981402660 44-3344-008 44-3344-008 510155008 641279009 53-0222-009	8981402660 44M937008 44M937008 51M155008	1 1 1 6 3 2.5 0 2	x	X X FS 85 (Old Moc MEDIUM	MAJOR X X X X X X X X X X X X X X X X X X X
NO FIETE UNIC CLEANER UNIC CLEANER UNES Auf Description. UNICETE UNICETER UNICETER UNICETER	MAIN MONIT Graphs Graphs Graphs Graphs Graphs Graphs Graphs Graphs Graphs	8973099270 8981402660 44-3344-008 44-3344-008 51015500 641279009 53-0222-009 Part no. 8973587200 8980084420 8989084420	8981402660 44M937008 44M937008 51M155008 641279009 530222009	1 1 1 6 3 2.5 0 2	x	X X FS 85 (Old Moc MEDIUM	MAJOR X X X X X X X X X X X X X X X X X X X
NO FIETE UNIC CLEANER UNIC CLEANER UNES Auf Description. UNICETE UNICETER UNICETER UNICETER	MAIN	8973099270 8981402660 44-3344-008 44-3344-008 510155008 541279009 53-0222-009 Part no. 8973587200	8981402660 44M937008 44M937008 51M155008 641279009 530222009 8973587200	1 1 1 6 3 2.5 0 2	x	X X FS 85 (Old Moc MEDIUM	MAJOR X X X X X X X X X X X X X X X X X X X
DE FILTE UNE PATE UNE SET UNES VARIABLE VARIABL	SARIO	8973099270 8981402660 44-334-008 44-334-008 510155008 510155008 897387200 8978084420 8980084420 44-334-008 51019-008 51019-008 51128008	8981402640 44M937008 44M937008 51M15008 641279009 530222009 8973587200 8980084420 8979445700 44M937008 51M194008 51M194008	1 1 1 6 3 2.5 0 2 2 1 1 1 1 1 8 8 3 1.5 3	x	X X FS 85 (Old Moc MEDIUM	MAJOR X X X X X X X X X X X X X X X X X X X
DE FILTE UNE PATE UNE SET UNES VARIABLE VARIABL	MARIN MARIN DOTE Engle of [1] This 19W-40, CF-4 Transmission Oll [17]: 19W-40, CF-4 Transmission Oll	8973099270 8981402660 44:3344-008 44:3344-008 51015508 641278007 53-0222-009 Fart no. 8973587200 4873587200 48304-008 510194-008 510194-008 510195008 510155008	8981402640 44M937008 44M937008 51M155008 641279009 5302220099 8973587200 898084420 898084420 44M937008 51M154008 51M154008	1 1 6 3 2.5 0 2 2 1 1 1 1 1 8 8 3 1.5 3 1.5 3	x	X X FS 85 (Old Moc MEDIUM	MAJOR X X X X X X X X X X X X X X X X X X X
DE FILTE UNE PATE UNE SET UNES VARIABLE VARIABL	MAIN	8973099270 8981402660 44-3344-008 44-3344-008 510155008 641279009 53-0222-009 Part no. 8973587200 8980084420 8979445700 43-3344-008 51019-008 51019-008 51019-008	8981402640 44M937008 44M937008 51M155008 641279009 5302220099 8973587200 8973587200 44M937008 51M154008 51M194008 51M194008 51M288008	1 1 6 3 2.5 0 2 2 1 1 1 1 8 3 3 1.5	x	X X FS 85 (Old Moc MEDIUM	MAJOR X X X X X X X X X X X X X X X X X X X
NA TRATE INCLINEDS URBS VARIABLE	MAR	8973099270 8981402660 44:3344-008 44:3344-008 51015508 87358720 877358720 877358720 877358720 877358720 877358720 5307222-009 5307222-009 5307222-009	8981402640 44M937008 44M937008 51M155008 641279009 5302220099 8973587200 8973587200 44M937008 51M154008 51M194008 51M194008 51M288008	QTY QTY 1 1 1 1 1 6 3 2.5 0 2 QTY 1 1 1 1 8 3 1.5 3 1.5 0.25 2	x	FS 85 (Old Moon X X X X X X X X X X X X X X X X X X	MAJOR X X X X X X X X X X X X X X X X X X X
DELIVERY WELLINER URBS VARIOUS CLASSES VARIOUS CLASSE	MAIN MAIN TOPIC SERVICE MENU PRICINC TYPE MAIN MAIN MAIN MAIN MAIN MAIN MAIN MAI	8973099270 8981403660 44-3344-008 44-3344-008 51015508 51015508 51015508 877345720 877367200 877367200 5110150806420 5110150806420 51101508066450 51101508066550 51101508066550 5110150806650 51101508066550 51101508066550	8981402640 44M937008 44M937008 51M155008 641279009 5302220099 8973587200 8973587200 44M937008 51M154008 51M194008 51M194008 51M288008	1 1 6 3 2.5 0 2 2 1 1 1 1 1 8 8 3 1.5 3 1.5 3	X X X MINOR X X	FS 85 (Old Moc A X FS 85 (Old Moc MEDIUM X X TFS 77	MAJOR X X X X X X X X X X X X X X X X X X X
NOTICE TO THE CONTINUE OF THE	MAR	8973099270 8981402660 44:3344-008 44:3344-008 531015508 641279007 53-0222-009 Fart no. 8973587200 8979587400 43:344-008 531019008 531019008 531019008 531019008 531019008	8981402640 44M937008 44M937008 51M155008 641279009 5302220099 8973587200 8973587200 44M937008 51M154008 51M194008 51M194008 51M288008	QTY QTY 1 1 1 1 1 6 3 2.5 0 2 QTY 1 1 1 1 8 3 1.5 3 1.5 0.25 2	x	FS 85 (Old Moon X X X X X X X X X X X X X X X X X X	MAJOR X X X X X X X X X X X X X X X X X X X
NOLITIES URES VALUES VALUES	SARA SARA SARA SARA SARA SARA SARA SARA	8973099270 898140040 447344064 447344064 447344064 44734408 44734408 59008410 8972587200	8981402660 444927708 444927708 444927708 64127909 530222009 8973587200 8973587200 8980084420 8973587200 5184459008 5184459008 5184459008 5184459008 5184459008 5184459008 5184459008 5184459008 5184459008 68973597209	QTY QTY QTY QTY QTY QTY QTY QTY	X X X X MINOR X X	MEDIUM X X X X SS S (Old Modum X X X X MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM	MAJOR X X X X X X X X X X X X X X X X X X X
NOLITIES URES VALUES VALUES	MAR	8973099270 8981402660 44-3344-008 44-3344-008 55-0022-007 Part no. 8973087200 8970084200 510188008 510194-	8981402660 444973708 444973708 444973708 444973708 444973708 44127909 530222009 8973487200 898084420 8973487200 53445700 46127909 530222009	QTY QTY QTY QTY 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	X X X X MINOR X X	MEDIUM X X X X SS S (Old Modum X X X X MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM	MAJOR X X X X X X X X X X X X X X X X X X X
NO FIGURE VIRE CLEANER URES VIRE CLEANER	MAIN MAIN TOPIC OUTE Engle Col[ETS] 19W-40, CF-4 Transmission Ol [ETS] 19W-40, CF-4 Transmission Ol [ETS] 19W-40, CF-4 Transmission Ol [ETS] 19W-40, CF-4 OUTE OLIVER O	897309270 8898.820560 44:3244-008 44:3244-008 54:5155008 55:50222-009 870084420 877258720 879084420 877258720 879084420 877258720 879084420 877258720 879084420 877258720 879084420 877258720 879084420 877258720 879084420 879084420 879084420 879084420 879084420 879084420 879084420 879084420	8981402640 46093700 46093700 46093700 46127900 530222009 897068420 897068420 897068420 815068420 897069200 815068420 8870692009 887069200 887069200 887069200 887069200	QTY QTY QTY QTY 1 1 1 1 1 7 3 3 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	X X X X MINOR X X	MEDIUM X X X X SS S (Old Modum X X X X MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM	MAJOR X X X X X X X X X X X X X X X X X X X
NO FIGURE VIRE CLEANER URES VIRE CLEANER	SARAY SARAY OUTE COUTE COU	897309270 8898.820560 44-3244-008 44-3244-008 53:0355060 89736720	8981402660 460937006 460937006 460937006 46127909 530222009 899068420 897968420	QTY QTY QTY QTY 1 1 1 1 1 1 7 7 3 1 1.5 3 1.5	X X X MINOR X X X X X X X X X X X X X X X X X X X	MEDIUM X X X SESS (Old Mook MEDIUM X X TFS 77 MEDIUM X X	MAJOR X X X X X X X X X X X X X X X X X X X
NO FIGURE VIRE CLEANER URES VIRE CLEANER	MAIN	8973099270 898 402660 44-334-608 44-334-608 44-334-608 55 6022-609 55 6022-609 897389200	### 1400/200 ### 1	QTV 25 QTV 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	X X X X MINOR X X	MEDIUM X X X X SS S (Old Modum X X X X MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM MEDIUM	MAJOR X X X X X X X X X X X X X X X X X X X
NO FIGURE VIRE CLEANER URES VIRE CLEANER	MAR	897309270 8898.820560 44:3244-038 54:53500 55:5022-009 897.58720 8970.8470	8981402660 460937006 460937006 460937006 46127909 530222009 899068420 897968420	QTY QTY QTY 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	X X X MINOR X X X X X X X X X X X X X X X X X X X	MEDIUM X X X SESS (Old Mook MEDIUM X X TFS 77 MEDIUM X X	MAJOR X X X X X X X X X X X X X X X X X X X
DELETER URE CLEANER URE CLEANER VALUE CLEANER VA	MAIN	897309270 8898.820560 44:3244-038 54:53500 55:5022-009 897.58720 8970.8470	8981402660 460937006 460937006 460937006 46127909 530222009 899068420 897968420	QTY QTY QTY 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	X X X X MISOR X X X X X X X X X X	SESSION X X X X X X X X X X X X X X X X X X X	MAJOR X X X X X X X X X X X X X X X X X X X
THE TEN CONTROL OF THE TEN CONTR	MAIN	8973099270 8981820860 44-3934-608 44-3934-608 44-3934-608 45-3934-608 45-3934-608 45-3934-608 45-3934-608 8973857200 8973857200 8973857200 8973857200 8973857200 8973857200 8973857200 8973857200 8973857200 8973857200 8973857200 8973857200 8973857200 44-3934-608	8981402660 460937006 460937006 460937006 46127909 530222009 899068420 897968420	QTY QTY QTY QTY QTY QTY QTY 1 1 1 1 5 3 1 1 5 0 .25 2 2	X X X MINOR X X X X X X X X X X X X X X X X X X X	SE SOLID MEDIUM X X X X X X TFS 77 MEDIUM X X X	MAJOR X X X X X X X X X X X X X X X X X X X
NO CELENTE VOICE CENTER VOIC	MAIN	8973099270 898 402660 44-3344-008 44-3344-008 51-022-009 Fart no. 897358720 89735872	891 4002400 4689737008 51M455008 641279009 190022009 89735872009 8973587200 8973587200 8973587200 8973587200 8973587200 89735872009 89735872009 89735872009 89735872009 89735872009 89735872009	QTV QTV 1 1 1 1 1 5 3 1 5 5 0.25 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	X X X MINOR X X X MINOR X MINOR X	SESSION X X X X SESSION SESSION SESSION SESSION SESSION SESSION SESSION X X TES 77 MEDIUM X TES 77 MEDIUM X TES 75 MEDIUM X TES 75 MEDIUM X	MAJOR X X X X X X X X X X X X X X X X X X X
NO CELENTE VOICE CENTER VOIC	MAIN	8973099270 898 402660 44-3344-008 44-3344-008 53 0222-009 Part no. 89704570	891 400400 468797009 1514455008 641279009 150222009 8979367200 8979367200 8979367200 8979367200 8979367200 8979367200 8979367200 8979367200 8979367200 8979367200 8979367200	QTV QTV 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	X X X MINOR X X X MINOR X MINOR X	MEDIUM X X X X MEDIUM X X X TFS 77 MEDIUM X X TFS 75 MEDIUM M	MAJOR X X X X X X X X X X X X X X X X X X X
DAL FILTER UNIT CELANER UNES JURIS L'ANNER JURIS L'ANNER JURIS L'ANNER JURIS L'ANNER JURIS L'ANNER LURIS L'ANNER L'ANNER LURIS L'ANNER LURIS L'ANNER L'	MAIN	8973099270 898 402660 44-3344-008	898 1402460 48373708 15M455008 64127909 150222009 887084420 887284700 15M45908 15M5908	QTY QTY 1 1 1 1 6 6 3 2-5 0 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	X X X MINOR X X X MINOR X MINOR X	SESSION X X X X SESSION SESSION SESSION SESSION SESSION SESSION SESSION X X TES 77 MEDIUM X TES 77 MEDIUM X TES 75 MEDIUM X TES 75 MEDIUM X	MAJOR X X X X X X X X X X X X X X X X X X X
NO CELENTE VOICE CENTER VOIC	MAIN	897309270 8981820560 44-3244-008 44-3244-008 44-3244-008 51-0222-009 8970824-008 8970824-008 8970824-00 8970	8981402660 8981402660 64127909 530222009 8973587200 8873587200	QTY	X X X MINOR X X X MINOR X MINOR X	SESSION X X X X SESSION SESSION SESSION SESSION SESSION SESSION SESSION X X TES 77 MEDIUM X TES 77 MEDIUM X TES 75 MEDIUM X TES 75 MEDIUM X	MAJOR X X X X X X X X X X X X X X X X X X X
NOTE TO THE CONTROL OF THE CONTROL O	MAIN	8973099270 898 402660 44-3344-008 44-3344-008 44-3344-008 51-0022-009 Part no. 897367200	### 100,600 ### 10	QTY QTY 1 1 1 1 6 6 15 3 3 3 3 3 1.5 5	X X X MINOR X X X MINOR X MINOR X	SESSION X X X X SESSION SESSION SESSION SESSION SESSION SESSION SESSION X X TES 77 MEDIUM X TES 77 MEDIUM X TES 75 MEDIUM X TES 75 MEDIUM X	MAJOR X X X X X X X X X X X X X X X X X X X
NO CELENTE VOICE CENTER VOIC	MAIN	8973099270 898 402660 44-3344-008 44-3344-008 44-3344-008 54-028 44-3344-008 54-028 55-0222-009 Fart no. 89774570 44-3344-008 55-0222-009 Fart no. 89774570 54-028 55-0222-009	### 100,600 ### 10	QTY	X X X MINOR X X X MINOR X MINOR X	SESSION X X X X SESSION SESSION SESSION SESSION SESSION SESSION SESSION X X TES 77 MEDIUM X TES 77 MEDIUM X TES 75 MEDIUM X TES 75 MEDIUM X	MAJOR X X X X X X X X X X X X X X X X X X X
THE TEXT OF THE TE	MAIN	8973099270 898 402660 44-3344-008 44-3344-008 44-3344-008 54-028 44-3344-008 54-028 55-0222-009 Fart no. 89774570 44-3344-008 55-0222-009 Fart no. 89774570 54-028 55-0222-009	### 100,600 ### 10	QTY	X X X X MINOR X X X X MINOR X X X X X X X X X X X X X X X X X	MEDIUM X X X MEDIUM X X X IFS 77 MEDIUM X X TFS 54 DMAN X X TFS 54 DMAN X X TFR 54-KB250	MAJOR X X X X X X X X X X X X X X X X X X X
THE TENER STATES OF THE TE	MAIN	897309270 8898.820560 44:3244-038 530155006 530155006 870155700 87015700 8	### 100,600 ### 10	QTV	X X X MINOR X X X MINOR X MINOR X	FS 85 (Old MOON X X X X X X X X X X X X X X X X X X	MAJOR X X X X X X X X X X X X X X X X X X X
DIG CELENTE UNIS CELENTER UNIS	MAIN	8973099270 89818203600 44-3244-008 44-3244-008 44-3244-008 510355006 45-324-008 510355006 8970387200 8970387200 8970387200 8970387200 8970487200 8970487200 8970487200 8970487200 8970487200 8970487200 8970487200 8970487200	8981402560 4327308 51M45508 64127909 53022309 88708420 88708420 88708420 88708420 88708420 88708420 88708420 88708420 88708420 88708420 88708420 88708420 88708420 887084200	QTV QTV QTV QTV QTV QTV QTV QTV QTV 1 1 1 1 6 6 1.5 3 3 1.5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	X X X MINOR X X MINOR X X MINOR X MINOR X MINOR	FS 85 (Old Mook X X X X X TFS 77 MERUM X X TFS 54 DMAN X X	MAJOR X X X X X X X X X X X X X X X X X X X
THE CENTER WE CLEANER URES JUST CLEANER URES JUST CLEANER JUST CLEANER URES JUST CLEANER JUST C	MAIN	8973099270 897840260 44-3944-008 44-3944-008 44-3944-008 44-3944-008 45-3944-008 897386720	### 1002600 ### 1002600 ### 1002600 ### 1002000 ### 10020000 ### 10020000 ### 10020000 ### 10020000 ### 10020000 ### 100200000000000000000000000000000000	QTV	X X X MINOR X X MINOR X X MINOR X MINOR X MINOR	MEDIUM X X X X X X X X TFS 77 MEDIUM X X TFS 54 DMAX MEDIUM X X TFS 54 DMAX MEDIUM ME	MAJOR
THE CENTER WE CLEANER URES JUST CLEANER URES JUST CLEANER JUST CLEANER URES JUST CLEANER JUST C	MAIN	8973099270 88981820560 44:3244-028 44:3244-028 44:3244-028 51:0222-009 8870084420 887008420 887008420 887008420 887008420 887008420 887008420 887008420	### HOUSEAN CONTROL OF THE PROPERTY OF THE PRO	QTV QTV	X X X MINOR X X MINOR X X MINOR X MINOR X MINOR	FS 85 (Old Mook X X X X X TFS 77 MERUM X X TFS 54 DMAN X X	MAJOR X X X X X X X X X X X X X X X X X X X
DIG FIGURE UNITED THE CONTROL OF TH	MAIN	8973099270 897840260 44-3944-008 44-3944-008 44-3944-008 44-3944-008 45-3944-008 897386720	### 1002600 ### 1002600 ### 1002600 ### 1002000 ### 10020000 ### 10020000 ### 10020000 ### 10020000 ### 10020000 ### 100200000000000000000000000000000000	QTV	X X X MINOR X X MINOR X X MINOR X MINOR X MINOR	FS 85 (Old Mook X X X X X TFS 77 MERUM X X TFS 54 DMAN X X	MAJOR X X X X X X X X X X X X X X X X X X X
THE CLEANER URES	MAIN	8973099270 8981820360 44-3244-008 44-3244-008 44-3244-008 44-3244-008 51 0222-009 Part no. 897026720 897026720 897026720 897026720 897026720 89702720 89702720 89702720 89702720 89702720 89702720 89702720 89702720 89702720	891 1002600 4687973008 1514455008 641279009 150222009 8979587900 151459008	QTV QTV	X X X MINOR X X X X MINOR X X X X X X X X X X X X X X X X X X X	MEDIUM X X X X X X X X TFS 77 MEDIUM X X X TFS 54 DMAX MEDIUM X X X X TFS 54 DMAX MEDIUM X X X	MAJOR X
NOT RELEASE VARIETY STATE VARIETY	MAIN	8973099270 8981820360 44-3344-008 44-3344-008 44-3344-008 44-3344-008 45-354-	891-00260 468973708 51M45508 64127909 510222099 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209	QTV QTV 1 1 1 1 1 1 1 1 1	X X X MINOR X X X MINOR X X X MINOR X X MINOR X X	FS 85 (Old MOOUN X X X X X TFS 77 MEDUM X X TFS 54 DMAN ACCORDAN A	MAJOR X X X X X X X X X X X X X X X X X X X
NOR CELENTER UNES UNES	MAIN	8973099270 898 402660 44-3344-068 44-3344-068 44-3344-068 44-3344-068 45-354	897 1005400 897 207 2009 897	QTV QTV	X X X X MINOR X X X X MINOR X X X MINOR X X X X X X X X X X X X X X X X X X X	TFS 54 DMAM X X X X X X TFS 54 DMAM X X TFR54-KB250 MEDUM X X TFR54-KB250 MEDUM X X	MAJOR X X X X X X X X X X X X X X X X X X X
DAL FILTER UNIT CELEMENT UNIT	MAIN	8973099270 89818203600 44-3244-008 44-3244-008 44-3244-008 44-3244-008 53-0222-009 Fart no. 8970387200	891-00260 468973708 51M45508 64127909 510222099 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209 8973687209	QTV QTV	X X X MINOR X X X MINOR X X X MINOR X X MINOR X X	FS 85 (Old MOOUN X X X X X TFS 77 MEDUM X X TFS 54 DMAN ACCORDAN A	MAJOR X X X X X X X X X X X X X X X X X X X
JOH FIRST TO SECURITION OF THE SECURITIES OF THE	MAIN	8973099270 898 402660 44-3344-068 44-3344-068 44-3344-068 44-3344-068 45-354	897 1005400 897 207 2009 897	QTV QTV 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	X X X MINOR X X X MINOR X X X MINOR X X MINOR X X	FS 85 (Old MOOUN X X X X X TFS 77 MEDUM X X TFS 54 DMAN ACCORDAN A	MAJOR X X X X X X X X X X X X X X X X X X X

REVISED SERVICE MENU

SERVICE MENU PRICING								
Part Description.	ТУРЕ	Part no.	NQR66/NPR66					
	···-		MINOR	MEDIUM	MAJOR			
OIL FILTER	MAIN	5876101170	X	X	Х			
FUEL FILTER	MAIN	8944147963		Х	Х			
AIR CLEANER	OUTER	1142151710			Х			
	Engine Oil [LTS]; 15W-40, CF-4	44-3344-008	X	Х	Х			
	Trans Oil [LTS]; 15W-40, CF-4	44-3344-008			Х			
LUBES	Diff Oil [LTS];85W-140, GL-5	510194008			Х			
	Grease EP2	53-0222-009	Х	Х	Х			
	Grease hub EP3	53-0222-009			Х			

SERVICE MENU PRICING								
TYPE	Part no	NKR66						
	Ture no.	MINOR	MEDIUM	MAJOR				
MAIN	5876101170	X	X	Χ				
MAIN	8980374800		Х	X				
OUTER	8941560520			Χ				
Engine Oil [LTS]; 15W-40, CF-4	44-3344-008	X	X	Х				
Trans Oil [LTS]; 15W-40, CF-4	44-3344-008			Х				
Diff Oil [LTS];85W-140, GL-5	510194008			Х				
Grease EP2	53-0222-009	Х	Х	Χ				
Grease hub EP3	53-0222-009			Х				
	TYPE MAIN MAIN OUTER Engine Oil [LTS]; 15W-40, CF-4 Trans Oil [LTS]; 15W-40, CF-4 Diff Oil [LTS]; 85W-140, GL-5 Grease EP2	TYPE Part no. MAIN 5876101170 MAIN 8980374800 OUTER 8941560520 Engine Oil [LTS]; 15W-40, CF-4 44-3344-008 Trans Oil [LTS]; 15W-40, CF-4 44-3344-008 Diff Oil [LTS]; 85W-140, GL-5 510194008 Grease EP2 53-0222-009	TYPE Part no. MINOR MAIN 5876101170 X MAIN 8980374800 OUTER 8941560520 Engine Oil [LTS]: 15W-40, CF-4 44-3344-008 X Trans Oil [LTS]: 15W-40, CF-4 44-3344-008 Diff Oil [LTS]: 85W-140, GL-5 510194008 Grease EP2 53-0222-009 X	TYPE Part no. NKR66 MINOR MEDIUM MAIN 5876101170 X X MAIN 8980374800 X OUTER 8941560520 Engine Oil [LTS]; 15W-40, CF-4 44-3344-008 X Trans Oil [LTS]; 15W-40, CF-4 44-3344-008 Diff Oil [LTS]; 85W-140, GL-5 510194008 Grease EP2 53-0222-009 X X				

	SERVICE MENU PRICING						
Part Description.	TYPE	Part no.	NHR55				
Ture Description.	****		MINOR	MEDIUM	MAJOR		
OIL FILTER	MAIN	8970497081	X	Х	Х		
FUEL FILTER	MAIN	8944147963		Х	X		
AIR CLEANER	OUTER	8941560520			X		
	Engine Oil [LTS]; 15W-40, CF-4	44-3344-008	X	Х	X		
	T/M oil [LTS]; 15W-40, CF-4	44-3344-008			X		
LUBES	Diff Oil [LTS]; 85W-140, GL-5	510194008			X		
	Grease EP2	53-0222-009	X	Х	X		
	Grease hub EP3	53-0222-009			X		

	CURRENT	SERVICE N	MENU						REVISE	D SERVICE	MENU					
	SERVICE	MENU PRICIN	Ġ						SER	VICE MENU PRI	ING					
Part Description.	TYPE	Part no.	qry		FRR33 (T			Part Description.	TYPE	Part no.	qtv			3 (Truck & E		
OIL FILTER	PARTIAL	1879103721	1	MINOR 1.252	MEDIUM 1,252	MAXOR 1.252	COMPREHENSIVE 1,252	OL FLITER	PARTIAL	1878903721		MINOR	MEDIUM	MAJOR	co	MPREHENSIVE
	MAIN OIL FILTER	1878100752 9885111911	1	1,252 1,000	1,000	1,252 1,000 536	1,000 536		MAIN OIL FETER MAIN FUEL FETER SEDMENTER	1878900752 9885111911	- 1	×	×	×		×
FUEL FILTER	MAIN FUEL FETER SEDMENTER	1122401940	1			1,249	1,249 9,333	FUEL FILTER	SEDEMENTER SEDEMENTER	1132401940	1			×		x
AIR CLEANER	OUTER	1142151710 1142151110	1				9,333 6,342	AIR CLEANER	INNER	1142151710 1142151110	1	+				×
	Engine OI (LTS): 15W-40, GT-4 T/M (MBEST) OI (LTS): 85W-90, GL-5 ORT OI (LTS): 85W-140, GL-5		15	6,118	6,118	6,118			Engine: 08 [LTS]: 15W-40, CE-4 THM (MBIST) 03 [LTS]: 80W-90, CL-5 DM: 08 [LTS]:85W-940, CL-5		15	×	×	X		×
LUBES	DRT OR [LTS] RSW-140, GL-5	51-0155-008 510194008	7			2,113 2,757	2,113 2,757	LUBES	DM OII [LTS]: 85W-140, GL-5	51-0155-008 510194008	7			×		×
	LUBIX EP2 Grease hub EP2	641279009 53-0222-009	1 2	713	713	713	713 2,197		LUBIX EP2 Grease hub EP2	541279009 53-0222-009	- 1	×	x	x	_	×
							5,011									
Part Description.	TYPE	MENU PRICINI Part no.	QTY		FS	SR33		Part Description.	TYPE	Part no.	OTY			FSR33		
	PARTAL	1878103721		MINOR 1,252	MEDIUM 1,252	MAXOR 1,252	COMPREHENSIVE (75K) 1,252		PARTIAL	1878503721	- 41	MINOR	MEDIUM	MAJOR	COMP	PREHENSIVE (75K)
OIL FILTER	MAIN OIL FILTER	1878100752	1	1,000	1,000	1,000	1,000	OIL FILTER	MAIN OIL FETER	1878100752	1	×	×	×		x
FUEL FILTER	MAIN FUEL FETER SEDMENTER	9885111911				536 1,249	536 1,249	FUEL FILTER	MAIN FUEL FETER SEDIMENTER	9885111911 1122401940		+	×	×		_ X
AIR CLEANER	OUTER	1142151110	1				6,342 9,910	AIR CLEANER	OUTER INNER	1142151110	1					x
	INNER Engine OII [LTS]: 15W-40, CF-4	1142151720 44-2244-008	15	6,118	6,118	6,118	6,118			1142151720 44-2344-008	15	×	×	x		×
Luges	Engine OI (LTS): 15W-40, GF-4 T/M (MLD5A) oil (LTS): 8DW-90, GL-5 DIT OII (LTS): 8SW-140, GL-5	51-0155-008 510194008	+			3,380 3,351	3,380 3,151	LUBES	T/M (MLDIA) of [LTS]: 80W-90, GL-5 DIR OF [LTS]:85W-140, GL-5	51-0155-008 510194008		+		×		_ X
I	Greate EP2	641279009	1 1	713	713	713	713		Greate EP2	641279009	1	×	x	×		x
	Grease hub EP2	53-0222-009					2,197		Grease hub EP3	53-0222-009	1 2					x
		MENU PRICINI				TS33				NCE MENU PRIC				ETS33		
Part Description.	TYPE	Part no.		MINOR	MEDIUM	MAJOR	COMPREHENSIVE	Part Description.	TYPE	Part no.	QTY	MINOR	MEDIUM	MAICR	co	MPREHENSIVE
OIL FILTER	PARTIAL MAIN OIL FILTER	1878103721 1878100752	1	1,252	1,252	1,252	1,252 1,000	OIL FILTER	PARTIAL MAIN OIL FILTER	1878503721 1878500752	1	×	X X	x	_	x
FUEL FILTER	MAIN FUEL FETER SEDMENTER	9005111911	1			536 1,249	536 1,249	FUEL FILTER	MAIN FLIEL FILTER SEDEMENTER	9885111911	1	-	x	x		X
AR CLEANER	OUTER	1132401940 1142151110	1			1,249	1,249 6,342 9,910	AID CITAMED	OUTER INNER	1132401940 1142151110 1142151720	1	+				x
		1142151720 44-2344-008	15	6,118	6,118	6.118	6.118		Entire Of LTS: 15W-40, CF-4	44-2344-008	15	×	×	×		x
	Engine OII (LTS): 15W-40, CF-4 T/M oII (LTS): 80W-90, CL-5	51-0155-008	12			6,118 5,071	5,071		Engine OI [LTS]: 15W-40, CF-4 T/M-oI [LTS]: 80W-90, GL-5	51-0155-008	12			×		×
LURES	Rear DM OI (LTS): 80W-90, GL-5	51-0155-000 510194000	7			2,757	2,757	LUBES	Rear DRF CRI CRI (15): 85W-90, GL-5	51-0155-000 510194000	7	_		×		×
	Front DIFF ON [LTS]:85W-140, GL-5 Grease EP2	510194008 641279009	5	713	713	1,970 713	1,970 713		Rear Diff Oil (LTS) 85W-140, GL-5 Prost DRT Oil (LTS) 85W-140, GL-5 Grease EP2	510194008 641279009	5	×	×	X		X Y
1	Grease hub EP2	53-0222-009	2			- 12	2,197		Grease hub EP2	53-0222-009	3					x .
												_				
		MENU PRICIN							T	/ICE MENU PRI						
Part Description.	TYPE	Part no.	QTY	MINOR	MEDIUM F\	VR23	COMPREHENSIVE	Part Description.	TYPE	Part no.	QTY	MINOR	MEDIUM	FVR23		MPREHENSIVE
OILFILTER	PARTIAL MAIN OIL FILTER	1132401632	1	6,695	6,695	6,695	6,695	OL FATER	PARTIAL MAIN OIL FILTER	1122401622	1	×	X	x		x
FUEL FILTER	MAIN FUEL FILTER	1878100752 8980366540	1 1	1,000	1,000	1,000	1,000	FUEL FILTER	MAIN OIL FETER MAIN FUEL FETER SEDIMENTER	1878500752 8980356540	1	×	×	×		×
	SEDIMENTER CUTER	1132401940 1142151720	1			1,249	1,249 9,910		SEDEMENTER OUTER	1122401940 1142151720	- 1			x		×
AIR CLEANER	INNER Engine OI [LTS]: 15W-40, GF-4	1142151110	1				6.342	AIR CLEANER	INNER Engine OI (LTS): 15W-40, CF-4	1142151110	1					
	Engine OII [LTS]: 15W-40, CF-6 T/M (MAL6S) oII [LTS]: 80W-90, GL-5	44-2344-008 51-0155-008		11,012	11,012	11,012 5,493	11,012 5,493			44-3344-008 51-0155-008	13	x	×	×		×
LUBES	T/M (MAL6S) oil (LTS): BOW-90, GL-5 Rear DIM Oil (LTS): BSW-540, GL-5 Grease EP2	510194008 641279009	14	1,426	1,426	6,694.65 1,426	6,694.65 1,426	LUBES	Rear DM OII JLTS): 85W-540, G2-5 Grease EP2	520294008 641279009	34			X		×
1	Grease hub EP2	53-0222-009	2	1,400	1,420	1,000	2,197		Grease hub EP2	53-0222-009	3					x
		MENU PRICIN							T	/ICE MENU PRI						
Part Description.	TYPE	Part no.	QTY	MINO	MEDIIM	VX23	COMBREMENSIVE	Part Description.	TYPE	Part no.	qtv	MINOR	MEDILIM	FVX23		MODELLENGINE
OIL FILTER	PARTIAL	1122401632	1	6,695	6,695	6,695	6,695	OIL FATER	PARTIAL	1122401622	1	×	x	x		x
FUEL FILTER	MAIN OIL FILTER MAIN FUEL FILTER	1878100752 8980266540	1	1,000	1,000	1,000	1,000 1,481	FUEL FILTER	MAIN OIL FEITER MAIN FUEL FEITER SEDIMENTER	1878900752 8980366540	1	×	X	x		X
	SEDIMENTER OUTER	1122401940 1142151720	1 1			1,249	1,249 9,910		SEDEMENTER OUTER	1132401940 1142151720	1	+	-	×		x
AR CLEANER		1142151110 44-2244-008	1		11,420		6.342	AIR CLEANER			1					x
1	Engine OII [175]: 15W-40, 07-4 T.M. OII (MALES) [175]: 8DW-90, G2-5 Bear DIM OII [175]:85W-540, G2-5	51-0155-008	12	11,400	11,400	11,400 5,493	11,420 5,493		Engine O8 [LTS]: 19W-40, CF-4 T/M O8 [MAL65] [LTS]: 80W-90, GL-5 Rear D8T O8 [LTS]:85W-140, GL-5	44-2344-008 51-0155-008	13		_ ^	×		x
		510194008 641279009	17	713	713	6,697 713	6,697 713	LUBES		510194008 641279009	17	×	×	X X	_	x
I	Grease hub EP2	53-0222-009	5				3,661		Grease hub EP2	53-0222-009	5					x
		MENU PRICIN				U723			T	/ICE MENU PRI				EV/722		
Part Description.	TYPE	Part no.	QTY	MINOR	MEDIUM	WAUGE	COMPREHENSIVE	Part Description.	TYPE	Part no.	QTY	MINOR	MEDIUM	FVZ23 MAJOR	co	MPREHENSIVE
OILFILTER	PARTIAL MAIN OIL FILTER MAIN FUEL FILTER SEDMENTER	1132401632 1878100752	1	6,695 1,000	6,695	6,695 1,000	6,695 1,000	OIL FILTER	PARTIAL MAIN OIL FEITER MAIN FUEL FEITER SEDIMENTER	1122401622 1878000752	1	X	X	X		X
FUEL FILTER	MAIN FLEL FLTER	8980366540	1	1,000	1,000	1,481	1,481	FUEL FILTER	MAIN FUEL FETER	8990355540	1		×	×		x
	SEDIMENTER OUTER	1132401940 1142151720	1			1,249	1,249		SEDEMENTER OUTER	1122401940 1142151720	1	+	-	×		x
AR CLEANER		1142151110 44-2244-008					9,910 6,342	AIR CLEANER		1142151110 44-2344-008	1					x
1	Engine OII [LTS]: 15W-40, CF-4 T/M (SF) oII [LTS]: 80W90, GL-5	51-0155-008	0	11,420	11,420	11,420 3,380	11,420 1,380		Engine OII [LTS]: 15W-40, CF-4 T/M (JS) oII [LTS]: 80W90, GL-5	51-0155-008	- 21			×		x
LUBES	Rear Diff Oil (LTS): 85W-140, GL-5 Front (Inter) Diff Oil (LTS): 85W-140, GL-5	510194008 510194008				6,894 6,894	5.894 5.894	LUBES	Rear DIM OII [LTS]: 85W-540, GL-5 Front (Inter) DIM OII [LTS]: 85W-540, GL-5	510194008 510194008	17.5 17.5	+	-	x		x
	LUBIX EP2 Grease hab EP2	641279009 53-0222-009		713	713	713	713 2,197		LUBN EP2	641279009 53,0222,009	1	x	x	×		x
1	parties mark F2	1 .0-0222-009	1-2-1				2,197		pursuan radi MV	13-0222-009		-				
	SERVICE	MENU PRICIN	Ġ		-		1		SERV	ACE MENU PRIC	ING					
Part Description.	TYPE	Part no.				123 Bus		Part Description.	TYPE	Part no.	QTY			MV123 Bus		
	PARTIAL	1122401632	1	MINOR 6,695	MEDIUM 6,695	MAJOR 6,695	COMPREHENSIVE 6,695		PARTIAL	1122401622		MINOR	MEDIUM	MAJOR	co	MPREHENSIVE
OIL FILTER	MAIN	1878100752	1	1,000	1,000	1,000	1,000	OIL FILTER	MAIN	1878500752		x	x	x		x
FUEL FILTER	MAIN PREFUEL FETER	8980366540 1132401940	1			1,481	1,481	FUEL FILTER	MAIN PRE FUEL FETER	8980356540 1122401940	1	+		x	_	x
AIR CLEANER	OUTER	1142151810 1142151250	1				12.070 4,894	AIR CLEANER	OUTER	1142151810 1142151250						X
LUBES	Engine OI [LTS]: 15W-40, GF-4 T/M OI [MALEQ] [LTS]: 80W-90, GL-5	44-2244-008	27	11,012	11,012	11,012	11,012 5,916	LUBES	Engine OB [LTS]: 15W-40, CF-4 T/M OB [MALSO] [LTS]: 8DW-90, GL-5	44-2344-008	27	x	x	х		x
	T/M OR (MALEQ) (LTS); BOW-90, GL-5 Rear DIM OR (LTS); BSW-940, GL-5	51-0155-008 510194008	12			5,996	5,916 4,727		T/M OII (MAL6Q) (LTS): 80W-90, GL-5 Rear DIV OII (LTS):85W-140, GL-5	51-0155-008 510194008	12	+		X X	_	x
	Grease (KGS) Grease hub EP2	641279009 53-0222-009	1	713	713	713	713 2.197		Grease (NCS) Grease hub SP2	641279009	1	X	x	x		X
L	purease num EP2	J32-0222-009	1 2 1				2,197		purease hub EP2	32-0222-009	1 2			1		

			FRR	90					
ut Danswinstin	TYPE	Part no.	OT)	15,000	30,000	45,000	60,000	75,000	90,000
art Descriptio	TYPE	Part no.	QTY	MINOR	MEDIUM	MAJOR	MEDIUM	MINOR	OMPREHENSIN
OIL FILTER	MAIN	5876101170	1	Х	Х	Х	Х	Х	Х
FUEL FUEEN	MAIN	8975425400	1	Х	Х	Х	Х	X	Х
FUEL FILTER	PRE FUEL FILTER	8980924811	1		Х		Х		Х
AIR CLEANER	OUTER	8980714210	1			Х			Х
	Engine oi [LTS]-DEOMAX 12 SYN 15W40	441077008	11	Х	Х	Х	Х	X	Х
	T/M oil [LTS]-80W90 GL5	510155008	4.5			Х			Х
LUBES	Rear diff oil [LTS]-85W140 GL 5	510194008	5.5			Х			Х
	Clutch fluid [LTS] DOT 4	330996246	1			Х			Х
	LUBIX XHP 102 - KG DRUM	641279009	1	Х	Х	Х	Х	X	Х
	Power steering fluid ATF MD3	522179020	3			Х			Х
	Brake fluid DOT 4	330996246	1.5						Х
	Hub bearing grease-LUBIX XHP 103	530222009	3			Х			Х
MISC	Misc	% of labour	5%						

		FT	R90 :	SERVICE ME	NU (NON LS	D TYPE)					
art Descriptio	ТҮРЕ	Part no.	QTY	10,000 MINOR	20,000 MEDIUM	30,000 MINOR	40,000 MAJOR	50,000 MINOR	60,000 MEDIUM	70,000 MINOR	80,000 OMPREHENSIVE
OIL FILTER	Main Oil Filter	5876101170	1	X	X	Х	X	Х	X	Х	X
FUEL FUEEN	Main Fue Filter	8975425400	1		Х		Х		Х		X
FUEL FILTER	Pre Fuel Filter	8980924811	1		Х		Х		Х		Х
AIR CLEANER	Outer	8980714210	1				Х				Х
	Engine Oil [LTS]-DeoMAX DM12 15W40 CI-	441077008	11	Х	Х	Х	Х	Х	Х	Х	Х
	T/M (MZZ6W) oil [LTS]-80W90 GL5	510155008	5				Х				X
LUBES	Rear diff oil (NON LSD) [LTS]-85W140 GL 5	510194008	9				Х				X
	Clutch fluid [LTS] DOT 4	330996246	2				Х				X
	LUBIX XHP 102 - KG DRUM	641279009	1	Х	Х	Х	Х	Х	Х	Х	X
	Power Steering Fluid ATF MD3	522179020	3								X
	Brake fluid DOT 4	330996246	2								X
	Hub bearing grease-LUBIX XHP 103	530222009	4				Х				X

	FTR90 SERVICE MENU (LSD TYPE)										
art Descriptio	ТҮРЕ	Part no.	QTY	10,000 MINOR	20,000 MEDIUM	30,000 MINOR	40,000 MAJOR	50,000 MINOR	60,000 MEDIUM	70,000 MINOR	80,000 OMPREHENSIVE
OIL FILTER	Main Oil Filter	5876101170	1	Х	Х	Х	Х	Х	Х	Х	X
FUEL FILTER	Main Fue Filter	8975425400	1		Х		Х		Х		X
FUEL FILTER	Pre Fuel Filter	8980924811	1		Х		Х		Х		X
AIR CLEANER	Outer	8980714210	1				Х				X
	Engine Oil [LTS]-DeoMAX DM12 15W40 CI-	441077008	11	Χ	Х	Х	Х	Χ	X	Х	X
	T/M (MZZ6W) oil [LTS]-80W90 GL5	510155008	5				Х				X
LUBES	Rear Diff Oil (LSD)[LTS]-85W90LS GL 5	511288008	9				Х				X
	Clutch fluid [LTS] DOT 4	330996246	2				Х				X
	LUBIX XHP 102 - KG DRUM	641279009	1	Х	Х	Х	Х	Х	Х	Х	X
	Power Steering Fluid ATF MD3	522179020	3								X
	Brake fluid DOT 4	330996246	2								X
	Hub bearing grease-LUBIX XHP 103	530222009	4				Х				X

		FVZ34N	N(TIP	PER) & FVZ	34T(LONG V	VHEEL BASE	:)				
art Descriptio	ТҮРЕ	Part no.	QTY	10,000 MINOR	20,000 MEDIUM	30,000 MINOR	40,000 MAJOR	50,000 MINOR	60,000 MEDIUM	70,000 MINOR	80,000 OMPREHENSIVE
OIL FILTER	Main Oil Filter	8943910494	1	Х	Х	Х	Х	Х	Х	Х	Х
FUEL FILTER	Main Fuel Filter	8975425400	1		Х		Х		Х		X
FUEL FILTER	Pre Fuel Filter	8980924811	1				Х				X
AIR CLEANER	Outer	8979489200	1				Х				X
AIR CLEANER	Inner	8979489210	1				Х				X
	Engine Oil [LTS]-DeoMAX DM12 15W40 CI-	441077008	20	Х	Х	Х	Х	Х	Х	X	X
1	T/M Oil (ZF110) [LTS]-80W90 GL5	510155008	8				Х				X
LUBES	Rear Diff Oil [LTS]-85W140 GL-5 (Forward)	510194008	18				Х				X
LUBES	Rear Diff Oil [LTS]-85W140 GL-5 (Reward)	510194008	12				Χ				X
	Clutch Fluid [LTS] DOT 4	330996246	3				Х				X
	LUBIX XHP 102 - KG DRUM	641279009	1.5	Х	Х	Х	Х	Х	Х	Х	X
	Power Steering Fluid ATF MD3	522179020	3								X
	Hub bearing grease-LUBIX XHP 103	530222009	9				Χ				X

	SERVICE MENU FOR NPS81								
art Descriptio	ТҮРЕ	Part no.	QTY	15,000 MINOR	30,000 MEDIUM	45,000 MAJOR	60,000 MINOR	75,000 MEDIUM	90,000 MAJOR
OIL FILTER	MAIN	5876101170	1	Х	Х	Х	Х	х	Х
FUEL FILTER	MAIN (Element)	8981596930	1	Х	Х	Х	Х	х	Х
FUEL FILTER	PRE FUEL FILTER	8980374810	1	Х	Х	Х	Х	х	Х
AIR CLEANER	Element	8983214130	1			Х			Х
	Engine oi [LTS]-DEOMAX 12 SYN 15W-40; CI-4 (4HL1-T	441077008	11.5	Х	Х	Х	Х	х	Х
	T/M oil [LTS]-DEOMAX 12 SYN 15W-40 ;CI-4 (MYY-5T)	441077008	3.5			Х			Х
	Transfer Case oil [LTS]-DEOMAX 12 SYN 15W-40	441077008	1.8			Х			Х
LUBES	Rear diff oil [LTS]-80W140 GL-5	510194008	3.4			Х			Х
	Front diff oil [LTS]-80W140 GL-5	510194008	2.7			Х			Х
	Clutch fluid [LTS] DOT 4	330996246	1			Х			Х
	LUBIX GREASE	641279009	1	Х	Х	Х	Х	х	Х
	Power steering fluid ATF MD3	522179020	3			Х			Х
	Brake fluid DOT 4	330996246	1.5			Х			Х
	Wheel Hub bearing grease-LUBIX XHP 103	530222009	3			Х			Х

	SERVICE MENU FOR NQR81									
art Description	TYPE	Part no.	QTY	15,000	30,000	45,000	60,000	75,000	90,000	
art Bosonprio	:::2		٦	MINOR	MEDIUM	MAJOR	MINOR	MEDIUM	MAJOR	
OIL FILTER	MAIN	5876101170	1	X	Х	X	Х	Х	X	
FUEL FILTER	MAIN (Element)	8981596930	1	Х	Х	Χ	Х	Х	X	
FUEL FILTER	PRE FUEL FILTER	8980374810	1	Х	Х	Х	Х	Х	X	
AIR CLEANER	Element	8983214130	1			Х			Χ	
	Engine oi [LTS]-DEOMAX 12 SYN 15W-40; CI-4 (4HL1-T	441077008	11.5	Х	Х	Х	Х	Х	Х	
	T/M oil [LTS]-DEOMAX 12 SYN 15W-40 ;CI-4 (MYY-6T)	441077008	3.5			Х			X	
LUBES	Rear diff oil [LTS]-80W140 GL-5	510194008	3.4			Х			Х	
I	Clutch fluid [LTS] DOT 4	330996246	1			Х			Х	
I	LUBIX GREASE	641279009	1	Х	Х	Х	Х	х	Х	
	Power steering fluid ATF MD3	522179020	3			Х			Х	
	Brake fluid DOT 4	330996246	1.5			Х			Х	
	Wheel Hub bearing grease-LUBIX XHP 103	530222009	3			Х			Х	

	SERVICE MENU FOR NMR85								
art Descriptio	ТҮРЕ	Part no.	QTY	15,000 MINOR	30,000 MEDIUM	45,000 MAJOR	60,000 MINOR	75,000 MEDIUM	90,000 MAJOR
OIL FILTER	MAIN	8980188580	1	Х	Х	Х	Х	Х	Х
	MAIN (Element)	8975425400	1			Х			Х
FUEL FILTER	PRE FUEL FILTER	8980374810	1			Х			Х
AIR CLEANER	Element	8983214130	1			Х			Х
	Engine oi [LTS]-DEOMAX 12 SYN 15W-40; CI-4 (4JJ1-TC	441077008	9.2	Х	Х	Х	Х	Х	Х
	T/M oil [LTS]-DEOMAX 12 SYN 15W-40 ;CI-4 (MYY-5T)	441077008	3.5			Х			Х
LUBES	Rear diff oil [LTS]-80W140 GL-5	510194008	3.4			Х			Х
	Clutch fluid [LTS] DOT 4	330996246	1			Х			Х
	LUBIX GREASE	641279009	1	Х	Х	Х	Х	Х	Х
	Power steering fluid ATF MD3	522179020	3			Х			Х
	Brake fluid DOT 4	330996246	1.5			Х			Х
	Wheel Hub bearing grease-LUBIX XHP 103	530222009	3			Х			Х

			SER	/ICE MENU FO	OR NLR77						
art Description	TYPE	Part no.	ОТУ	10,000	20,000	30,000	40,000	50,000	60,000	70,000	80,000
are Description	1112	Turt no.	۷.,	MINOR	MEDIUM	MINOR	MAJOR	MINOR	MEDIUM	MINOR	MAJOR
OIL FILTER	MAIN	8973299110	1	х	Х	Х	Х	Х	Х	Х	Х
FUEL FILTER	MAIN (Element)	8981596930	1		Х		Х		Х		Х
FUEL FILTER	PRE FUEL FILTER	8981941190	1		Х		Х		Х		Х
AIR CLEANER	Element	8983214130	1				Х				Х
	Engine oi [LTS]-DEOMAX 12 SYN 15W-40; CI-4 (4HL1-T	441077008	6.6	Х	Х	Х	Х	Х	Х	х	Х
I	T/M oil [LTS]-DEOMAX 12 SYN 15W-40 ;CI-4 (MSB-5S)	441077008	3.5				Х				Х
LUBES	Rear diff oil [LTS]-80W140 GL-5	510194008	3.4				Х				Х
I	Clutch fluid [LTS] DOT 4	330996246	1				Х				Х
l	LUBIX GREASE	641279009	1	Х	Х	Х	Х	Х	Х	Х	Х
	Power steering fluid ATF MD3	522179020	3				Х				Х
	Brake fluid DOT 4	330996246	1.5				Х				Х
	Wheel Hub bearing grease-LUBIX XHP 103	530222009	3				Х				Х

Summary								
Channel Category	No. of Touch Points							
3S	20							
2S	18							
1S	2							
Mashinanis	13							
Sub-Total	53							