

Patterns of Conflict (October 2024 Newsletter)

Our Global Risk Prediction Map identifies countries with similar past experiences in conflict-related fatalities. By analyzing historical data patterns, this approach forecasts future trends and highlights nations with comparable conflict trajectories.

Global Risk Prediction Map (Sep 2024 - Feb 2025)




Global expected Fatalities






Largest expected increase

Largest expected decrease








schincat@tcd.ie Twitter


Contact

Website

Ukraine



Closest historical matches




Jui 17

Apr 11

Bahrain

Scenarios




Israel




Fatalities over last 10 months

Closest historical matches



Oct 94

Scenarios



Nigeria

Jan 24

2000

1000


Nov 23




Mar 24

May 24


Jul 24



Closest historical matches




Scenarios




Scenarios

Sudan

Fatalities over last 10 months



Closest historical matches





Contact

642 44 C46

42 44 46

Freq = 90%

About

The "Patterns of Conflict" report identifies and compares conflict patterns across various countries. This process involves aggregating historical conflict data and matching similar patterns of conflict-related events. The methodology focuses on identifying trends and potential future scenarios based on historical data. The objective is to provide a predictive insight into how conflict patterns may evolve, aiding in better-informed strategic planning and decision-making.

The methodology in the "Patterns of Conflict" report is centered on a comparative analysis of conflict-related data across countries. It involves the following steps:

- Data collection. The data used in the "Patterns of Conflict" report is sourced from the Uppsala Conflict Data Program (UCDP), a comprehensive database that records and codes data on conflict and associated events worldwide. Specifically, the report makes use of the "best" estimate variable for battle-related deaths provided by UCDP (see https://ucdp.uu.se/downloads/brd/ucdp-brd-codebook.pdf)
- Short sequences of casualty data are compared to each other using various algorithms (DTW, Euclidean distance), which allow us to identify similar shapes in the data, even ones that may be out of sync temporally. A distance threshold is applied to select only sequences that are close matches.
- 3. Predictive scenarios are generated through a structured process that evaluates potential scenarios using the Past Future of matched sequences.

More info on 'About' section of the website.