

TRUSS T1 PROFILE (27 NO.)

Scale 1:100 | Main roof




TRUSS GT1 PROFILE (11 NO.)

Scale 1:100 | Garage roof




TRUSS LT1 PROFILE (7 NO.)

Scale 1:100 | Link roof



TRUSS MT1 PROFILE (5 NO.)

Scale 1:100 | Lean-to roof



TRUSS SCHEDULE

TRUSSES

Type	No.	Span	Height	Pitch	Room
T1	27	6650	3588	45	3966 x 2400
GT1	11	5950	3238	45	3266 x 2400
LT1	7	3650	2080	45	-
MT1	5	1306	1561	45	-

Span over external frame faces; height from underside of bottom chord; pitch in degrees; room = clear width x height to the collar.

NOTES

1. Attic truss profiles as modelled, for co-ordination. Member sizes, connections and bracing to the truss manufacturer's design.
2. Heights from the underside of the bottom chord (+5115 above slab, top of first floor head binder). Trusses bear on the first floor external wall head binders shown below each profile.
3. Room-in-roof clear sizes are between the inner faces of the attic studs and under the collar tie.
4. Lower roofs (garage roof, link roof and lean-to roof): trusses bear at +2462 above slab on the ground floor head binders and the steel / packers cut below each profile (steel blue).

REVISIONS

REV	DATE	DESCRIPTION
C01	14.09.26	Construction issue
C02	14.09.26	Roof trusses revised; SP diagonals added
C03	11.10.26	FF windows coursed; steel + GP1 portal; steel drawings (ST)

TLS TIMBER FRAME DESIGN SUITE

TLS TIMBER FRAME

Design & Manufacture

Scan: 3D model + drawings

CLIENT	PROJECT
MP Adams	MP Adams Plot 4, Eckington

DRAWING TITLE

ROOF - TRUSS PROFILES

Attic truss profiles with span, height and room dimensions

SCALE	SIZE	DATE	DRAWN
1:50 / 1:100	A3	11.10.26	TS

STATUS	DRAWING No.	REV
CONSTRUCTION	P4-RF-03	C03

Do not scale. All dimensions in mm. Check all dimensions on site.