
Comfy Hardware Standard


A modular, articulated hardware platform

CAD concept brief / 24 October 2026



Overview

01 / TOTAL ASSEMBLY



Comfy Hardware Standard combines a repeatable slotted panel field, electronics enclosures, and an articulated support in one compact assembly.


The panel pattern creates a mounting surface above the electronics. A central pivot and lower arm position the field as a single module. This brief documents the current CAD concept for design review.

Specification

Design state	In progress - current Onshape Total Assembly
Panel field	Ten visible panels in a three-column, four-row footprint
CAD envelope	150 x 200 x 163.1 mm, from the exported visible assembly
Architecture	Slotted panel surface; electronics housings; pivot; support arm
Model references	Raspberry Pi Zero 2 W components and MG996R appear in the assembly tree
Drawing status	Reference views only; materials and production tolerances are unverified
Basis	Onshape: Comfy Hardware Standard / Total Assembly, Main workspace. The envelope is calculated from a GLB export of the visible model on 24 October 2026.

Physical specification

Panel field / top view




01 / PANEL FIELD

Ten panels occupy a three-column by four-row field. The two open positions preserve the asymmetric outline visible in the current assembly.


Physical specification

Support and joint / reference elevations

02 / SIDE ELEVATION



03 / PIVOT DETAIL



The circular pivot joins the panel platform to the lower support. The stated height is the overall CAD envelope, not a pivot dimension.

Comfy Hardware Standard

CAD concept brief / 24 October 2026