

Shantui Excavator Product Catalog

Compiled from the public excavator product pages on Shantui Global.

Scope	All excavator models identified from the current Shantui Global excavator lineup pages used for this document.
Included fields	Category, model, operating weight, bucket capacity, and engine power. Representative product images are included by category.
Current lineup captured	38 models across six excavator categories.
Source website	www.shantui-global.com/product/excavator.htm and linked excavator detail pages.

Portfolio Summary

Category	Models	Operating Weight Range (kg)	Representative Image
Mini Excavator	4	1,880 - 3,800	SE18SR
Small Excavator	7	5,960 - 15,000	SE60
Medium Excavator	10	20,800 - 32,000	SE215
Large Excavator	10	34,500 - 55,000	SE500LC
Mining Excavator	6	64,500 - 200,000	SE800LCW
Wheel Excavator	1	13,500 - 13,500	SW150

Mini Excavator



Compact models for narrow access, landscaping, light civil work, and utility installation.

Model	Operating Weight (kg)	Bucket Capacity (m3)	Engine Power (kW/rpm)
SE18SR	1,880	0.04	11.2/2400
SE26SR	2,700	0.065	14.6/2400
SE27SR	2,800	0.065	14.6/2400
SE36SR	3,800	0.12	18.2/2200

Representative image shown above: SE18SR.

Small Excavator



Light-to-mid duty crawler excavators for general construction, municipal work, and fast mobility on smaller sites.

Model	Operating Weight (kg)	Bucket Capacity (m3)	Engine Power (kW/rpm)
SE60	5,960	0.22	36/2000
SE60W	5,960	0.22	36.8/2200
SE75	7,650	0.32	48.9/2000
SE85	8,350	0.35	48.9/2000
SE135	13,500	0.6	86/2200
SE135W	13,500	0.6	92/2200
SE150	15,000	0.65	89/2200

Representative image shown above: SE60.

Medium Excavator



Core production segment covering versatile digging, loading, trenching, and attachment-based site work.

Model	Operating Weight (kg)	Bucket Capacity (m3)	Engine Power (kW/rpm)
SE205W	21,200	0.9	129/2000
SE210W	21,100	0.9	116/2000
SE210-9	20,800	0.9	112/1950
SE215	21,900	1.05	124/2050
SE215W	21,900	1	140/2000
SE220	21,900	1.05	112/1950
SE220LC	22,800	1.05	112/1950
SE245LC	24,800	1.2	133/2000
SE245LCW	26,500	1.3	190/2000
SE305LCW	32,000	1.3/1.5	199/2000

Representative image shown above: SE215.

Large Excavator



Higher-output models for bulk earthmoving, quarry support, road projects, and demanding daily production cycles.

Model	Operating Weight (kg)	Bucket Capacity (m3)	Engine Power (kW/rpm)
SE335LC	34,500	1.6	241/2000
SE335LCW	34,500	1.6	247/2000
SE370LC	37,500	1.8-2.5	241/2000
SE375LCW	37,800	1.8	247/2000
SE400LCW	38,800	1.95	247/2000
SE500LC	49,500	2.8	280/2000
SE500LCW	49,500	2.8	562/1900
SE550LC	53,500	3.2	300/1800
SE550LCW	55,000	3.2	562/1900
SE600HW	55,000	3.2	562/1900

Representative image shown above: SE500LC.

Mining Excavator



Heavy-duty excavation class built for mine benches, rock handling, and large-scale earthmoving environments.

Model	Operating Weight (kg)	Bucket Capacity (m3)	Engine Power (kW/rpm)
SE650LC	64,500	3.6	377/1800
SE680LCW	66,000	4	566/1900
SE750LC	72,500	4.5	377/1800
SE800LCW	76,500	5	566/1900
SE980LCW	97,800	6.5	571/1800
SE2000	200,000	12	900/1800

Representative image shown above: SE800LCW.

Wheel Excavator



Mobile excavator format suited to urban jobs, roadside service, and applications requiring rapid travel between points.

Model	Operating Weight (kg)	Bucket Capacity (m3)	Engine Power (kW/rpm)
SW150	13,500	0.6	129/2200

Representative image shown above: SW150.

Complete Model Matrix

The table below consolidates all models captured for this document in a single reference matrix.

Category	Model	Operating Weight (kg)	Bucket Capacity (m3)	Engine Power (kW/rpm)
Mini Excavator	SE18SR	1,880	0.04	11.2/2400
Mini Excavator	SE26SR	2,700	0.065	14.6/2400
Mini Excavator	SE27SR	2,800	0.065	14.6/2400
Mini Excavator	SE36SR	3,800	0.12	18.2/2200
Small Excavator	SE60	5,960	0.22	36/2000
Small Excavator	SE60W	5,960	0.22	36.8/2200
Small Excavator	SE75	7,650	0.32	48.9/2000
Small Excavator	SE85	8,350	0.35	48.9/2000
Small Excavator	SE135	13,500	0.6	86/2200
Small Excavator	SE135W	13,500	0.6	92/2200
Small Excavator	SE150	15,000	0.65	89/2200
Medium Excavator	SE205W	21,200	0.9	129/2000
Medium Excavator	SE210W	21,100	0.9	116/2000
Medium Excavator	SE210-9	20,800	0.9	112/1950
Medium Excavator	SE215	21,900	1.05	124/2050
Medium Excavator	SE215W	21,900	1	140/2000
Medium Excavator	SE220	21,900	1.05	112/1950
Medium Excavator	SE220LC	22,800	1.05	112/1950
Medium Excavator	SE245LC	24,800	1.2	133/2000
Medium Excavator	SE245LCW	26,500	1.3	190/2000
Medium Excavator	SE305LCW	32,000	1.3/1.5	199/2000
Large Excavator	SE335LC	34,500	1.6	241/2000
Large Excavator	SE335LCW	34,500	1.6	247/2000
Large Excavator	SE370LC	37,500	1.8-2.5	241/2000
Large Excavator	SE375LCW	37,800	1.8	247/2000
Large Excavator	SE400LCW	38,800	1.95	247/2000
Large Excavator	SE500LC	49,500	2.8	280/2000
Large Excavator	SE500LCW	49,500	2.8	562/1900
Large Excavator	SE550LC	53,500	3.2	300/1800
Large Excavator	SE550LCW	55,000	3.2	562/1900
Large Excavator	SE600HW	55,000	3.2	562/1900

Category	Model	Operating Weight (kg)	Bucket Capacity (m3)	Engine Power (kW/rpm)
Mining Excavator	SE650LC	64,500	3.6	377/1800
Mining Excavator	SE680LCW	66,000	4	566/1900
Mining Excavator	SE750LC	72,500	4.5	377/1800
Mining Excavator	SE800LCW	76,500	5	566/1900
Mining Excavator	SE980LCW	97,800	6.5	571/1800
Mining Excavator	SE2000	200,000	12	900/1800
Wheel Excavator	SW150	13,500	0.6	129/2200

Note: This document uses the operating weight, bucket capacity, and engine power values as displayed on the public Shantui Global product pages at the time of compilation.