# **Project Thor**

# **Test Document**

Version 1.0

## **Team Members:**

Adonay Pichardo
Jared Blanco
Josh Temel
Luke Bonenberger

## **Faculty Advisor:**

Ph.D, Sid Bhattacharyya

#### **Client:**

Ph.D, Amitabh Nag

Florida Institute of Technology Senior Design

Oct 1, 2021



# **Table of Contents**

Introduction Overview Scope Conventions Intended Audience References	2
	2
	2
	2
	2
	2
Acceptance Testing	2
Use Case Testing	2



#### 1. Introduction

This Test Document is a document to provide documentation to be used in the aid of testing Project Thor. Within are test cases that check to see if the project conforms to it's requirements and client needs.

#### 1.1. Purpose

In the previous documentation for Project Thor the project's design, goals, features, client needs and requirements have been specified. The purpose of this document is to verify that the project has been developed to meet the requirements set forth for it in the Requirements Document as well as validate that it meets the customer's needs as discussed in the Project Plan Document.

#### 1.2. Scope

As stated in the purpose section, this document is provided to ensure the verification and validation of Project Thor. It does so through specifying specific test cases designed for just that purpose. However, not every possible test case can be run for every possible input for this project. Therefore, to make this document simple and concise the test cases within are limited to just one common input set and a few non common inputs. In this way the project's quality and risk are managed without dedicating too much of the team's resources to the testing phase of the project. Granted, if during testing the team feels that inputs not specified within this document are needed they may be added to the necessary test cases.

#### 1.3. Conventions

To conform to industry standards and make the test cases within this document easily read and understood, the test cases have been written following a suggested template found within Bill Laboon's bool, "A Friendly Introduction to Software Testing." This template is outlined below along with a brief explanation of each component therein.

- **Test Case Name:** a unique, non numerical name to be used to refer to each case in discussions.
- **Identifier:** A unique identifier for each test case that is meant to be numerical in nature, but also contains a character abbreviation that identifies the purpose of the test case.



- **Description:** A <u>short</u> one to two sentence description of the test case.
- **Preconditions:** Any conditions that must be true before executing the test case. (Not applicable to every case) The abbreviation N/A is used if this section is not needed to define any preconditions of the test case.
- **Input Values:** Any input values to be passed in as part of the execution steps. If testing a set of input values, it should be specified in a mathematical format. (i.e. for the integer set 1 to 100 write 1,2,3,...,100)
- **Execution Steps:** A numbered list of steps the tester should take to run the test case.
- **Expected Output:** Any output values that should be expected for the test case to be successful.
- **Postconditions:** Any conditions that should be true after the test case has been run. The abbreviation N/A is used if this section is not needed to define any postconditions of the test case.

#### 1.4. Intended Audience

The intended audience for this document are the team members of Project Thor that will be involved in the project's testing phase. However, this document may also be used by the faculty advisor for project evaluation purposes. Additionally, others who want to gain an understanding of how the project will be verified and validated may read this document to become more familiar with that process.

#### 1.5. References

This document makes some references to external resources not defined or specified herein. Therefore, for the readers ease of reference they have been listed and linked below.

Project Thor: Project Plan

• Project Thor: Requirements Document

Project Thor: Design Document

# 2. Acceptance Testing

Acceptance testing is a test conducted to determine if the requirements of a specification are met. This section focuses on defining test cases that have that purpose



in mind. However, it should be noted that some of the test cases specified here may also help test use cases as well.

#### 2.1. ToolTip Test

Identifier: Text here

Requirements: WEB-1, WEB-1.1

**Description:** Verifying behavior in accordance with requirements.

**Preconditions:** The user is accessing the web application using a web

browser. Element has a ToolTip.

**Input Values:** The cursor hovers on top of the element.

**Execution Steps:** 

1. Navigate to the site

2. Hover over the "Generate Key" button

**Expected Output:** ToolTip popup displays within design requirements.

Postconditions: N/A.

#### 2.2. Generate Key Button Test

**Identifier:** Text Here.

Requirements: WEB-2, WEB 8.1

**Description:** Verifying key is presented when the Generate Key button is

pressed.

**Preconditions:** The user is accessing the web application with a web

browser.

**Input Values:** "Generate Key" button is pressed.

**Execution Steps:** 

1. Navigate to site home page

2. Click the "Generate Key" Button

**Expected Output:** The random encryption key is displayed.

Postconditions: N/A.

#### 2.3. Key Geography Location Test

**Identifier:** Text Here.

Requirements: WEB-3, WEB-3.1, WEB-12.3

**Description:** Verify the generated key is accompanied by data detailing the location of the associated lightning strike. The geographical data should be different when each key is generated.

**Preconditions:** The user pressed "Generate Key" and a key is displayed.

Input Values: N/A.



#### **Execution Steps:**

- 1. Generate Key button is pressed
- 2. Scroll down ½ a page
- 3. View geographical information in the Key Biography section

**Expected Output:** Location data lightning attributes are shown

Postconditions: N/A

#### 2.4. Supported Browser Testing

**Identifier:** Text Here.

Requirements: WEB-4, WEB-5

**Description:** Verifying the browsers and operating systems listed in

requirements correctly display the website.

**Preconditions:** Chrome, Safari, and Firefox are running Windows,

macOS, iPadOS, iOS, Linux and Android systems.

Input Values: N/A Execution Steps:

- 1. Navigate to website
- 2. Visit each of the 4 pages of the website

**Expected Output:** The website displays the same readable information in various screen sizes. Website will look the same on all PC systems, and on all mobile operating systems.

Postconditions: N/A

#### 2.5. Database Speed Test

Identifier: Text Here.
Requirements: WEB-6

**Description:** Verify website and database are fast.

**Preconditions:** The user is accessing the web application on a supported

browser.

**Input Values:** User presses generate key button

**Execution Steps:** 

- 1. Navigate to website
- 2. Press the "Generate Key" button

**Expected Output:** Encryption key load and Key Biography appears within

3 seconds.

Postconditions: N/a



# 2.6. Website Speed Test

Identifier: Text Here.

Requirements: WEB-7, WEB-8.2, WEB-12.2

**Description:** The connection between the website and the server is

verified to be fast.

**Preconditions:** The user is accessing the web application on a supported

browser with an internet speed of at least 50mbps. **Input Values:** Contact form button is submitted

**Execution Steps:** 

1. Navigate to site

2. Navigate to Contact Page

3. Fill out the contact form

4. Press submit button of the contact form

**Expected Output:** Form confirmation success message is received within 1 second.

**Postconditions:** Email is sent to the team within 1 second of form

submission.

#### 2.7. Availability Testing

**Identifier:** Text Here.

Requirements: DATA-1, WEB-9

**Description:** Verify availability of server database and website.

**Preconditions:** Third-party connection must be configured via Uptime Robot for free. This service will monitor website uptime every 5 minutes for

free.

Input Values: Website address.

**Execution Steps:** 

1. Navigate to Uptimerobot.com

2. Enter website address to be tracked

3. View results

**Expected Output:** 100% uptime over 90 days **Postconditions:** Operational or non-operational.

#### 2.8. Database Maintenance

Identifier: Text Here.

Requirements: DATA-1, DATA-2, DATA-3



**Description:** Verify that the database is hosted on a team members machine that is possible to be connected to through SSH for maintenance and capable of rollback.

**Preconditions:** N/A **Execution Steps:** 

- 1. Verify that the database is hosted on the team members local machine
- 2. From a machine, hosted on an outside network, connect to the database machine via SSH
- 3. Verify that the database is capable of being rolled back from an existing version

**Expected Output:** The database shall be capable of being maintained

form an outside source via SSH

**Postconditions:** Operational or non-operational

### 2.9. Database Real Time Update

**Identifier:** Text Here.

Requirements: DATA-6.1, DATA-8, DATA-11, DATA-12

**Description:** Verify that the database is capable of having real time data be added to the database from the ASCII data. As the data is being added, the database will confirm that there is no duplicate data as well as low-entropy data entered in the database.

**Preconditions:** Web Application should have a connection with the

Database

#### **Execution Steps:**

- As the ASCII data is updated through WEBSITE, the database is updated as well
- 2. As the data is updated to the database, verify that no duplicate data is being entered in the database
- 3. As the data is updated to the database, verify that no low-entropy data is being entered in the database

**Expected Output:** As updated are made to the ASCII file, the database is being updated with high entropy and non-duplicate

#### 2.10. SQL Request Testing

**Identifier:** Text Here

Requirements: DATA-4, DATA-6, DATA-10



**Description:** Verify the database's ability to receive sanitized requests

from the web application.

Preconditions: Website connection with the Database

Input Values: Database address

**Execution Steps:** 

- 1. Ensure the connection is made between the database and the website
- 2. From the web application, send the SQL request
- 3. As the SQL request is received, the request will be sanitized using standard sanitization techniques
- 4. Verify that data is received
- 5. Verify the data is current

**Expected Output:** The web application displays the most updated version of the data set requested from the database via the SQL request.

**Postconditions:** Operational or non-operational

# 3. Use Case Testing

# 3.1. Accessing Sup-pages Test

**Identifier:** Text Here

Requirements: WEB-8.2, WEB-12.3

**Description:** Verify that the user is able to access the home page, contact

page, about page, and team page.

Preconditions: N/A Input Values: N/A Execution Steps:

- 1. Verify that upon the user entering the website URL, they are presented with team website homepage
- 2. Verify that the team member page has each users profile, photo, members name, major, professional about me, link to resume
- 3. Verify that the contact page has the contact information for the team
- 4. Verify that the about page has relevant information about the projects background and purpose



**Expected Output:** All pages are accessible to the user and they are able

to access all expected information

Postconditions: N/A

## 3.2. Data Explanation Test

Identifier: Text Here Requirements: WEB-3

**Description:** Verify that the user is presented with a visual representation

of how the data is generated

Preconditions: N/A Input Values: N/A Execution Steps:

- 1. Verify that upon loading the homepage of the web application, the user is presented with the visual representation of data,
- 2. Verify that the visual representation will include a live representation of the lightning from the location that data is being gathered from.
- 3. Verify that there will also be a map that shows a pin being dropped in a location of lighting, where sample data would be generated off the lightning strike

**Expected Output:** The user is presented with the graphical representation of data generation that contains enough explanation to create a shared understanding of the process.

Postconditions: N/A