




Interacting cell landscape in peripheral blood of Inflammatory Bowel Disease (IBD) patients. **A.** Experimental setup. PBMCs from healthy controls (n=11), Ulcerative colitis (n=9) and Crohn's disease (n=11) patients were analysed with full spectrum flow cytometry. **B.** UMAP of the cellular landscape of live cells. Out of 29,913,578 cells, 71,662 sketched cells are displayed. **C.** UMAP of interacting cells (n = 362,102). **D.** Point density UMAP of interacting cells comparing PBMCs from healthy controls vs. UC patients. **E.** Quantitative comparison and qualitative differences in CD4T* NK cell interactions between PBMCs from healthy controls (n=11) and UC patients (n=9). **F.** Quantitative comparison and qualitative differences in CD4T* non-classical monocyte interactions between PBMCs from healthy controls (n=11) and UC patients (n=9). **G.** Point density UMAP of interacting cells comparing PBMCs from healthy controls vs. CD patients. **H.** Quantitative comparison and qualitative differences in γδT* classical monocyte interactions between PBMCs from healthy controls (n=11) and CD patients (n=11). Abbreviations: UMAP = uniform manifold approximation and projection, PBMC = peripheral blood mononuclear cells, NK = natural killer, cDC = conventional dendritic cells, pDC = plasmacytoid dendritic cells, cl. Mono = classical monocytes, noncl. Mono = non-classical monocytes. Red asterisks in cell type labels indicate interactions between the respective cell types.