

CyQueryUI2

Using PHP for web applications like you would GTK.

Wed Sep 30 2015 16:36:44

Harbour Island Ecologics Inc.
<http://www.harbour-island.ca>
info@harbour-island.ca

Contents

1	Namespace Index	1
1.1	Namespace List	1
2	Hierarchical Index	1
2.1	Class Hierarchy	1
3	Class Index	1
3.1	Class List	1
4	File Index	1
4.1	File List	1
5	Namespace Documentation	1
5.1	CyQueryUI2 Namespace Reference	1
5.1.1	Function Documentation	2
6	Class Documentation	2
6.1	CyQueryUI2\CyLanguage Class Reference	2
6.1.1	Member Function Documentation	2
6.1.2	Member Data Documentation	2
6.2	CyQueryUI2\CyQueryUI2 Class Reference	2
6.2.1	Detailed Description	3
6.2.2	Constructor & Destructor Documentation	3
6.2.3	Member Function Documentation	3
6.2.4	Member Data Documentation	3
7	File Documentation	3
7.1	CyQueryUI2.php File Reference	3

1 Namespace Index

1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

CyQueryUI2	1
-------------------	----------

2 Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

CyQueryUI2\CyLanguage	2
iCyPostprocessing	
CyQueryUI2\CyQueryUI2	2

3 Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

CyQueryUI2\CyLanguage	2
CyQueryUI2\CyQueryUI2	2

4 File Index

4.1 File List

Here is a list of all files with brief descriptions:

CyQueryUI2.php	3
-----------------------	----------

5 Namespace Documentation

5.1 CyQueryUI2 Namespace Reference

Classes

- class CyLanguage
- class CyQueryUI2

Functions

- __ (\$text, \$lang="")
-

5.1.1 Function Documentation

5.1.1.1 CyQueryUI2__ (\$text, \$lang = " ")

6 Class Documentation

6.1 CyQueryUI2\CyLanguage Class Reference

Static Public Member Functions

- static add (\$lang, \$source, \$dest)
- static translate (\$text, \$lang)

Static Protected Attributes

- static \$data

6.1.1 Member Function Documentation

6.1.1.1 static CyQueryUI2\CyLanguage::add (\$lang, \$source, \$dest) [static]

6.1.1.2 static CyQueryUI2\CyLanguage::translate (\$text, \$lang) [static]

6.1.2 Member Data Documentation

6.1.2.1 CyQueryUI2\CyLanguage::\$data [static],[protected]

The documentation for this class was generated from the following file:

- CyQueryUI2.php

6.2 CyQueryUI2\CyQueryUI2 Class Reference

Inheritance diagram for CyQueryUI2\CyQueryUI2:

Collaboration diagram for CyQueryUI2\CyQueryUI2:

Public Member Functions

- POSTPROCESSING (\$html)
- __construct ()

Static Public Member Functions

- static getChanged ()
- static changed (Widget \$wid)

Static Public Attributes

- static \$changed = array()
-

6.2.1 Detailed Description

CyQueryUI 2 is the next generation of the PHP JQueryUI Connector

Why does this exist? I think the main reason is i want intelligence server side and not want to worry about clientside JS and in addition i want my application state to be persistent even over Browser restarts.

Author

Martin Theobald `m.theobald@cyberdom.org`

6.2.2 Constructor & Destructor Documentation

6.2.2.1 CyQueryUI2\CyQueryUI2::__construct ()

6.2.3 Member Function Documentation

6.2.3.1 static CyQueryUI2\CyQueryUI2::changed (Widget \$wid) [static]

6.2.3.2 static CyQueryUI2\CyQueryUI2::getChanged () [static]

6.2.3.3 CyQueryUI2\CyQueryUI2::POSTPROCESSING (\$html)

6.2.4 Member Data Documentation

6.2.4.1 CyQueryUI2\CyQueryUI2::\$changed = array() [static]

The documentation for this class was generated from the following file:

- CyQueryUI2.php

7 File Documentation

7.1 CyQueryUI2.php File Reference

Classes

- class CyQueryUI2\CyQueryUI2
- class CyQueryUI2\CyLanguage

Namespaces

- CyQueryUI2

Functions

- CyQueryUI2::__ (\$text, \$lang="")
-