



Hive TUI — Screen Catalog

Bubble Tea terminal interface · Catppuccin Mocha · local governance for Hive memory. Every screen and dashboard state, one per page.

01 · Dashboard — healthy

```
~/.jarvis · hive tui — dashboard • live

hive tui v1.0.0 · 14:32

▸ STATUS
• daemon running · pid 41128 • api healthy • sync 2m ago

▸ AT A GLANCE
projects 12 memories 3,481 unsynced 0 warnings 0

▸ ACTIONS
| Project viewer    browse projects & their memories
Project timeline   chronological view of a project
Merge projects     combine projects locally ⚠
Delete projects    archive / tombstone a project ⚠
Delete memories    soft-delete with reason ⚠
Hive API config     credentials & auto-sync
Hive API health     connectivity & sync lag
Memory warnings     triage active warnings
Backup / Restore    snapshots of memory.db

j/k move  ↵ open  / search  w warnings  g health  ? help  q quit  NORMAL
```

01 · Dashboard — degraded (cloud auth failed, local fine)

• live

hive tui v1.0.0 · 14:32

NOTICE

▲ Cloud sync is paused — your Hive API token was rejected (401).
Hive is fully working locally. 37 memories are waiting to sync.
→ press **g** to fix credentials · **w** to view the warning

STATUS

● daemon running ● api auth failed ● sync 37 behind

AT A GLANCE

projects 12 memories 3,481 unsynced 37 warnings 2

ACTIONS

Project viewer

browse projects & their memories

Project timeline

chronological view of a project

Merge projects

combine projects locally ▲

Delete projects

archive / tombstone a project ▲

Delete memories

soft-delete with reason ▲

Hive API config

credentials & auto-sync

Hive API health

connectivity & sync lag

Memory warnings

triage active warnings (2 active)

Backup / Restore

snapshots of memory.db

j/k move ↵ open / search w warnings g health ? help q quit

NORMAL

01 · Dashboard — local-only (sync disabled)

• live

hive tui LOCAL-ONLY

▶ NOTE

Running local-only. Memory stays on this machine; nothing is sent anywhere.
Configure Hive API any time to enable team sync. → **g**

▶ STATUS

● daemon running ○ api not configured ○ sync disabled

▶ AT A GLANCE

projects 4 memories 612 unsynced n/a warnings 0

▶ ACTIONS

Project viewer

browse projects & their memories

Project timeline

chronological view of a project

Merge projects

combine projects locally ⚠

Delete projects

archive / tombstone a project ⚠

Delete memories

soft-delete with reason ⚠

Hive API config

credentials & auto-sync

Hive API health

connectivity & sync lag

Memory warnings

triage active warnings


Backup / Restore

snapshots of memory.db

j/k move ↵ open / search w warnings g health ? help q quit

NORMAL

01 · Dashboard — daemon unavailable



02 · Projects


• live

dashboard / projects6 projects

PROJECT	MEMORIES	UNSYNCED	LAST	
core-api	3481	37	2m ago	
web-client	642	0	1h ago	
infra	318	0	3h ago	
api-v1	218	6	8d ago	↕ synced
api-old	91	0	31d ago	
spike-vector	12	0	44d ago	archived

j/k move ↵ open t timeline Space select m merge x archive esc backNORMAL

03 · ProjectMemories — core-api



The screenshot shows a terminal window titled '~/.jarvis · hive tui — core-api · memories'. The interface has a dark theme. At the top, there's a breadcrumb 'dashboard / projects / core-api' and a count '8 memories'. Below this is a list of memories, each with a category tag, a description, and a timestamp. The first memory is highlighted with a light blue background. At the bottom, there's a search bar and a set of keyboard shortcuts: / search, ↵ open, f type, c copy, Space select, d delete, esc back. The status 'NORMAL' is shown in the bottom right corner.

```
~/.jarvis · hive tui — core-api · memories • live

dashboard / projects / core-api 8 memories

[ decision Use exponential backoff for sync retries 2d
  bugfix Fix retry storm when API returns 503 2d
  pattern Retry wrapper around HiveClient calls ↑ 5d
  discovery Backoff cap must stay under daemon timeout 6d
  decision Persist backoff_until across restarts 8d
  architecture project-context · core-api service map ↻ 17d
  config skill-registry · enabled capabilities ↻ ↑ 19d
  preference Prefer table-driven tests in Go 25d

/ search ↵ open f type c copy Space select d delete esc back NORMAL
```

04 · MemoryDetail

```
~/.jarvis · hive tui - memory • live

... / core-api / mem_8f3a91c0 decision

  ▸ METADATA
  id      mem_8f3a91c0      created  2026-06-04 09:12
  project  core-api          sync      synced
  type     decision         source    mcp

  ▸ CONTENT

  Use exponential backoff for sync retries, capped at 5 min.
  Rationale: API 503s came in bursts; linear retry caused a
  retry storm that tripped the gateway rate-limit. Backoff
  must persist across daemon restarts (see mem_77c1).

c copy body  y copy id  d delete  esc back NORMAL
```

05 · Timeline — core-api

• live

timeline / core-api8 entries

--- 2d ago

09:12

decision

Use exponential backoff for sync retries

09:05

bugfix

Fix retry storm when API returns 503

--- 5d ago

16:40

pattern

Retry wrapper around HiveClient calls

--- 6d ago

11:02

discovery

Backoff cap must stay under daemon timeout

--- 8d ago

14:20

decision

Persist backoff_until across restarts

--- 17d ago

10:00

architecture

project-context · core-api service map

--- 19d ago

08:30

config

skill-registry · enabled capabilities

--- 25d ago

19:45

preference

Prefer table-driven tests in Go

j/k move

} / { day

f filter

↵ open

esc back

NORMAL

06 · Warnings

• live

memory warnings

3 active

critical

CONFIG-401 Hive API rejected credentials (HTTP 401). ×12

warning

SYNC-LAG 37 memories waiting to sync for 5h. ×8

info

DB-VACUUM memory.db has 1.2 MB of reclaimable space. ×1

j/k move

↵ detail

d dismiss

R resolve

s severity

esc back

NORMAL

~/.jarvis · hive tui – backups

live

backup / restore

~/.jarvis/backups/hive/

SNAPSHOT	WHEN	SIZE	MEMORIES	VALID
hive-20260606-143601	just now	4.1 MB	3,481	✓
hive-20260606-091200	5h ago	4.0 MB	3,402	✓ auto·merge
hive-20260605-180000	yesterday	3.9 MB	3,377	✓ auto·daily
hive-20260604-120000	2d ago	3.8 MB	?	✗

n create

inspect


v validate

R restore

esc back

NORMAL

08 · ApiHealth — degraded



The screenshot shows a terminal window titled '~/.jarvis · hive tui — api health' with a 'live' status indicator. The main content is titled 'hive api health' and includes an 'auth failed' warning. It displays three sections: 'CONNECTIVITY' with status indicators for reachable, auto_sync, last_error, auth_ok, and backoff; 'SYNC LAG' with values for unsynced memories, prompts, sessions, and consecutive_failures; and 'HISTORY' with timestamps for last success and last failure. A prompt at the bottom instructs the user to press 'g' to fix credentials or 'w' to view warnings. A footer shows navigation keys: 'g configure', 's retry sync', 'w warnings', 'esc back', and a 'NORMAL' status.

```
~/.jarvis · hive tui — api health • live

hive api health auth failed

  ▸ CONNECTIVITY —
reachable  • yes      auth_ok    • no
auto_sync  • on       backoff   2026-06-06 14:40
last_error 401 unauthorized

  ▸ SYNC LAG —
unsynced memories 37      prompts 4      sessions 1
consecutive_failures 12

  ▸ HISTORY —
last success 2026-06-06 09:40
last failure 2026-06-06 14:34

→ press [g] to fix credentials · [w] to view related warnings

g configure  s retry sync  w warnings  esc back NORMAL
```

09 · ApiConfig (masked secrets)

• live

hive api config secrets

▶ ENDPOINT

API URL

> https://hive.jarvis.internal/v2

email / user

> j.tanaka@team.dev

▶ CREDENTIALS — NEVER SHOWN OR LOGGED

password / token

>

saved as sk-live-.....9a2b · secret is masked & never echoed back


▶ BEHAVIOUR

auto_sync [●] on sync new memories to Hive API automatically

press t to test connection before saving

Tab field t test ^S save Space toggle esc cancel NORMAL

10 · DeleteMemories — bulk soft-delete



```
~/.jarvis · hive tui — delete memories • live

core-api / delete 3 memories destructive

• reason ◦ backup ◦ confirm
  ▶ IMPACT
    3 memories will be soft-deleted from core-api:
    - bugfix Fix retry storm when API returns 503
    - decision Old retry policy (linear, 3 attempts)
    - pattern Deprecated retry wrapper

  ▶ REASON — REQUIRED
    > why are you deleting this? (stored in the audit trail)

type reason ↵ next esc cancel NORMAL
```

11 · MergeProjects — preview + sync evidence

```
~/.jarvis · hive tui — merge projects • live

merge api-v1, api-old → core-api destructive


▶ IMPACT PREVIEW
┌──────────┬──────────┬──────────┬──────────┬──────────┬──────────┐
│           │ memories │ prompts  │ sessions │ warnings │ unsynced │
├──────────┼──────────┼──────────┼──────────┼──────────┼──────────┤
│ api-v1    │ → 218    │ 44       │ 12        │ 1         │ 6         │
│ api-old   │ → 91     │ 17       │ 3         │ 0         │ 0         │
├──────────┼──────────┼──────────┼──────────┼──────────┼──────────┤
│ core-api  │ ⊕ 3,481  │ 820      │ 140       │ 2         │ 37        │
└──────────┴──────────┴──────────┴──────────┴──────────┴──────────┘

▶ SYNC EVIDENCE — READ CAREFULLY
▲ api-v1 has already been synced to Hive Cloud.
This merge is local-only. Notify whoever owns Hive Cloud so the
merge can be reviewed/applied in the web dashboard. The TUI will
not touch the cloud.
→ [y] copy handoff note

▶ SAFETY
✓ backup hive-20260606-143612 ✓ alias api-v1, api-old → core-api (local)

[y] copy note  ↵ continue  esc cancel NORMAL
```

12 · DeleteProject — archive impact



```
~/.jarvis · hive tui — archive project • live

archive project api-old destructive

• impact ◦ reason ◦ backup ◦ confirm
  ▶ IMPACT
    Archiving api-old tombstones it locally (preferred over hard delete — reversible).
    memories 91      prompts 17      sessions 3
    warnings  0      unsynced 0

⏪ continue  esc cancel NORMAL
```

13 · Restore — daemon-coordinated

```
~/.jarvis · hive tui - restore • live

restore hive-20260606-091200 destructive

▶ RESTORE PREVIEW
current → after restore
memories 3,481 → 3,402 (-79)
projects 12 → 12
snapshot hive-20260606-091200 ✓ valid

▶ DAEMON COORDINATION
✓ daemon paused (memory.db released)
✓ safety backup of current db hive-20260606-143620

⏪ continue esc cancel NORMAL
```