Data Management Plan

# Public Q9 long first paragraph with list/table continuation

Generated on 2026-09-21

## Research overview

N/A

| | |
|---|---|
| Project Number | N/A |
| Start date | N/A |
| End date | N/A |
| Funding | Funding information has not been provided. |

(project name not given)

| | |
|---|---|
| Project Number | 0 |
| Start date | N/A |
| End date | N/A |
| Funding | Funding information has not been provided. |

AUTHORED-PROJECT: Information not provided / N/A / 0 / Original.csv.

(project name not given)

| | |
|---|---|
| Project Number | TW-3 |
| Start date | N/A |
| End date | N/A |
| Funding | Funding information has not been provided. |

AUTHORED-PROJECT: Information not provided / N/A / 0 / Original.csv.

## People and responsibilities

- Albert Einstein
  albert.einstein@example.com
  Affiliation: My University

Knowledge model: Common DSW Knowledge Model, 2.7.0 (dsw:root:2.7.0)

Generated with Data Stewardship Wizard.

## Section 1: Data description and collection or re-use of existing data

### 1. How will new data be collected or produced and/or how will existing data be re-used?

**Information not provided:** whether the project will collect or produce new instrument data.

**Information not provided:** whether existing data will be re-used, including constraints or reasons for discarding candidate sources.

**Information not provided:** how data provenance will be documented.

### 2. What data (for example the kinds, formats, and volumes) will be collected or produced?

This document does not yet list the data types, formats and estimated volumes.

## Section 2: Documentation and data quality

### 3. What metadata and documentation (for example the methodology of data collection and way of organising data) will accompany the data?

This document does not yet contain an answer about metadata and documentation.

### 4. What data quality control measures will be used?

This document does not yet describe data quality checks. Re-used data also need appropriate quality control.

## Section 3: Storage and backup during research process

### 5. How will data and metadata be stored and backed up during the research process?

**Information not provided:** whether data will be kept in a shared workspace or by individual project members.

**Information not provided:** how project data and metadata will be backed up.

The fields mapped by this template are insufficient to establish the following operational details:

- Exact working-storage and backup locations are not established by these mapped answers.
- An actual backup schedule is not established by these mapped answers; a need for frequent backups is not a schedule.

### 6. How will data security and protection of sensitive data be taken care of during the research?

This document does not yet contain an answer about data security and protection of sensitive data.

## Section 4: Legal and ethical requirements, codes of conduct

### 7. If personal data are processed, how will compliance with legislation on personal data and on security be ensured?

**Information not provided:** the alternative legal basis selected for collecting and processing personal data.

**Information not provided:** the technical and procedural measures for protecting personal data.

## 8. How will other legal issues, such as intellectual property rights and ownership, be managed? What legislation is applicable?

This document does not yet describe arrangements for data ownership, intellectual property rights, or applicable legislation. Please review and complete this section.

## 9. What ethical issues and codes of conduct are there, and how will they be taken into account?

### Ethical approvals

The questionnaire records the following ethical approval arrangements:

- **(no name given)**

  According to the questionnaire, this project does not require ethical approval.
- **(no name given)**

  This project requires ethical approval.

  Ethical approval records have not been provided.

### Data we produce

For the data we produce, the ethical aspects are as follows:

- **Original-1.csv** - *no information on personal nor sensitive data.*
- **Original-2.csv** - *no information on personal nor sensitive data.*

### Data we collect

We will collect data related to individuals, i.e. "personal data". An alternative legal basis was selected, but it has not been specified; see Question 7. The purpose of processing the personal data can be described as follows:

AUTHORED-PURPOSE: N/A / 0 / Original.csv. [1] This is public synthetic text for a page-break test; N/A and 0 remain literal. [2] This is public synthetic text for a page-break test; N/A and 0 remain literal. [3] This is public synthetic text for a page-break test; N/A and 0 remain literal. [4] This is public synthetic text for a page-break test; N/A and 0 remain literal. [5] This is public synthetic text for a page-break test; N/A and 0 remain literal. [6] This is public synthetic text for a page-break test; N/A and 0 remain literal. [7] This is public synthetic text for a page-break test; N/A and 0 remain literal. [8] This is public synthetic text for a page-break test; N/A and 0 remain literal. [9] This is public synthetic text for a page-break test; N/A and 0 remain literal. [10] This is public synthetic text for a page-break test; N/A and 0 remain literal. [11] This is public synthetic text for a page-break test; N/A and 0 remain literal. [12] This is public synthetic text for a page-break test; N/A and 0 remain literal. [13] This is public synthetic text for a page-break test; N/A and 0 remain literal. [14] This is public synthetic text for a page-break test; N/A and 0 remain literal. [15] This is public synthetic text for a page-break test; N/A and 0 remain literal. [16] This is public synthetic text for a page-break test; N/A and 0 remain literal. [17] This is public synthetic text for a page-break test; N/A and 0 remain literal. [18] This is public synthetic text for a page-break test; N/A and 0 remain literal. [19] This is public synthetic text for a page-break test; N/A and 0 remain literal. [20] This is public synthetic text for a page-break test; N/A and 0 remain literal. [21] This is public synthetic text for a page-break test; N/A and 0 remain literal. [22] This is public synthetic text for a page-break test; N/A and 0 remain literal. [23] This is public synthetic text for a page-break test; N/A and 0 remain literal. [24] This is public synthetic text for a page-break test; N/A and 0 remain literal. [25] This is public synthetic text for a page-break test; N/A and 0 remain literal. [26] This is public synthetic text for a page-break test; N/A and 0 remain literal. [27] This is public synthetic text for a page-break test; N/A and 0 remain literal. [28] This is public synthetic text for a page-break test; N/A and 0 remain literal. [29] This is public synthetic text for a page-break test; N/A and 0 remain literal. [30] This is public synthetic text for a page-break test; N/A and 0 remain literal. [31] This is public synthetic text for a page-break test; N/A and 0 remain literal.

[32] This is public synthetic text for a page-break test; N/A and 0 remain literal. [33] This is public synthetic text for a page-break test; N/A and 0 remain literal. [34] This is public synthetic text for a page-break test; N/A and 0 remain literal. [35] This is public synthetic text for a page-break test; N/A and 0 remain literal. [36] This is public synthetic text for a page-break test; N/A and 0 remain literal. [37] This is public synthetic text for a page-break test; N/A and 0 remain literal. [38] This is public synthetic text for a page-break test; N/A and 0 remain literal. [39] This is public synthetic text for a page-break test; N/A and 0 remain literal. [40] This is public synthetic text for a page-break test; N/A and 0 remain literal. [41] This is public synthetic text for a page-break test; N/A and 0 remain literal. [42] This is public synthetic text for a page-break test; N/A and 0 remain literal. [43] This is public synthetic text for a page-break test; N/A and 0 remain literal. [44] This is public synthetic text for a page-break test; N/A and 0 remain literal. [45] This is public synthetic text for a page-break test; N/A and 0 remain literal. [46] This is public synthetic text for a page-break test; N/A and 0 remain literal. [47] This is public synthetic text for a page-break test; N/A and 0 remain literal. [48] This is public synthetic text for a page-break test; N/A and 0 remain literal. [49] This is public synthetic text for a page-break test; N/A and 0 remain literal. [50] This is public synthetic text for a page-break test; N/A and 0 remain literal. [51] This is public synthetic text for a page-break test; N/A and 0 remain literal. [52] This is public synthetic text for a page-break test; N/A and 0 remain literal. [53] This is public synthetic text for a page-break test; N/A and 0 remain literal. [54] This is public synthetic text for a page-break test; N/A and 0 remain literal. [55] This is public synthetic text for a page-break test; N/A and 0 remain literal. [56] This is public synthetic text for a page-break test; N/A and 0 remain literal. [57] This is public synthetic text for a page-break test; N/A and 0 remain literal. [58] This is public synthetic text for a page-break test; N/A and 0 remain literal. [59] This is public synthetic text for a page-break test; N/A and 0 remain literal. [60] This is public synthetic text for a page-break test; N/A and 0 remain literal. [61] This is public synthetic text for a page-break test; N/A and 0 remain literal. [62] This is public synthetic text for a page-break test; N/A and 0 remain literal. [63] This is public synthetic text for a page-break test; N/A and 0 remain literal. [64] This is public synthetic text for a page-break test; N/A and 0 remain literal. [65] This is public synthetic text for a page-break test; N/A and 0 remain literal. [66] This is public synthetic text for a page-break test; N/A and 0 remain literal. [67] This is public synthetic text for a page-break test; N/A and 0 remain literal. [68] This is public synthetic text for a page-break test; N/A and 0 remain literal. [69] This is public synthetic text for a page-break test; N/A and 0 remain literal. [70] This is public synthetic text for a page-break test; N/A and 0 remain literal. [71] This is public synthetic text for a page-break test; N/A and 0 remain literal. [72] This is public synthetic text for a page-break test; N/A and 0 remain literal. [73] This is public synthetic text for a page-break test; N/A and 0 remain literal. [74] This is public synthetic text for a page-break test; N/A and 0 remain literal. [75] This is public synthetic text for a page-break test; N/A and 0 remain literal. [76] This is public synthetic text for a page-break test; N/A and 0 remain literal. [77] This is public synthetic text for a page-break test; N/A and 0 remain literal. [78] This is public synthetic text for a page-break test; N/A and 0 remain literal. [79] This is public synthetic text for a page-break test; N/A and 0 remain literal. [80] This is public synthetic text for a page-break test; N/A and 0 remain literal. [81] This is public synthetic text for a page-break test; N/A and 0 remain literal. [82] This is public synthetic text for a page-break test; N/A and 0 remain literal. [83] This is public synthetic text for a page-break test; N/A and 0 remain literal. [84] This is public synthetic text for a page-break test; N/A and 0 remain literal. [85] This is public synthetic text for a page-break test; N/A and 0 remain literal. [86] This is public synthetic text for a page-break test; N/A and 0 remain literal. [87] This is public synthetic text for a page-break test; N/A and 0 remain literal. [88] This is public synthetic text for a page-break test; N/A and 0 remain literal. [89] This is public synthetic text for a page-break test; N/A and 0 remain literal. [90] This is public synthetic text for a page-break test; N/A and 0 remain literal. [91] This is public synthetic text for a page-break test; N/A and 0 remain literal. [92] This is public synthetic text for a page-break test; N/A and 0 remain literal. [93] This is public synthetic text for a page-break test; N/A and 0 remain literal. [94] This is public synthetic text for a page-break test; N/A and 0 remain literal. [95] This is public synthetic text for a page-break test; N/A and 0 remain literal. [96] This is public synthetic text for a page-break test; N/A and 0 remain literal. [97] This is public synthetic

text for a page-break test; N/A and 0 remain literal. [98] This is public synthetic text for a page-break test; N/A and 0 remain literal. [99] This is public synthetic text for a page-break test; N/A and 0 remain literal. [100] This is public synthetic text for a page-break test; N/A and 0 remain literal. [101] This is public synthetic text for a page-break test; N/A and 0 remain literal. [102] This is public synthetic text for a page-break test; N/A and 0 remain literal. [103] This is public synthetic text for a page-break test; N/A and 0 remain literal. [104] This is public synthetic text for a page-break test; N/A and 0 remain literal. [105] This is public synthetic text for a page-break test; N/A and 0 remain literal. [106] This is public synthetic text for a page-break test; N/A and 0 remain literal. [107] This is public synthetic text for a page-break test; N/A and 0 remain literal. [108] This is public synthetic text for a page-break test; N/A and 0 remain literal. [109] This is public synthetic text for a page-break test; N/A and 0 remain literal. [110] This is public synthetic text for a page-break test; N/A and 0 remain literal. [111] This is public synthetic text for a page-break test; N/A and 0 remain literal. [112] This is public synthetic text for a page-break test; N/A and 0 remain literal. [113] This is public synthetic text for a page-break test; N/A and 0 remain literal. [114] This is public synthetic text for a page-break test; N/A and 0 remain literal. [115] This is public synthetic text for a page-break test; N/A and 0 remain literal. [116] This is public synthetic text for a page-break test; N/A and 0 remain literal. [117] This is public synthetic text for a page-break test; N/A and 0 remain literal. [118] This is public synthetic text for a page-break test; N/A and 0 remain literal. [119] This is public synthetic text for a page-break test; N/A and 0 remain literal. [120] This is public synthetic text for a page-break test; N/A and 0 remain literal. [121] This is public synthetic text for a page-break test; N/A and 0 remain literal. [122] This is public synthetic text for a page-break test; N/A and 0 remain literal. [123] This is public synthetic text for a page-break test; N/A and 0 remain literal. [124] This is public synthetic text for a page-break test; N/A and 0 remain literal. [125] This is public synthetic text for a page-break test; N/A and 0 remain literal. [126] This is public synthetic text for a page-break test; N/A and 0 remain literal. [127] This is public synthetic text for a page-break test; N/A and 0 remain literal. [128] This is public synthetic text for a page-break test; N/A and 0 remain literal. [129] This is public synthetic text for a page-break test; N/A and 0 remain literal. [130] This is public synthetic text for a page-break test; N/A and 0 remain literal. [131] This is public synthetic text for a page-break test; N/A and 0 remain literal. [132] This is public synthetic text for a page-break test; N/A and 0 remain literal. [133] This is public synthetic text for a page-break test; N/A and 0 remain literal. [134] This is public synthetic text for a page-break test; N/A and 0 remain literal. [135] This is public synthetic text for a page-break test; N/A and 0 remain literal. [136] This is public synthetic text for a page-break test; N/A and 0 remain literal. [137] This is public synthetic text for a page-break test; N/A and 0 remain literal. [138] This is public synthetic text for a page-break test; N/A and 0 remain literal. [139] This is public synthetic text for a page-break test; N/A and 0 remain literal. [140] This is public synthetic text for a page-break test; N/A and 0 remain literal. [141] This is public synthetic text for a page-break test; N/A and 0 remain literal. [142] This is public synthetic text for a page-break test; N/A and 0 remain literal. [143] This is public synthetic text for a page-break test; N/A and 0 remain literal. [144] This is public synthetic text for a page-break test; N/A and 0 remain literal. [145] This is public synthetic text for a page-break test; N/A and 0 remain literal. [146] This is public synthetic text for a page-break test; N/A and 0 remain literal. [147] This is public synthetic text for a page-break test; N/A and 0 remain literal. [148] This is public synthetic text for a page-break test; N/A and 0 remain literal. [149] This is public synthetic text for a page-break test; N/A and 0 remain literal. [150] This is public synthetic text for a page-break test; N/A and 0 remain literal. END-OF-LONG-FIRST-PARAGRAPH.

- LIST-A: N/A.
- LIST-B: 0.

| Item | Value |
|---|---|
| Original.csv | 0 |
| N/A | Retained. |

FINAL-AUTHORED-PARAGRAPH: https://example.org/ethics

## Section 5: Data sharing and long-term preservation

### 10. How and when will data be shared? Are there possible restrictions to data sharing or embargo reasons?

**Original-1.csv**

This dataset will be published.

The publication locations have not been listed.

**Original-2.csv**

This dataset will be published.

The publication locations have not been listed.

### 11. How will data for preservation be selected, and where will data be preserved long-term (for example a data repository or archive)?

**Original-1.csv**
This dataset will be published.

**Original-2.csv**
This dataset will be published.

Preservation selection still requires review: publication decisions and archive renewal criteria do not by themselves explain which datasets and versions must be retained or destroyed.

### 12. What methods or software tools are needed to access and use data?

**Original-1.csv**

Software required to use this dataset:

- **N/A**
  Available at: https://example.org/tool/1/1
- **(no name given)**
  Available at: https://example.org/tool/1/2
- **Software tool 2**
  Available at: https://example.org/tool/1/3

**Original-2.csv**

Software required to use this dataset:

- **N/A**
  Available at: https://example.org/tool/2/1
- **(no name given)**
  Available at: https://example.org/tool/2/2
- **Software tool 2**
  Available at: https://example.org/tool/2/3

13. How will the application of a unique and persistent identifier (such as a Digital Object Identifier (DOI)) to each data set be ensured?

**Original-1.csv**

The publication locations have not been listed.

**Original-2.csv**

The publication locations have not been listed.

## Section 6: Data management responsibilities and resources

14. Who (for example role, position, and institution) will be responsible for data management (i.e. the data steward)?

This document does not yet identify a named person or team with a data management responsibility. Please check the contributor names and roles.

15. What resources (for example financial and time) will be dedicated to data management and ensuring that data will be FAIR (Findable, Accessible, Interoperable, Re-usable)?

**Information not provided:** whether additional specialist expertise is required.

**Information not provided:** whether additional hardware or software is required.

**Information not provided:** whether repository service charges will be incurred.

**Data-management budget**

**N/A**

**Information not provided:** resources such as staff time, storage, deposit preparation, and repository charges budgeted for this project.

**(no name given) - 0**

| Resource and purpose | Budget | Funding source |
|---|---|---|
| **(no resource name given)**<br>AUTHORED-RESOURCE-2-1: N/A / 0 / Original.csv. https://example.org/resource<br>This resource supports management of data. | 0<br>**Information not provided:** currency. | AUTHORED-FUNDING: N/A |
| **(no resource name given)**<br>AUTHORED-RESOURCE-2-2: N/A / 0 / Original.csv. https://example.org/resource<br>This resource supports management of data. | 0<br>**Information not provided:** currency. | AUTHORED-FUNDING: N/A |

**(no name given) - TW-3**

| Resource and purpose | Budget | Funding source |
|---|---|---|
| **(no resource name given)**<br>AUTHORED-RESOURCE-3-1: N/A / 0 / Original.csv. https://example.org/resource<br>This resource supports management of data. | 0<br>**Information not provided:** currency. | AUTHORED-FUNDING: N/A |
| **(no resource name given)**<br>AUTHORED-RESOURCE-3-2: N/A / 0 / Original.csv. https://example.org/resource<br>This resource supports management of data. | 0<br>**Information not provided:** currency. | AUTHORED-FUNDING: N/A |