

CASE: short

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A
After.	

CASE: chinese

9. Ethics?

Before.

Item	Value
沿岸觀測資料，0。	沿岸觀測資料，0。
沿岸觀測資料，0。	沿岸觀測資料，0。
After.	

CASE: two-rows

9. Ethics?

Before.

Item	Value
N/A	N/A
After.	

CASE: four-rows

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A
N/A	N/A
After.	

CASE: four-columns

9. Ethics?

Before.

Item	Value	Value	Value
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

After.

CASE: no-header

9. Ethics?

Before.

N/A	N/A
N/A	N/A
N/A	N/A

After.

CASE: cell-boundary

9. Ethics?

Before.

Item	Value
XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX

After.

CASE: cjk-boundary

9. Ethics?

Before.

Item	Value
中中中中中中中中中中中中中中中 中中中中中中中中中中中中中中中 中中中中中	中中中中中中中中中中中中中中中 中中中中中中中中中中中中中中中 中中中中中
中中中中中中中中中中中中中中中 中中中中中中中中中中中中中中中	中中中中中中中中中中中中中中中 中中中中中中中中中中中中中中中

Item	Value
中中中中中中	中中中中中中
After.	

CASE: cell-too-long

9. Ethics?

Before.

Item	Value
XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX

After.

CASE: cjk-too-wide

9. Ethics?

Before.

Item	Value
中中中中中中中中中中中中中中中中 中中中中中中中中中中中中中中中中 中中中中中中中	中中中中中中中中中中中中中中中中 中中中中中中中中中中中中中中中中 中中中中中中中
中中中中中中中中中中中中中中中中 中中中中中中中中中中中中中中中中 中中中中中中中	中中中中中中中中中中中中中中中中 中中中中中中中中中中中中中中中中 中中中中中中中

After.

CASE: many-rows

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A

Item	Value
N/A	N/A
N/A	N/A
N/A	N/A

After.

CASE: five-rows

9. Ethics?
Before.

Item	Value
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A

After.

CASE: five-columns

9. Ethics?
Before.

Item	Value	Value	Value	Value
N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A

After.

CASE: one-row

9. Ethics?
Before.

Item	Value
------	-------

After.

CASE: one-column

9. Ethics?

Before.

Item

N/A

N/A

After.

CASE: large-total

9. Ethics?

Before.

Item	Value	Value	Value
XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX
XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX
XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX
XXXXXX	XXXXXX	XXXXXX	XXXXXX
XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX
XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX
XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX
XXXXXX	XXXXXX	XXXXXX	XXXXXX
XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX
XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX
XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX	XXXXXXXXXXXX
XXXXXX	XXXXXX	XXXXXX	XXXXXX

After.

CASE: multi-paragraph

9. Ethics?

Before.

Item	Value
First.	First.
Second.	Second.
First.	First.
Second.	Second.

After.

CASE: list-cell

9. Ethics?

Before.

Item	Value
• A. • B.	• A. • B.
• A. • B.	• A. • B.

After.

CASE: nested-table

9. Ethics?

Before.

Item	Value								
<table><tr><th>Item</th><th>Value</th></tr><tr><td>N/A</td><td>N/A</td></tr></table>	Item	Value	N/A	N/A	<table><tr><th>Item</th><th>Value</th></tr><tr><td>N/A</td><td>N/A</td></tr></table>	Item	Value	N/A	N/A
Item	Value								
N/A	N/A								
Item	Value								
N/A	N/A								
<table><tr><th>Item</th><th>Value</th></tr><tr><td>N/A</td><td>N/A</td></tr></table>	Item	Value	N/A	N/A	<table><tr><th>Item</th><th>Value</th></tr><tr><td>N/A</td><td>N/A</td></tr></table>	Item	Value	N/A	N/A
Item	Value								
N/A	N/A								
Item	Value								
N/A	N/A								

After.

CASE: hard-break

9. Ethics?

Before.

Item	Value
First Second	First Second
First Second	First Second

After.

CASE: code

9. Ethics?

Before.

Item	Value
Original.csv	Original.csv
Original.csv	Original.csv

After.

CASE: rowspan

9. Ethics?

Before.

Item	Value
N/A	N/A
	N/A

After.

CASE: colspan

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A

After.

CASE: caption

9. Ethics?

Before.

Original.

Item	Value
N/A	N/A
N/A	N/A

After.

CASE: attributed-table

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A

After.

CASE: attributed-cell

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A

After.

CASE: other-question

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A

After.

CASE: nested-answer

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A

After.

CASE: nested-question-lookalike

9. Ethics?

Before.

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A
After.	
After.	

CASE: other-question-lookalike

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A
After.	

CASE: authored-marker

9. Ethics?

Before.

<!--DSW:SE:short-table:v1:begin-->

Item	Value
N/A	N/A
N/A	N/A
After.	

CASE: html-marker

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A

After.

CASE: hyperlink

9. Ethics?

Before.

Item	Value
Original.csv	Original.csv
Original.csv	Original.csv

After.

CASE: inline-emphasis

9. Ethics?

Before.

Item	Value
Keep <i>exact</i> : 0 / N/A.	Keep <i>exact</i> : 0 / N/A.
Keep <i>exact</i> : 0 / N/A.	Keep <i>exact</i> : 0 / N/A.

After.

CASE: long-token

9. Ethics?

Before.

Item	Value
aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaa	aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaa
aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaa	aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaaa

After.

CASE: adjacent-tables

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A

Item	Value
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A

Item	Value
N/A	N/A

After.

CASE: mixed-separated

9. Ethics?

Before.

Item	Value
N/A	N/A
N/A	N/A

Middle.

Item	Value
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A
N/A	N/A

Item	Value
N/A	N/A
After.	