VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

---

1. Use MongoDB to implement the following DB operations

1.Create a database called 'vehicles' and *write* a MongoDB query to select database as "vehicles".

```
> use vehicles
< switched to db vehicles
```

1. Write a MongoDB query to display all the databases.

```
> show dbs
< admin     40.00 KiB
  config    72.00 KiB
  hirehub  168.00 KiB
  local     96.00 KiB
```

2. Create a collection called 'two_wheelers'. (use capping) and Create a collection called 'four_wheelers'.

```
> db.createCollection("two_wheelers", { capped: true, size: 50000 })
< { ok: 1 }
> db.createCollection("four_wheelers")
< { ok: 1 }
```

3. Add 5 two-wheeler details to the collection named 'two_wheelers'. Each document consists of following fields as bike_name, model (gear or gearless), category (100cc, 125cc, 150cc, 200cc), colors_available (red, black, blue, sport red etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

4.

```
> db.two_wheelers.insertMany([
  {
    bike_name: "Apache RTR 160",
    model: "gear",
    category: "150cc",
    colors_available: ["red","black","blue"],
    manufacturer: "TVS",
    performance: 8,
    timestamp: new Date("2022-03-15"),
    price: 120000
  },
  {
    bike_name: "Activa 6G",
    model: "gearless",
    category: "125cc",
    colors_available: ["white","black","grey"],
    manufacturer: "Honda",
    performance: 7,
    timestamp: new Date("2021-01-10"),
    price: 90000
  },
  {
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

5.

```
  bike_name: "Pulsar 200NS",
  model: "gear",
  category: "200cc",
  colors_available: ["blue","black"],
  manufacturer: "Bajaj",
  performance: 9,
  timestamp: new Date("2023-05-20"),
  price: 150000
},
{
  bike_name: "FZ S",
  model: "gear",
  category: "150cc",
  colors_available: ["sport red","black"],
  manufacturer: "Yamaha",
  performance: 8,
  timestamp: new Date("2022-07-12"),
  price: 135000
},
{
  bike_name: "Jupiter",
  model: "gearless",
  category: "125cc",
  colors_available: ["blue","grey"],
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

6.
```
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69a07e514c14d3dde1fda67b'),
    '1': ObjectId('69a07e514c14d3dde1fda67c'),
    '2': ObjectId('69a07e514c14d3dde1fda67d'),
    '3': ObjectId('69a07e514c14d3dde1fda67e'),
    '4': ObjectId('69a07e514c14d3dde1fda67f')
  }
}
```

7. Add 5 four-wheeler details to the collection named 'four_wheelers'. Each document consists of following fields as vehicle_name, model (commercial or own), category (car, lorry, bus, mini truck, heavy truck, containers), variants (vxi, zxi, petrol, diesel etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

8.

```
> db.four_wheelers.insertMany([
  {
    vehicle_name: "Swift",
    model: "own",
    category: "car",
    variants: ["vxi","zxi","petrol"],
    manufacturer: "Maruti",
    performance: 8,
    timestamp: new Date("2022-06-01"),
    price: 800000
  },
  {
    vehicle_name: "Tata Ace",
    model: "commercial",
    category: "mini truck",
    variants: ["diesel"],
    manufacturer: "Tata",
    performance: 7,
    timestamp: new Date("2021-02-15"),
    price: 500000
  },
  {
    vehicle_name: "Fortuner",
    model: "own",
    category: "car",
    variants: ["diesel","petrol"],
    manufacturer: "Toyota",
    performance: 9,
    timestamp: new Date("2023-01-20"),
    price: 3500000
  },
  {
    vehicle_name: "Ashok Leyland Bus",
    model: "commercial",
    category: "bus",
    variants: ["diesel"],
    manufacturer: "Ashok Leyland",
    performance: 8,
    timestamp: new Date("2020-09-10"),
    price: 2500000
  },
  {
    vehicle_name: "Eicher Truck",
```

9.

```
])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69a07e674c14d3dde1fda680'),
    '1': ObjectId('69a07e674c14d3dde1fda681'),
    '2': ObjectId('69a07e674c14d3dde1fda682'),
    '3': ObjectId('69a07e674c14d3dde1fda683'),
    '4': ObjectId('69a07e674c14d3dde1fda684')
  }
}
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

---

10. Write a MongoDB query to display all documents available in two_wheelers and four_wheelers.

```
> db.two_wheelers.find()
  db.four_wheelers.find()
< {
    _id: ObjectId('69a07e674c14d3dde1fda680'),
    vehicle_name: 'Swift',
    model: 'own',
    category: 'car',
    variants: [
      'vxi',
      'zxi',
      'petrol'
    ],
    manufacturer: 'Maruti',
    performance: 8,
    timestamp: 2022-06-01T00:00:00.000Z,
    price: 800000
  }
  {
    _id: ObjectId('69a07e674c14d3dde1fda681'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [
      'diesel'
    ],
    manufacturer: 'Tata',
    performance: 7,
    timestamp: 2021-02-15T00:00:00.000Z,
    price: 500000
  }
  {
    _id: ObjectId('69a07e674c14d3dde1fda682'),
    vehicle_name: 'Fortuner',
    model: 'own',
    category: 'car',
    variants: [
      'diesel',
      'petrol'
    ],
    manufacturer: 'Toyota',
    performance: 9,
    timestamp: 2023-01-20T00:00:00.000Z,
    price: 3500000
  }
```

11.

12. Write a MongoDB query to display only vehicle name and price in all the collection of the database

13.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

14.
```
> db.two_wheelers.find({}, { bike_name:1, price:1, _id:0 })
  db.four_wheelers.find({}, { vehicle_name:1, price:1, _id:0 })
< {
    vehicle_name: 'Swift',
    price: 800000
  }
  {
    vehicle_name: 'Tata Ace',
    price: 500000
  }
  {
    vehicle_name: 'Fortuner',
    price: 3500000
  }
  {
    vehicle_name: 'Ashok Leyland Bus',
    price: 2500000
  }
  {
    vehicle_name: 'Eicher Truck',
    price: 2800000
  }
> db.two_wheelers.find({ manufacturer: "TVS" })
< {
    _id: ObjectId('69a07e514c14d3dde1fda67b'),
    bike_name: 'Apache RTR 160',
    model: 'gear',
    category: '150cc',
    colors_available: [
      'red',
      'black',
      'blue'
    ],
    manufacturer: 'TVS',
    performance: 8,
    timestamp: 2022-03-15T00:00:00.000Z,
    price: 120000
  }
  {
    _id: ObjectId('69a07e514c14d3dde1fda67f'),
    bike_name: 'Jupiter',
    model: 'gearless',
    category: '125cc',
```

15. Write a MongoDB query to display two_wheelers from a particular company

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

16.
```
> db.two_wheelers.find({ manufacturer: "TVS" })
< {
    _id: ObjectId('69a07e514c14d3dde1fda67b'),
    bike_name: 'Apache RTR 160',
    model: 'gear',
    category: '150cc',
    colors_available: [
      'red',
      'black',
      'blue'
    ],
    manufacturer: 'TVS',
    performance: 8,
    timestamp: 2022-03-15T00:00:00.000Z,
    price: 120000
  }
  {
    _id: ObjectId('69a07e514c14d3dde1fda67f'),
    bike_name: 'Jupiter',
    model: 'gearless',
    category: '125cc',
    colors_available: [
      'blue',
      'grey'
    ],
    manufacturer: 'TVS',
    performance: 7,
    timestamp: 2020-11-05T00:00:00.000Z,
    price: 85000
  }
```

17. Write a MongoDB query to display four_wheelers available in diesel variants

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

18.
```
> db.two_wheelers.find({ manufacturer: "TVS" })
< {
    _id: ObjectId('69a07e514c14d3dde1fda67b'),
    bike_name: 'Apache RTR 160',
    model: 'gear',
    category: '150cc',
    colors_available: [
      'red',
      'black',
      'blue'
    ],
    manufacturer: 'TVS',
    performance: 8,
    timestamp: 2022-03-15T00:00:00.000Z,
    price: 120000
  }
  {
    _id: ObjectId('69a07e514c14d3dde1fda67f'),
    bike_name: 'Jupiter',
    model: 'gearless',
    category: '125cc',
    colors_available: [
      'blue',
      'grey'
    ],
    manufacturer: 'TVS',
    performance: 7,
    timestamp: 2020-11-05T00:00:00.000Z,
    price: 85000
  }
```

19. Write a MongoDB query to display vehicles name, category and manufacturer details whose rating is more than 5.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

```
> db.four_wheelers.find({ variants: "diesel" })
< {
    _id: ObjectId('69a07e674c14d3dde1fda681'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [
      'diesel'
    ],
    manufacturer: 'Tata',
    performance: 7,
    timestamp: 2021-02-15T00:00:00.000Z,
    price: 500000
  }
  {
    _id: ObjectId('69a07e674c14d3dde1fda682'),
    vehicle_name: 'Fortuner',
    model: 'own',
    category: 'car',
    variants: [
      'diesel',
      'petrol'
    ],
    manufacturer: 'Toyota',
    performance: 9,
    timestamp: 2023-01-20T00:00:00.000Z,
    price: 3500000
  }
  {
    _id: ObjectId('69a07e674c14d3dde1fda683'),
    vehicle_name: 'Ashok Leyland Bus',
    model: 'commercial',
    category: 'bus',
    variants: [
      'diesel'
    ],
    manufacturer: 'Ashok Leyland',
    performance: 8,
    timestamp: 2020-09-10T00:00:00.000Z,
    price: 2500000
  }
  {
    _id: ObjectId('69a07e674c14d3dde1fda684'),
    vehicle_name: 'Eicher Truck',
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

---

2. Use MongoDB to implement the following DB operations for a Zoo

1. Create a database called 'animal' and *write* a MongoDB query to select database as 'animal'.
2.
```
> use animal
< switched to db animal
```
3. Write a MongoDB query to display all the databases.
4.
```
> show dbs
< admin      40.00 KiB
  config     72.00 KiB
  hirehub   168.00 KiB
  local      96.00 KiB
  vehicles   80.00 KiB
```
5. Create a collection called 'wild_animals'.(use capping) and Create a collection called 'domestic_animals'.
6.
```
> db.createCollection("wild_animals", { capped: true, size: 50000 })
< { ok: 1 }
> db.createCollection("domestic_animals")
< { ok: 1 }
```
7. Add 5 wild_animal details to the collection named 'wild_animals'. Each document consists of following fields as animal_name, nature (harm or harmless), favorite_foods (meat, rabbits, deer etc) as array, care_taker_name, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

8.

```
> db.createCollection("wild_animals", { capped: true, size: 50000 })
< { ok: 1 }
> db.createCollection("domestic_animals")
< { ok: 1 }
> db.wild_animals.insertMany([
  {
    animal_name: "Lion",
    nature: "harm",
    favorite_foods: ["meat","deer"],
    care_taker_name: "Ramesh",
    life_span: 12,
    timestamp: new Date(),
    expenses: 50000
  },
  {
    animal_name: "Tiger",
    nature: "harm",
    favorite_foods: ["meat","rabbit"],
    care_taker_name: "Suresh",
    life_span: 15,
    timestamp: new Date(),
    expenses: 60000
  },
  {
    animal_name: "Elephant",
    nature: "harmless",
    favorite_foods: ["grass","fruits"],
    care_taker_name: "Mahesh",
    life_span: 60,
    timestamp: new Date(),
    expenses: 80000
  },
  {
    animal_name: "Leopard",
    nature: "harm",
    favorite_foods: ["meat"],
    care_taker_name: "Ramesh",
    life_span: 14,
    timestamp: new Date(),
    expenses: 55000
  },
  {
    animal_name: "Deer",
    nature: "harmless"
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

9.
```
  {
    animal_name: "Deer",
    nature: "harmless",
    favorite_foods: ["grass"],
    care_taker_name: "Kiran",
    life_span: 10,
    timestamp: new Date(),
    expenses: 20000
  }
  ])
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69a07eab4c14d3dde1fda685'),
      '1': ObjectId('69a07eab4c14d3dde1fda686'),
      '2': ObjectId('69a07eab4c14d3dde1fda687'),
      '3': ObjectId('69a07eab4c14d3dde1fda688'),
      '4': ObjectId('69a07eab4c14d3dde1fda689')
    }
  }
```

10. Add 5 domestic-animal details to the collection named 'domestic_animals'. Each document consists of following fields as animal_name, gender (male or female), favorite_foods (meat, rabbits, deer etc) as array, animal_petname, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

11.
```
> db.domestic_animals.insertMany([
  {
    animal_name: "Dog",
    gender: "male",
    favorite_foods: ["meat","rice"],
    animal_petname: "Bruno",
    life_span: 12,
    timestamp: new Date(),
    expenses: 10000
  },
  {
    animal_name: "Cat",
    gender: "female",
    favorite_foods: ["milk","fish"],
    animal_petname: "Kitty",
    life_span: 15,
    timestamp: new Date(),
    expenses: 8000
  },
  {
    animal_name: "Cow",
    gender: "female",
    favorite_foods: ["grass"],
    animal_petname: "Ganga",
    life_span: 20,
    timestamp: new Date(),
    expenses: 15000
  },
  {
    animal_name: "Goat",
    gender: "male",
    favorite_foods: ["leaves"],
    animal_petname: "Chotu",
    life_span: 18,
    timestamp: new Date(),
    expenses: 7000
  },
  {
    animal_name: "Rabbit",
    gender: "female",
    favorite_foods: ["carrot"],
    animal_petname: "Snowy",
    life_span: 8,
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

12.
```
    animal_petname: "Snowy",
    life_span: 8,
    timestamp: new Date(),
    expenses: 5000
  }
  ])
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69a07eb04c14d3dde1fda68a'),
      '1': ObjectId('69a07eb04c14d3dde1fda68b'),
      '2': ObjectId('69a07eb04c14d3dde1fda68c'),
      '3': ObjectId('69a07eb04c14d3dde1fda68d'),
      '4': ObjectId('69a07eb04c14d3dde1fda68e')
    }
  }
```

13. Write a MongoDB query to display all documents available in wild_animals and domastic_animals.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

14.

```
> db.wild_animals.find()
  db.domestic_animals.find()
< {
    _id: ObjectId('69a07eb04c14d3dde1fda68a'),
    animal_name: 'Dog',
    gender: 'male',
    favorite_foods: [
      'meat',
      'rice'
    ],
    animal_petname: 'Bruno',
    life_span: 12,
    timestamp: 2026-02-26T17:11:12.877Z,
    expenses: 10000
  }
  {
    _id: ObjectId('69a07eb04c14d3dde1fda68b'),
    animal_name: 'Cat',
    gender: 'female',
    favorite_foods: [
      'milk',
      'fish'
    ],
    animal_petname: 'Kitty',
    life_span: 15,
    timestamp: 2026-02-26T17:11:12.877Z,
    expenses: 8000
  }
  {
    _id: ObjectId('69a07eb04c14d3dde1fda68c'),
    animal_name: 'Cow',
    gender: 'female',
    favorite_foods: [
      'grass'
    ],
    animal_petname: 'Ganga',
    life_span: 20,
    timestamp: 2026-02-26T17:11:12.877Z,
    expenses: 15000
  }
  {
    _id: ObjectId('69a07eb04c14d3dde1fda68d'),
    animal_name: 'Goat',
    gender: 'male',
```

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

15.
```
}
{
  _id: ObjectId('69a07eb04c14d3dde1fda68d'),
  animal_name: 'Goat',
  gender: 'male',
  favorite_foods: [
    'leaves'
  ],
  animal_petname: 'Chotu',
  life_span: 18,
  timestamp: 2026-02-26T17:11:12.877Z,
  expenses: 7000
}
{
  _id: ObjectId('69a07eb04c14d3dde1fda68e'),
  animal_name: 'Rabbit',
  gender: 'female',
  favorite_foods: [
    'carrot'
  ],
  animal_petname: 'Snowy',
  life_span: 8,
  timestamp: 2026-02-26T17:11:12.877Z,
  expenses: 5000
}
```

16. Write a MongoDB query to display only animal name and expenses in all the collection of the database

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

17.
```
> db.wild_animals.find({}, { animal_name:1, expenses:1, _id:0 })
  db.domestic_animals.find({}, { animal_name:1, expenses:1, _id:0 })
< {
    animal_name: 'Dog',
    expenses: 10000
  }
  {
    animal_name: 'Cat',
    expenses: 8000
  }
  {
    animal_name: 'Cow',
    expenses: 15000
  }
  {
    animal_name: 'Goat',
    expenses: 7000
  }
  {
    animal_name: 'Rabbit',
    expenses: 5000
  }
> db.domestic_animals.find({ life_span: 12 })
< {
    _id: ObjectId('69a07eb04c14d3dde1fda68a'),
    animal_name: 'Dog',
    gender: 'male',
    favorite_foods: [
      'meat',
      'rice'
    ],
    animal_petname: 'Bruno',
    life_span: 12,
    timestamp: 2026-02-26T17:11:12.877Z,
    expenses: 10000
  }
```

18. Write a MongoDB query to display domestic_animals whose life is a particular year

19.

20. Write a MongoDB query to display wild_animals available under a particular care_taker

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

21.
```
> db.wild_animals.find({ care_taker_name: "Ramesh" })
< {
    _id: ObjectId('69a07eab4c14d3dde1fda685'),
    animal_name: 'Lion',
    nature: 'harm',
    favorite_foods: [
      'meat',
      'deer'
    ],
    care_taker_name: 'Ramesh',
    life_span: 12,
    timestamp: 2026-02-26T17:11:07.254Z,
    expenses: 50000
  }
  {
    _id: ObjectId('69a07eab4c14d3dde1fda688'),
    animal_name: 'Leopard',
    nature: 'harm',
    favorite_foods: [
      'meat'
    ],
    care_taker_name: 'Ramesh',
    life_span: 14,
    timestamp: 2026-02-26T17:11:07.254Z,
    expenses: 55000
  }
```

22. Write a MongoDB query to display animal name, favorite_foods and expenses details whose lifespan is more than 5 years.

VIT-AP UNIVERSITY, ANDHRA PRADESH

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech **Date:**
Faculty Name: Prof. S.Gopikrishnan **School:** SCOPE
Student name: **Reg. no.:**

```
> db.wild_animals.find(
    { life_span: { $gt: 5 } },
    { animal_name:1, favorite_foods:1, expenses:1, _id:0 }
  )

  db.domestic_animals.find(
    { life_span: { $gt: 5 } },
    { animal_name:1, favorite_foods:1, expenses:1, _id:0 }
  )
< {
    animal_name: 'Dog',
    favorite_foods: [
      'meat',
      'rice'
    ],
    expenses: 10000
  }
  {
    animal_name: 'Cat',
    favorite_foods: [
      'milk',
      'fish'
    ],
    expenses: 8000
  }
  {
    animal_name: 'Cow',
    favorite_foods: [
      'grass'
    ],
    expenses: 15000
  }
  {
    animal_name: 'Goat',
    favorite_foods: [
      'leaves'
    ],
    expenses: 7000
  }
  {
    animal_name: 'Rabbit',
    favorite_foods: [
      'carrot'
    ],
```