

NAME:THULASI.S

EXPERIMENT:17

ROLL:NO:241901118

DATE:21/10/25

DEMONSTRATE NETWORK FORENSICS USING PCAPXRAY TOOL

AIM:

To demonstrate network forensics using pcapxray tool.

INTRODUCTION:

PcapXray is an open-source network forensics and visualization tool that helps investigators analyze network traffic captured in packet capture (PCAP) files. It was developed to make the process of understanding complex network interactions more intuitive by automatically generating a visual map of the network connections and data flows found within a PCAP file.

ALGORITHM:

1.install pcapxray tool

2.run pcapxray tool

pcapxray -r capture.pcap -o pcapxray_output.html

3.open visual output in a browser.

4.reporting.

CODE:


```
git clone https://github.com/Srinivas11789/PcapXray.git
```

```
cd PcapXray
```

```
pip install -r requirements.txt
```

python3 PcapXray.py -r sample_capture.pcap -o output.html

OUTPUT:



Pcapxray interface showing network traffic graph form pcap file.

PACKET DETAILS:

```
src/dst/port : {
  "Ethernet": {
    "dst": "",
    "src": ""
  },
  "Payload": {
    "forward": [ "" ],
    "reverse": [ "" ]
  },
  "covert": false,
  "file signature": []
}
```

DEVICE DETAILS:

```
deviceDetails: {
  "<Mac>": {
    "device_vendor": "",
    "ip": "",
    "node": "",
    "vendor_address": [
      ""
    ]
  }
}
```

COMMUNICATION DETAILS:

```
Tor Traffic: []
Malicious Traffic: []
Destination DNS: {
  "<IP>": {
    "domain_name": "",
    "mac": ""
  },
}
Lan Hosts: {
  "<MAC>": {
    "device_vendor": "",
    "ip": "",
    "node": "",
    "vendor_address": [ "" ]
  }
}
Tor Nodes: []
```

RESULT:

Thus,the demonstration of network forensics using PcapXray tool successfully.