

```
In [1]: import pandas as pd
import numpy as np
from sklearn import preprocessing
import matplotlib.pyplot as plt
import seaborn as sns
sns.set(style="white")
sns.set(style="whitegrid", color_codes=True)
import warnings
warnings.simplefilter(action='ignore')
```

```
In [2]: train_df=pd.read_csv(r"C:\Users\HP\Downloads\train.gender_submission.csv")
train_df
```

Out[2]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500
...
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.0000
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.0000
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.4500
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.0000
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	7.7500

891 rows × 12 columns



```
In [3]: test_df=pd.read_csv(r"C:\Users\HP\Downloads\test.gender_submission.csv")
test_df
```

Out[3]:

	PassengerId	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin
0	892	3	Kelly, Mr. James	male	34.5	0	0	330911	7.8292	NaN
1	893	3	Wilkes, Mrs. James (Ellen Needs)	female	47.0	1	0	363272	7.0000	NaN
2	894	2	Myles, Mr. Thomas Francis	male	62.0	0	0	240276	9.6875	NaN
3	895	3	Wirz, Mr. Albert	male	27.0	0	0	315154	8.6625	NaN
4	896	3	Hirvonen, Mrs. Alexander (Helga E Lindqvist)	female	22.0	1	1	3101298	12.2875	NaN
...
413	1305	3	Spector, Mr. Woolf	male	NaN	0	0	A.5. 3236	8.0500	NaN
414	1306	1	Oliva y Ocana, Dona. Fermina	female	39.0	0	0	PC 17758	108.9000	C105
415	1307	3	Saether, Mr. Simon Sivertsen	male	38.5	0	0	SOTON/O.Q. 3101262	7.2500	NaN
416	1308	3	Ware, Mr. Frederick	male	NaN	0	0	359309	8.0500	NaN
417	1309	3	Peter, Master. Michael J	male	NaN	1	1	2668	22.3583	NaN

418 rows × 11 columns



```
In [4]: train_df.shape
```

Out[4]: (891, 12)

```
In [5]: test_df.shape
```

Out[5]: (418, 11)

In [6]: train_df.head()

Out[6]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	I
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	I
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	I

```
In [7]: train_df.describe
```

```
Out[7]: <bound method NDFrame.describe of      PassengerId  Survived  Pclass
0                1         0        3  \
1                2         1        1
2                3         1        3
3                4         1        1
4                5         0        3
..            ...         ...         ...
886            887         0         2
887            888         1         1
888            889         0         3
889            890         1         1
890            891         0         3
```

```
      Name      Sex  Age  SibSp
0  Braund, Mr. Owen Harris  male  22.0      1
\
1  Cumings, Mrs. John Bradley (Florence Briggs Th...  female  38.0      1
2                Heikkinen, Miss. Laina  female  26.0      0
3  Futrelle, Mrs. Jacques Heath (Lily May Peel)  female  35.0      1
4                Allen, Mr. William Henry  male  35.0      0
..            ...         ...         ...         ...
886            Montvila, Rev. Juozas  male  27.0      0
887            Graham, Miss. Margaret Edith  female  19.0      0
888  Johnston, Miss. Catherine Helen "Carrie"  female   NaN      1
889            Behr, Mr. Karl Howell  male  26.0      0
890            Dooley, Mr. Patrick  male  32.0      0
```

```
      Parch      Ticket    Fare Cabin Embarked
0         0      A/5 21171    7.2500   NaN      S
1         0      PC 17599   71.2833   C85      C
2         0  STON/O2. 3101282    7.9250   NaN      S
3         0      113803   53.1000  C123      S
4         0      373450    8.0500   NaN      S
..      ...         ...         ...         ...
886         0      211536   13.0000   NaN      S
887         0      112053   30.0000   B42      S
888         2      W./C. 6607   23.4500   NaN      S
889         0      111369   30.0000  C148      C
890         0      370376    7.7500   NaN      Q
```

```
[891 rows x 12 columns]>
```

```
In [8]: train_df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):
#   Column          Non-Null Count  Dtype
---  -
0   PassengerId      891 non-null    int64
1   Survived         891 non-null    int64
2   Pclass           891 non-null    int64
3   Name             891 non-null    object
4   Sex              891 non-null    object
5   Age              714 non-null    float64
6   SibSp            891 non-null    int64
7   Parch            891 non-null    int64
8   Ticket           891 non-null    object
9   Fare             891 non-null    float64
10  Cabin            204 non-null    object
11  Embarked         889 non-null    object
dtypes: float64(2), int64(5), object(5)
memory usage: 83.7+ KB
```

```
In [9]: test_df.describe
```

```
Out[9]: <bound method NDFrame.describe of      PassengerId  Pclass
Name
0           892      3                Kelly, Mr. James \
1           893      3          Wilkes, Mrs. James (Ellen Needs)
2           894      2          Myles, Mr. Thomas Francis
3           895      3                Wirz, Mr. Albert
4           896      3  Hirvonen, Mrs. Alexander (Helga E Lindqvist)
..          ...      ...
413        1305      3                Spector, Mr. Woolf
414        1306      1          Oliva y Ocana, Dona. Fermina
415        1307      3          Saether, Mr. Simon Sivertsen
416        1308      3                Ware, Mr. Frederick
417        1309      3          Peter, Master. Michael J

      Sex  Age  SibSp  Parch      Ticket    Fare Cabin Embarked
0    male  34.5     0     0    330911    7.8292   NaN        Q
1  female  47.0     1     0    363272    7.0000   NaN        S
2    male  62.0     0     0    240276    9.6875   NaN        Q
3    male  27.0     0     0    315154    8.6625   NaN        S
4  female  22.0     1     1    3101298   12.2875   NaN        S
..     ...   ...     ...     ...      ...      ...   ...      ...
413   male   NaN     0     0      A.5. 3236    8.0500   NaN        S
414  female  39.0     0     0      PC 17758   108.9000  C105        C
415   male  38.5     0     0  SOTON/O.Q. 3101262    7.2500   NaN        S
416   male   NaN     0     0    359309    8.0500   NaN        S
417   male   NaN     1     1      2668    22.3583   NaN        C

[418 rows x 11 columns]>
```

```
In [10]: test_df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 418 entries, 0 to 417
Data columns (total 11 columns):
 #   Column          Non-Null Count  Dtype  
---  -
 0   PassengerId     418 non-null   int64  
 1   Pclass          418 non-null   int64  
 2   Name            418 non-null   object  
 3   Sex             418 non-null   object  
 4   Age            332 non-null   float64 
 5   SibSp           418 non-null   int64  
 6   Parch          418 non-null   int64  
 7   Ticket          418 non-null   object  
 8   Fare           417 non-null   float64 
 9   Cabin          91 non-null    object  
10   Embarked        418 non-null   object  
dtypes: float64(2), int64(4), object(5)
memory usage: 36.0+ KB
```


```
In [11]: train_df.isnull().sum()
```

```
Out[11]: PassengerId      0
Survived                0
Pclass                 0
Name                   0
Sex                    0
Age                   177
SibSp                  0
Parch                  0
Ticket                 0
Fare                   0
Cabin                 687
Embarked                2
dtype: int64
```

```
In [12]: test_df.isnull().sum()
```

```
Out[12]: PassengerId      0
Pclass                 0
Name                   0
Sex                    0
Age                   86
SibSp                  0
Parch                  0
Ticket                 0
Fare                   1
Cabin                 327
Embarked                0
dtype: int64
```

```
In [13]: ax=train_df["Age"].hist(bins=15,density=True,stacked=True,color='cyan',alpha=0.5)
train_df["Age"].plot(kind='density',color='teal')
ax.set(xlabel='Age')
plt.xlim(-10,85)
plt.show()
```



```
In [14]: print(train_df["Age"].mean(skipna=True))
print(train_df["Age"].median(skipna=True))
```

```
29.69911764705882
28.0
```

```
In [15]: print((train_df['Cabin'].isnull().sum()/train_df.shape[0]*100))
```

```
77.10437710437711
```

```
In [16]: print((test_df['Cabin'].isnull().sum()/test_df.shape[0]*100))
```

```
78.22966507177034
```

```
In [17]: print((train_df['Embarked'].isnull().sum()/train_df.shape[0]*100))
```

```
0.22446689113355783
```



```
In [18]: print('Boarded passengers grouped by part of embarkation (C = Cherbourg,Q=Queenstown,S=Southampton):')
print(train_df['Embarked'].value_counts())
sns.countplot(x='Embarked',data=train_df,palette='Set2')
plt.show()
```

Boarded passengers grouped by part of embarkation (C = Cherbourg,Q=Queenstown,S=Southampton):


Embarked

S 644

C 168

Q 77

Name: count, dtype: int64



```
In [19]: print(train_df['Embarked'].value_counts().idxmax())
```

S

```
In [20]: train_data=train_df.copy()
train_data["Age"].fillna(train_df["Age"].median(skipna=True),inplace=True)
train_data["Embarked"].fillna(train_df["Embarked"].value_counts().idxmax(),inplace=True)
train_data.drop('Cabin',axis=1,inplace=True)
```

```
In [21]: train_data.isnull().sum()
```


```
Out[21]: PassengerId    0
Survived    0
Pclass      0
Name        0
Sex         0
Age         0
SibSp       0
Parch       0
Ticket      0
Fare        0
Embarked    0
dtype: int64
```

```
In [22]: train_data.head()
```

```
Out[22]:
```

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Er
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...)	female	38.0	1	0	PC 17599	71.2833	
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	

```
In [23]: plt.figure(figsize=(15,8))
ax=train_df["Age"].hist(bins=15,density=True,stacked=True,color='teal',alpha=0.5)
train_df["Age"].plot(kind='density',color='teal')
ax=train_data["Age"].hist(bins=15,density=True,stacked=True,color='orange',alpha=0.5)
train_data["Age"].plot(kind='density',color='orange')
ax.legend(["Raw Age","Adjusted Age"])
ax.set(xlabel='Age')
plt.xlim(-10,85)
plt.show()
```



```
In [24]: train_data['TravelAlone']=np.where((train_data["SibSp"]+train_data["Parch"])>0,1,0)
train_data.drop('SibSp',axis=1,inplace=True)
train_data.drop('Parch',axis=1,inplace=True)
```

```
In [25]: training=pd.get_dummies(train_data,columns=["Pclass","Embarked","Sex"])
training.drop("Sex_female",axis=1,inplace=True)
training.drop("PassengerId",axis=1,inplace=True)
training.drop("Name",axis=1,inplace=True)
training.drop("Ticket",axis=1,inplace=True)

final_train=training
final_train.head()
```

Out[25]:

	Survived	Age	Fare	TravelAlone	Pclass_1	Pclass_2	Pclass_3	Embarked_C	Embarked_Q
0	0	22.0	7.2500	0	False	False	True	False	False
1	1	38.0	71.2833	0	True	False	False	True	False
2	1	26.0	7.9250	1	False	False	True	False	False
3	1	35.0	53.1000	0	True	False	False	False	False
4	0	35.0	8.0500	1	False	False	True	False	False

```
In [26]: test_df.isnull().sum()
```

```
Out[26]: PassengerId      0
Pclass      0
Name        0
Sex         0
Age        86
SibSp       0
Parch       0
Ticket      0
Fare        1
Cabin     327
Embarked    0
dtype: int64
```

```
In [27]: test_data=test_df.copy()
test_data["Age"].fillna(train_df["Age"].median(skipna=True),inplace=True)
test_data["Fare"].fillna(train_df["Fare"].median(skipna=True),inplace=True)
test_data.drop('Cabin',axis=1,inplace=True)

test_data['TravelAlone']=np.where((test_data["SibSp"]+test_data["Parch"])>0,0,0,

test_data.drop("SibSp",axis=1,inplace=True)
test_data.drop("Parch",axis=1,inplace=True)

testing=pd.get_dummies(train_data,columns=["Pclass","Embarked","Sex"])
testing.drop("Sex_female",axis=1,inplace=True)
testing.drop("PassengerId",axis=1,inplace=True)
testing.drop("Name",axis=1,inplace=True)
testing.drop("Ticket",axis=1,inplace=True)

final_train=testing
final_train.head()
```

```
Out[27]:
```

	Survived	Age	Fare	TravelAlone	Pclass_1	Pclass_2	Pclass_3	Embarked_C	Embarked_
0	0	22.0	7.2500	0	False	False	True	False	Fals
1	1	38.0	71.2833	0	True	False	False	True	Fals
2	1	26.0	7.9250	1	False	False	True	False	Fals
3	1	35.0	53.1000	0	True	False	False	False	Fals
4	0	35.0	8.0500	1	False	False	True	False	Fals

