CLINICAL EXERCISE PRESCRIPTION LIBRARY

Beginner Yoga Flows: Gentle Floor-Based Decompression

Zero-Impact Restorative Protocols for High-Stiffness or High-Fatigue Days (10–30 Mins)

Clinical Governance Team:

• Lead Author: Physiotherapist Specialist (PHYSIO)
• Surgical & Biomechanical Oversight: Surgeon Persona (SURGEON)
• Neuro-Psychiatric Review: Neuro-PPS Persona (NEURO_PPS)
• Evidence Synthesis: Medical Researcher Persona (RESEARCHER)
• Clinical Coordination: Medical Overseer (MDT_LEAD)

Prescription Date: 2026-10-12 | **Document Version:** 1.0.0

How to Use This Booklet:

Gentle mindful floor flows designed for days with elevated baseline pain or systemic fatigue. Emphasise diaphragmatic breathwork, supported bolster resting, and smooth pain-free movement.

Included Clinical Protocols:

[Y-BEG1] [Y-BEG2] [Y-BEG3]

MANDATORY CLINICAL RESTRICTIONS:

• **Cervical Spine (C4–C7 Fusion)**: Strict neutral alignment. Zero forced end-range extension or neck rotation. No classical Pilates head curls (head grounded).
• **Right Shoulder (Subacromial/C7–T1)**: Active elevation strictly limited below 80°–90°. Elbows tucked below shoulder line during all rows and presses.
• **Lower Chain (Left Knee Osteotomy & Right Ankle)**: Braced on land. Max 45° shallow knee bend. Zero crouching or kneeling directly on unpadded surfaces.

TABLE OF CONTENTS & PROTOCOL OVERVIEW

Review protocol parameters, equipment setup, and durations before initiating sessions.

ID	PROTOCOL TITLE	DURATION	INTENSITY	EQUIPMENT REQUIRED
Y-BEG 1	10-Minute Morning Gentle Reset	10 Minutes	**Beginner**	Mat, Bolster
Y-BEG 2	20-Minute Restorative Hip & Lumbar Unwind	20 Minutes	**Beginner**	Mat, Bolster, Strap
Y-BEG 3	30-Minute Full-Body Decompression & Nervous System Downregulation	30 Minutes	**Beginner**	Mat, Bolster, Yoga Block

MANDATORY CLINICAL RESTRICTIONS:

• **Cervical Spine (C4–C7 Fusion)**: Strict neutral alignment. Zero forced end-range extension or neck rotation. No classical Pilates head curls (head grounded).
• **Right Shoulder (Subacromial/C7–T1)**: Active elevation strictly limited below 80°–90°. Elbows tucked below shoulder line during all rows and presses.
• **Lower Chain (Left Knee Osteotomy & Right Ankle)**: Braced on land. Max 45° shallow knee bend. Zero crouching or kneeling directly on unpadded surfaces.

Y-BEG1: 10-Minute Morning Gentle Reset

[BEGINNER]
Duration: 10 Minutes

Equipment Needed: Mat | Bolster

S1: 3m	S2: 3m	S3: 2m	S4: 2m


Step 1: Constructive Rest

Dosage: 3 mins

Instructional Cues:

- Bolster under knees
- Spine neutral on floor
- Arms relaxed by sides

Source: Bolster under knees.



SAFETY MANDATE: Head supported; neutral neck alignment.


Step 2: Supine Pelvic Tilts

Dosage: 3 mins

Instructional Cues:

- Inhale gentle arch
- Exhale flatten lumbar curve
- Smooth rhythmic motion

Source: Inhale gentle arch, exhale flatten.



SAFETY MANDATE: Keep movements within pain-free range; no abdominal forcing.


Step 3: Alternating Heel Slides

Dosage: 2 mins

Instructional Cues:

- Slow controlled slide
- Zero knee twisting
- Toes pointed upright

Source: Slow sliding without knee rotation.



SAFETY MANDATE: Strictly no knee rotation; protects left osteotomy alignment.


Step 4: Diaphragmatic Breathing

Dosage: 2 mins

Instructional Cues:

- Inhale into lower ribs and belly
- Slow passive exhalation
- Relax jaw and neck

Source: Diaphragmatic Breathing (2 mins).



SAFETY MANDATE: Do not tense neck or shoulder muscles during inhalation.

Y-BEG2: 20-Minute Restorative Hip & Lumbar Unwind

[BEGINNER]
Duration: 20 Minutes

Equipment Needed: Mat | Bolster | Strap

S1: 5m	S2: 5m	S3: 5m	S4: 5m


Step 1: Supported Child's Pose over Bolster

Dosage: 5 mins

Instructional Cues:

- Knees wide on cushioned mat
- Torso rested on lengthwise bolster
- Neck neutral

Source: Knees wide, chest supported, neck neutral.



SAFETY MANDATE: Knees cushioned on pad; chest fully supported; neck neutral without turn.


Step 2: Supine Single Knee-to-Chest

Dosage: 5 mins

Instructional Cues:

- Gently hug one knee toward chest
- Opposite foot resting flat
- Relax head and neck

Source: Gently hug one knee, opposite foot flat.



SAFETY MANDATE: Hug behind thigh if knee flexion is sensitive; head grounded.


Step 3: Supine Figure-Four with Strap

Dosage: 5 mins

Instructional Cues:

- Ankle over opposite thigh
- Use strap to support leg
- Gentle piriformis stretch

Source: Gentle piriformis stretch.



SAFETY MANDATE: Use strap to eliminate arm pulling; keep left knee within comfortable angle.


Step 4: Supported Savasana

Dosage: 5 mins

Instructional Cues:

- Bolster under knees
- Small head support
- Complete muscular release

Source: Supported Savasana (5 mins).



SAFETY MANDATE: Full spinal support; completely neutral neck posture.

Y-BEG3: 30-Minute Full-Body Decompression & Nervous System Downregulation

[BEGINNER]
Duration: 30 Minutes

Equipment Needed: Mat | Bolster | Yoga Block

S1: 6m	S2: 5m	S3: 7m	S4: 6m	S5: 6m


Step 1: Constructive Rest with Deep Breathing

Dosage: 6 mins

Instructional Cues:

- Bolster under knees
- Slow belly breathing
- Relax neck and shoulders

Source: Constructive Rest with Deep Breathing (6 mins).



SAFETY MANDATE: Ensure cervical spine is properly aligned and resting comfortably.


Step 2: Supine AROM Neck Rotation & Chin Tucks

Dosage: 5 mins

Instructional Cues:

- Micro chin retractions
- Gentle rotation within pain-free arc
- Smooth slow motion

Source: Supine AROM Neck Rotation & Chin Tucks (5 mins).



SAFETY MANDATE: Small pain-free arc only; no forced range or rapid movement.


Step 3: Open Book Thoracic Mobilization

Dosage: 7 mins

Instructional Cues:

- Bolster between/under knees
- Smooth sweeping arm arc
- Rotate ribcage only

Source: Bolster under knees, smooth sweeping movement.



SAFETY MANDATE: Cervical spine locked neutral; arm arc below 80° for right shoulder.


Step 4: Supported Bridge with Yoga Block

Dosage: 6 mins

Instructional Cues:

- Yoga block under sacrum
- Arms resting by sides
- Passive lumbar decompression

Source: Supported Bridge with Yoga Block (6 mins).



SAFETY MANDATE: Block sits strictly under sacrum; no pinching in lumbar spine.


Step 5: Legs-Elevated Relaxation

Dosage: 6 mins

Instructional Cues:

- Calves resting on chair or bolster
- Knees bent at 90°
- Full venous drainage and rest

Source: Legs-Elevated Relaxation (6 mins).



SAFETY MANDATE: Head supported; neutral neck; lower back completely rested.

CLINICAL GOVERNANCE & SAFETY DISCLAIMERS

1. This is appointment preparation and second-opinion context, not a clinical recommendation to act on independently. Discuss with your physiotherapist and neurosurgeon before making changes to your treatment.

2. Any changes to medication or pharmacological therapies must be reviewed, prescribed, and managed by your General Practitioner or managing specialist in consultation with a qualified pharmacist.

3. If you experience sudden severe motor weakness, progressive numbness, fever with joint swelling, or acute changes in bowel or bladder control, seek immediate emergency medical evaluation.