CLINICAL EXERCISE PRESCRIPTION LIBRARY

Floor-Based Yoga & Hybrid Rehab (Medium & Expert)

Spinal Stability, Scapular Motor Control & Isometric Conditioning (20–60 Mins)

Clinical Governance Team:

• Lead Author: Physiotherapist Specialist (PHYSIO)
• Surgical & Biomechanical Oversight: Surgeon Persona (SURGEON)
• Neuro-Psychiatric Review: Neuro-PPS Persona (NEURO_PPS)
• Evidence Synthesis: Medical Researcher Persona (RESEARCHER)
• Clinical Coordination: Medical Overseer (MDT_LEAD)

Prescription Date: 2026-10-12 | **Document Version:** 1.0.0

How to Use This Booklet:

All exercises are strictly floor-based to eliminate joint impact. Keep neck neutral with head grounded or cushioned. Never kneel on hard unpadded surfaces.

Included Clinical Protocols:

[Y-MED1] [Y-MED2] [Y-MED3] [Y-EXP1] [Y-EXP2]

MANDATORY CLINICAL RESTRICTIONS:

• **Cervical Spine (C4–C7 Fusion)**: Strict neutral alignment. Zero forced end-range extension or neck rotation. No classical Pilates head curls (head grounded).
• **Right Shoulder (Subacromial/C7–T1)**: Active elevation strictly limited below 80°–90°. Elbows tucked below shoulder line during all rows and presses.
• **Lower Chain (Left Knee Osteotomy & Right Ankle)**: Braced on land. Max 45° shallow knee bend. Zero crouching or kneeling directly on unpadded surfaces.

TABLE OF CONTENTS & PROTOCOL OVERVIEW

Review protocol parameters, equipment setup, and durations before initiating sessions.

ID	PROTOCOL TITLE	DURATION	INTENSITY	EQUIPMENT REQUIRED
Y-MED 1	20-Minute Posture, Scapula & Core Alignment	20–25 Minutes	**Medium**	Mat, Light Band
Y-MED 2	30-Minute Spine & Pelvic Stability Flow	30 Minutes	**Medium**	Mat, Yoga Strap, Bolster
Y-MED 3	40-Minute Restorative Decompression & Nerve Gliding	40 Minutes	**Medium-Restorative**	Mat, Bolster, 2 Blocks, Strap
Y-EXP1	45-Minute Total Body Isometric Yoga & Pilates Hybrid	45 Minutes	**Expert Isometric**	Mat, Heavy Resistance Band, Pilates Bar / Yoga Blocks
Y-EXP2	60-Minute Comprehensive Spinal Rehabilitation & Kinetic Strength	60 Minutes	**Expert Strength & Stability**	Mat, Resistance Bands, Bolster, Blocks

MANDATORY CLINICAL RESTRICTIONS:

- **Cervical Spine (C4–C7 Fusion)**: Strict neutral alignment. Zero forced end-range extension or neck rotation. No classical Pilates head curls (head grounded).
- **Right Shoulder (Subacromial/C7–T1)**: Active elevation strictly limited below 80°–90°. Elbows tucked below shoulder line during all rows and presses.
- **Lower Chain (Left Knee Osteotomy & Right Ankle)**: Braced on land. Max 45° shallow knee bend. Zero crouching or kneeling directly on unpadded surfaces.

Y-MED1: 20-Minute Posture, Scapula & Core Alignment

[MEDIUM]
Duration: 20–25 Minutes

Equipment Needed: Mat | Light Band

S1: 2m	S2: 3m	S3: 3m	S4: 4m	S5: 3m	S6: 5m


Step 1: Wall Angels (Partial Range)

Dosage: 2 mins

Instructional Cues:

- Elbows below shoulder line
- Chin tucked in neutral
- Back flat against wall

Source: Elbows below shoulder line, chin tucked.



SAFETY MANDATE: Do not elevate arms above 80°; keep chin tucked and cervical spine neutral.


Step 2: Scapular Retractions in Prone/Supported

Dosage: 3 mins

Instructional Cues:

- Squeeze shoulder blades together
- Neck neutral aligned with spine
- Forehead supported on pad

Source: Squeeze shoulder blades, keep neck neutral.



SAFETY MANDATE: Forehead grounded on pad; zero cervical extension or neck craning.


Step 3: Dead Bug (Arms Only or Heel Slides)

Dosage: 3 mins

Instructional Cues:

- Supine with spine grounded
- Brace abdominal wall
- No lumbar arching during movement

Source: Supine, brace abdominal wall, no lumbar arching.



SAFETY MANDATE: Head supported on mat; no cervical flexion or Pilates head curls.


Step 4: Glute Bridges

Dosage: 3 sets of 10 reps (4 mins)

Instructional Cues:

- Squeeze glutes at top
- Align knees over ankles
- Drive through heels

Source: Squeeze glutes at top, align knees over braced ankles.



SAFETY MANDATE: Do not hyperextend lumbar spine; ensure right ankle and left knee alignment.


Step 5: Heel Slides

Dosage: 3 mins

Instructional Cues:

- Slow controlled slide
- Maintain core brace
- Keep heel on floor

Source: Alternating slow controlled sliding.



SAFETY MANDATE: No knee twisting; keep toes pointing vertical to protect left osteotomy.


Step 6: Constructive Rest

Dosage: 5 mins

Instructional Cues:

- Bolster under knees
- Diaphragmatic breathing
- Spine unloaded on mat

Source: Bolster under knees, diaphragmatic breathing.



SAFETY MANDATE: Ensure cervical spine is fully supported in neutral.

Y-MED2: 30-Minute Spine & Pelvic Stability Flow

[MEDIUM]
Duration: 30 Minutes

Equipment Needed: Mat | Yoga Strap | Bolster

S1: 5m	S2: 5m	S3: 5m	S4: 5m	S5: 5m	S6: 5m


Step 1: Pelvic Tilts & Deep Transverse Holds

Dosage: 5 mins

Instructional Cues:

- Flatten lumbar curve gently into mat
- Engage transverse abdominis
- Rhythmic pelvic rocking

Source: Pelvic Tilts & Deep Transverse Holds: 5 mins.



SAFETY MANDATE: Pain-free arc only; keep head grounded without neck tension.


Step 2: Open Book Thoracic Mobilization

Dosage: 5 mins

Instructional Cues:

- Bolster between knees
- Rotate thoracic cage only
- Keep cervical spine locked neutral

Source: Side-lying with bolster between knees, rotate thoracic cage without twisting cervical spine.



SAFETY MANDATE: Cervical spine strictly locked neutral; head supported on pillow/block.


Step 3: Thread the Needle (Modified)

Dosage: 5 mins

Instructional Cues:

- Forearm-supported on pad
- Slide arm through within tolerance
- Padded knee cushion

Source: Forearm-supported, slide arm through within shoulder tolerance.



SAFETY MANDATE: Never kneel on hard floor; slide arm only within right shoulder tolerance (<80°).


Step 4: Supported Bridge Holds

Dosage: 5 mins

Instructional Cues:

- Yoga block under sacrum
- Rest lumbar spine passively
- Shoulders relaxed on mat

Source: Yoga block under sacrum, resting lumbar spine.



SAFETY MANDATE: Block positioned under sacrum, NOT lumbar vertebrae; neck neutral.


Step 5: Supine Strap Hamstring & Calf Release

Dosage: 5 mins

Instructional Cues:

- Strap around midfoot
- Gentle hamstring release
- Relax right shoulder

Source: Strap around midfoot, avoid pulling hard on right shoulder.



SAFETY MANDATE: Hold strap loosely; avoid pulling hard with right shoulder.


Step 6: Supported Savasana

Dosage: 5 mins

Instructional Cues:

- Bolster under knees
- Small head support
- Complete muscular release

Source: Supported Savasana: 5 mins.



SAFETY MANDATE: Full spine support; neutral cervical alignment.

Y-MED3: 40-Minute Restorative Decompression & Nerve Gliding

[MEDIUM-RESTORATIVE]
Duration: 40 Minutes

Equipment Needed: Mat | Bolster | 2 Blocks | Strap


S1: 8m	S2: 6m	S3: 6m	S4: 8m	S5: 5m	S6: 7m

Step 1: Constructive Rest & Diaphragmatic Breathwork

Dosage: 8 mins

Instructional Cues:
- Bolster under knees
- Hands on lower ribs
- Slow diaphragmatic expansion

Source: Constructive Rest & Diaphragmatic Breathwork: 8 mins.




SAFETY MANDATE: Head supported; neutral neck without pillow hyperflexion.

Step 2: Supine AROM Cervical Rotation & Deep Neck Flexor Tucks

Dosage: 6 mins

Instructional Cues:
- Micro chin tucks
- Gentle turns within pain-free arc
- Head rested on thin pad

Source: Micro-retractions, smooth gentle turns within pain-free arc.




SAFETY MANDATE: Small pain-free arc only; zero forced end-range rotation or extension.

Step 3: Median & Ulnar Nerve Sliders

Dosage: 6 mins

Instructional Cues:
- Gentle sliding movement
- Non-tension nerve flossing
- Shoulder below 80°

Source: Gentle non-tension nerve flossing, keeping shoulder below 80°.




SAFETY MANDATE: Keep shoulder strictly below 80°; stop immediately if tingling or burning develops.

Step 4: Supine Figure-Four with Strap Assistance

Dosage: 8 mins (4 mins per side)

Instructional Cues:
- Strap around thigh
- Ankle resting over opposite knee
- Offload piriformis tension

Source: 4 mins per side, offloading piriformis tension.



SAFETY MANDATE: Use strap to avoid arm pulling; protect braced left knee from twisting.


Step 5: Supported Sphinx Micro-Lifts (Prone on Forearms)

Dosage: 5 mins

Instructional Cues:

- Forearms flat on mat
- Gentle thoracic extension
- Neck strictly locked in neutral

Source: Only if cleared; neck strictly locked in neutral.



SAFETY MANDATE: Perform ONLY if cleared; neck locked neutral; no cervical extension.


Step 6: Acupressure Mat or Bolster Wind-Down

Dosage: 7 mins

Instructional Cues:

- Passive back unloading
- Deep slow breaths
- Nervous system relaxation

Source: Acupressure Mat or Bolster Wind-Down: 7 mins.



SAFETY MANDATE: Do not foam roll neck or lower back; passive decompression only.

Y-EXP1: 45-Minute Total Body Isometric Yoga & Pilates Hybrid

[EXPERT ISOMETRIC]
Duration: 45 Minutes

Equipment Needed: Mat | Heavy Resistance Band | Pilates Bar / Yoga Blocks


S1: 8m	S2: 10m	S3: 10m	S4: 8m	S5: 5m	S6: 4m

Step 1: Supine Isometric Core Bracing & Pelvic Clocks

Dosage: 8 mins

Instructional Cues:
- Isometric abdominal wall brace
- Micro-movements around pelvic clock
- Head flat on mat

Source: Supine Isometric Core Bracing & Pelvic Clocks: 8 mins.




SAFETY MANDATE: Head grounded; no neck craning or abdominal distension.

Step 2: Dead Bug Complex with Resistance Band

Dosage: 10 mins

Instructional Cues:
- Band looped on feet
- Alternate heel pushdowns
- Rigid lumbar stabilization

Source: Band looped on feet; alternate heel pushdowns with rigid lumbar stabilization.




SAFETY MANDATE: Keep lumbar spine flat against mat; head completely grounded.

Step 3: Supine Pilates Bar Leg Press

Dosage: 10 mins

Instructional Cues:
- Bar hooked into resistance cords
- Drive through heels
- Build quad strength safely

Source: Bar hooked into resistance cords, drive through heels to build quad strength without knee shearing.




SAFETY MANDATE: Knees do not bend past 45°-60°; no shearing force on left knee.

Step 4: Seated Wall Rows with Band

Dosage: 8 mins

Instructional Cues:
- Back against wall
- Row band into lower ribs
- Neck neutral against wall

Source: Back against wall, neck neutral, row band into lower ribs.



SAFETY MANDATE: Elbows tucked low below shoulder line; do not flare right elbow.


Step 5: Isometric Glute Bridge Holds with Adductor Block Squeeze

Dosage: 5 mins

Instructional Cues:

- Squeeze yoga block between knees
- Hold bridge at top
- Activate glutes and adductors

Source: Isometric Glute Bridge Holds with Adductor Block Squeeze: 5 mins.



SAFETY MANDATE: Keep knees aligned over braced ankles; no lumbar hyperextension.


Step 6: Final Supine Spinal Decompression

Dosage: 4 mins

Instructional Cues:

- Passive spinal elongation
- Bolster under knees
- Deep diaphragmatic breathing

Source: Final Supine Spinal Decompression: 4 mins.



SAFETY MANDATE: Full cervical and lumbar support; completely relaxed posture.

Y-EXP2: 60-Minute Comprehensive Spinal Rehabilitation & Kinetic Strength

[EXPERT STRENGTH & STABILITY]
Duration: 60 Minutes

Equipment Needed: Mat | Resistance Bands | Bolster | Blocks

S1: 10m	S2: 12m	S3: 15m	S4: 12m	S5: 11m


Step 1: Phase 1: Centering & Deep Neck Flexor Conditioning

Dosage: 10 mins

Instructional Cues:

- Supine chin tucks against light band
- Pelvic tilting coordination
- Deep neck flexor hold

Source: Supine chin tucks against light resistance, pelvic tilting, breath coordination.



SAFETY MANDATE: Light resistance only; head stays grounded; no neck flexion or straining.


Step 2: Phase 2: Scapulothoracic Complex

Dosage: 12 mins

Instructional Cues:

- Prone W-raises
- Scapular protraction/retraction
- Band pull-aparts below shoulder height

Source: Prone W-raises, scapula protraction/retraction drills, band pull-aparts below shoulder height.



SAFETY MANDATE: Arms strictly below shoulder height; forehead grounded on pad.


Step 3: Phase 3: Core & Lumbopelvic Crucible

Dosage: 15 mins

Instructional Cues:

- Banded dead bug
- Supported knee hovers on blocks
- Single-leg bridge pulses

Source: Banded dead bug variations, supported knee hovers (hands on elevated blocks), single-leg bridge pulses.



SAFETY MANDATE: Hands elevated on yoga blocks for wrist/shoulder relief; knee hovers 1-inch max.


Step 4: Phase 4: Hip & Lower Kinetic Chain Integration

Dosage: 12 mins

Instructional Cues:

- Side-lying banded clamshells
- Straight-leg abductions
- Braced knee and ankle

Source: Side-lying banded clamshells and straight-leg abductions (braced knee/ankle).



SAFETY MANDATE: Left knee and right ankle braced; do not roll pelvis backward.


Step 5: Phase 5: Passive Decompression & Myofascial Unloading

Dosage: 11 mins

Instructional Cues:

- Blocks supporting outer thighs
- Bolster under spine/knees
- Total myofascial unloading

Source: Reclined bound angle with blocks under thighs, constructive rest with bolster.



SAFETY MANDATE: Fully supported thighs prevents groin strain; cervical spine aligned.

CLINICAL GOVERNANCE & SAFETY DISCLAIMERS

1. This is appointment preparation and second-opinion context, not a clinical recommendation to act on independently. Discuss with your physiotherapist and neurosurgeon before making changes to your treatment.

2. Any changes to medication or pharmacological therapies must be reviewed, prescribed, and managed by your General Practitioner or managing specialist in consultation with a qualified pharmacist.

3. If you experience sudden severe motor weakness, progressive numbness, fever with joint swelling, or acute changes in bowel or bladder control, seek immediate emergency medical evaluation.