# RUMBLE OS • CLINICAL YOGA & TAI CHI SERIES

A4 Laminated Reference • Sheet 1: Beginner Mindful Floor Flows

SHEET 1 OF 6 • BEGINNER FLOWS

**Cervical ACDF C4–C7:** Strictly neutral spine; zero head extension or end-range rotation; supported neck roll.
**Left Knee Meniscal:** Knee flexion ≤45°; no unpadded floor kneeling; cushioned bolster under joints.
**Right Shoulder Impingement:** Active elevation ≤80°; elbows below clavicle; light band resistance only.

## Y-BEG1 Morning Gentle Reset — 10 min

**Intensity:** Beginner / Zero Impact **Equipment:** Mat, Bolster / Pillows **Target:** Lumbar decompression & circulation

| | | | |
|---|---|---|---|
| **Constructive Rest Position** | 3 min | **Supine Pelvic Tilts** | 3 min |
| Lie supine with bolster under knees. Hands on abdomen. Deep 4-7 diaphragmatic breathing. | | Inhale natural lumbar arch. Exhale flatten lumbar spine smoothly into mat without buttock lifting. 10 slow reps. | |
| **Alternating Heel Slides** | 2 min | **Diaphragmatic Centering Breath** | 2 min |
| Slowly extend right heel along floor, slide back. Repeat left. Keep pelvis completely level. | | Hands on lower ribs, 360° expansion, relaxing neck, jaw, and facial muscles. | |

## Y-BEG2 Restorative Hip & Lumbar Unwind — 20 min

**Intensity:** Beginner / Restorative **Equipment:** Mat, Bolster, Yoga Strap **Target:** Pelvic tightness & piriformis release

| | | | |
|---|---|---|---|
| **Supported Child's Pose** | 5 min | **Supine Single Knee-to-Chest** | 5 min |
| Wide knees, large bolster between thighs. Fold forward, chest and head resting comfortably. | | Hug right hamstring (avoid knee cap) towards chest. Hold 2.5 min per leg. Relax sacrum flat. | |
| **Supine Figure-Four with Strap** | 5 min | **Supported Savasana** | 5 min |
| Right ankle over left thigh. Loop strap under left thigh to gently assist. 2.5 min each side. | | Full supine rest with bolster under knees, arms at sides, palms facing upward. | |

## Y-BEG3 Full-Body Decompression & Downregulation — 30 min

**Intensity:** Beginner / Restorative **Equipment:** Mat, Bolster, Block, Small Pillow **Target:** Vagal tone & cervical relaxation

| | | | |
|---|---|---|---|
| **Constructive Rest with Vagal Breath** | 6 min | **Supine Cervical Rotation & Tucks** | 5 min |
| Bolster under knees. Inhale 4s through nose, smooth 7s exhale through soft pursed lips. | | 10 gentle chin retractions against mat; 10 slow comfortable head turns left/right. | |
| **Open Book Thoracic Mobilization** | 7 min | **Supported Bridge on Lowest Block** | 6 min |
| Side-lying with cushion between knees. Sweep top arm open across chest. 10 reps each side. | | Yoga block at lowest height under sacrum. Full pelvic weight supported, opening hips. | |
| **Legs-Elevated Wall Relaxation** | 6 min | | |
| Calves elevated onto couch or wall bolster. Hands on lower belly, relaxing lower back. | | | |

Form Reference • Supine Decompression & Hip Release Zero Impact • Clinical Alignment

Constructive Rest Position


Constructive Rest Position

- Bolster under knees
- Lumbar decompressed
- Hands on abdomen

Pelvic Tilts & Core Bracing

Pelvic Tilts & Core Bracing

- Gentle posterior tilt
- Transverse engaged
- No buttock lifting



Supported Child's Pose

- Bolster between thighs
- Chest supported
- Cervical spine neutral

Legs-Elevated Relaxation

Legs-Elevated Relaxation

- Calves on wall/couch
- Venous return
- Parasympathetic downshift

**Cervical ACDF C4–C7:** Strictly neutral spine; zero head extension or end-range rotation; supported neck roll.
**Left Knee Meniscal:** Knee flexion ≤45°; no unpadded floor kneeling; cushioned bolster under joints.
**Right Shoulder Impingement:** Active elevation ≤80°; elbows below clavicle; light band resistance only.

## TC-BEG1 Seated Mindful Energy & Breath Flow — 10 min

**Intensity:** Beginner / Seated**Equipment:** Sturdy Chair**Target:** Torso mobility & diaphragmatic sync

**Commencing Form / Opening Chest** — 3 min
Sit tall, feet grounded. Inhale float palms up to mid-chest with soft elbows. Exhale press down gently.

**Wave Hands Like Clouds (Seated)** — 4 min
Sweep right palm across torso while left rests low. Rotate through thoracic spine, neck neutral.

**Closing Circle / Harmonizing Qi** — 3 min
Sweep arms wide in gentle low arc. Bring palms together and sink towards lower dantian (navel).

## TC-BEG2 Supported Standing Balance & Kinetic Grounding — 20 min

**Intensity:** Beginner / Supported Standing**Equipment:** Sturdy Rail / Chair**Target:** Weight shifting & ankle stability

**Stance Alignment & Weight Shifting** — 6 min
Hands lightly touching rail or chair back. Shift 70% weight right, then left. Knees soft, no twist.

**Repulse the Monkey (Modified)** — 6 min
Touch rail with one hand. Step back softly heel-to-toe, push opposite palm forward below shoulder level.

**Brush Knee & Push (Supported)** — 5 min
Holding rail, shallow step forward with left foot. Sweep right hand in gentle push, spine vertical.

**Zhan Zhuang (Standing Like a Tree)** — 3 min
Both hands resting on rail. Tailbone gently tucked, crown reaching tall, diaphragmatic breath.

## TC-BEG3 Restorative Flow for Chronic Pain & Vitality — 30 min

**Intensity:** Beginner / Hybrid Seated & Standing**Equipment:** Sturdy Chair, Rail**Target:** Joint lubrication & somatic flow

**Gentle Joint Loosening (Neck Neutral)** — 6 min
Slow wrist circles, unweighted ankle circles, gentle backwards shoulder rolls. Avoid neck circles.

**Six Harmonies Upper Body Flow** — 8 min
Synchronize rising and sinking arm movements with breath, sinking traps away from ears.

**Tai Chi Slow Walking with Rail Support** — 8 min
Walk slowly along rail. Place heel first, roll through midfoot to toes, smooth deliberate weight transfer.

**Parting Wild Horse's Mane (Supported)** — 5 min
Light rail contact. Diagonal step, gently expand front arm across torso with bent elbow below shoulder.


**Calming the Waters (Closing Meditation)** — 3 min
Seated upright, hands resting over lower abdomen. Deep rhythmic belly breathing, releasing tension.

Form Reference • Seated & Supported Standing Tai Chi Zero Impact • Clinical Alignment



Seated Commencing Form

- Upright posture
- Palms rise to chest
- Sinking with breath



Seated Cloud Hands

- Thoracic rotation
- Neck stays centered
- Fluid arm glide

Supported Weight Shifting

Supported Weight Shifting

- Light rail support
- Knees soft & aligned
- 70/30 weight shift

Supported Brush Knee & Push

Supported Brush Knee & Push

- Shallow step forward
- Vertical torso alignment
- Low forward push

Supported Repulse Monkey

Supported Repulse Monkey

- Heel-to-toe step back
- Steady balance contact
- Gentle arm reach

Six Harmonies Fluid Flow

Six Harmonies Fluid Flow

- Depress shoulder blades
- Diaphragmatic rhythm
- Total somatic ease

**Cervical ACDF C4–C7:** Strictly neutral spine; zero head extension or end-range rotation; supported neck roll.
**Left Knee Meniscal:** Knee flexion ≤45°; no unpadded floor kneeling; cushioned bolster under joints.
**Right Shoulder Impingement:** Active elevation ≤80°; elbows below clavicle; light band resistance only.

## Y-MED1 Posture, Scapula & Core Alignment — 25 min

**Intensity:** Medium **Equipment:** Mat, Light Band, Wall **Target:** Scapular retractions & neutral core

**Wall Angels (Partial Range)** — 2 min
Stand against wall, lumbar flat, chin tucked. Slide arms keeping elbows below 90°.

**Supported Scapular Retractions** — 3 min
Standing or seated upright. Squeeze shoulder blades together and down without shrugging.

**Dead Bug (Arms Only / Heel Slides)** — 3 min
Supine, knees bent, core braced. Alternate gentle arm raises or heel slides without arching lower back.

**Glute Bridges** — 4 min
3 sets of 10 reps. Drive through heels, lift hips into neutral alignment, squeeze glutes at top.

**Alternating Heel Slides** — 3 min
Controlled leg extension along mat. Keep pelvis level and transverse abdominis engaged.

**Constructive Rest** — 5 min
Supine with bolster under knees. Slow diaphragmatic breathing for parasympathetic reset.

## Y-MED2 Spine & Pelvic Stability Flow — 30 min

**Intensity:** Medium **Equipment:** Mat, Strap, Bolster, Block **Target:** Thoracic mobility & lumbar unloading

**Pelvic Tilts & Transverse Holds** — 5 min
Supine, knees bent. Alternating gentle posterior pelvic tilts with 5-second core brace holds.

**Open Book Thoracic Mobilization** — 5 min
Side-lying, bolster clamped firmly between knees. Sweep top arm open; neck stays aligned.

**Thread the Needle (Modified Forearm)** — 5 min
Cushioned quadruped or seated. Slide arm through without collapsing shoulder or twisting cervical spine.

**Supported Bridge Holds** — 5 min
Yoga block at lowest height under sacrum. Rest full pelvic weight into block to decompress discs.

**Supine Strap Hamstring & Calf Release** — 5 min
Loop strap around ball of foot. Extend leg gently upwards without straining grip. 2.5 min each leg.

**Supported Savasana** — 5 min
Mat rest with bolster under knees and small cervical support roll under neck.

## Y-MED3 Restorative Decompression & Nerve Gliding — 40 min

**Intensity:** Medium-Restorative **Equipment:** Mat, Bolster, Blocks, Strap **Target:** C7–T1 neurodynamic sliding & hip ease

**Constructive Rest & Breathwork** — 8 min
Supine with knees over bolster. 4-second inhale into belly, 6-second slow exhale.

**Supine Cervical Rotation & Tucks** — 6 min
Micro-retractions against mat (10 reps); gentle rotation left/right within 50% comfortable arc.


**Upper Limb Neurodynamic Sliders** — 6 min
Gentle nerve flossing with elbow flex/extension and wrist gliding below 80° elevation.

**Supine Figure-Four with Strap** — 8 min
Cross ankle over opposite knee. Loop strap around hamstring to draw gently. 4 min per side.

**Supported Sphinx Micro-Lifts** — 5 min
Prone, forearms grounded. Lift sternum fraction of an inch; cervical spine rigid and aligned with back.

**Acupressure Mat Wind-Down** — 7 min
Supine on acupressure mat with bolster under knees. Deep relaxed breathing.

Form Reference • Scapular Alignment & Neurodynamics Zero Impact • Clinical Alignment



Wall Angels Partial Range

- Back flat to wall
- Chin tucked in neutral
- Elbows below 90°



Glute Bridges Neutral

- Drive through heels
- Neutral hip extension
- Transverse brace





Open Book Thoracic Flow

- Bolster between knees
- Sweep top arm open
- Head supported




Thread the Needle Modified

- Forearm on block/mat
- Gentle thoracic slide
- Neck aligned



Supported Sphinx Micro-Lifts

- Forearms grounded
- Micro-chest lift
- Cervical spine rigid



Neurodynamic Sliders

- Elbow/wrist glide
- Arm below 80°
- Zero stretch pain

**Cervical ACDF C4–C7:** Strictly neutral spine; zero head extension or end-range rotation; supported neck roll.
**Left Knee Meniscal:** Knee flexion ≤45°; no unpadded floor kneeling; cushioned bolster under joints.
**Right Shoulder Impingement:** Active elevation ≤80°; elbows below clavicle; light band resistance only.

## Y-EXP1 Total Body Isometric Yoga & Pilates Hybrid — 45 min

**Intensity:** Expert Isometric**Equipment:** Mat, Bands, Pilates Bar, Blocks**Target:** High tension without spinal flexion

**Supine Core Bracing & Pelvic Clocks** — 8 min
Deep transverse abdominis engagement in 12-to-6 and 3-to-9 o'clock pelvic tilt patterns.

**Dead Bug Complex with Resistance Band** — 10 min
Band looped around feet, strict 90° hip angle. Press heel down against band while stabilizing core.

**Supine Pilates Bar Leg Press** — 10 min
Supine, feet in resistance cords of Pilates bar. Press away extending knees; quad/glute strength without knee shear.

**Seated Low Rows with Band** — 8 min
Sit tall against wall, band looped around feet. Row handles to lower ribs, elbows tucked low and back.

**Supported Bridge Holds with Block Squeeze** — 5 min
Yoga block between knees. Bridge up, isometric squeeze to recruit adductors and deep pelvic floor.

**Final Supine Decompression** — 4 min
Bolster under knees, complete passive recovery and parasympathetic downshift.

## Y-EXP2 Comprehensive Spinal Rehab & Kinetic Strength — 60 min

**Intensity:** Expert Strength & Stability**Equipment:** Mat, Bands, Bolster, Blocks, Dumbbells**Target:** 5-phase kinetic chain reinforcement

**Phase 1: Deep Neck Flexor & Scapula** — 10 min
Supine isometric chin tucks (3x10 reps, 5s hold); prone W-raises with forehead on block (3x12).

**Phase 2: Scapulothoracic & Band Complex** — 12 min
Band pull-aparts below shoulder height (3x15); 30° dumbbell shrugs (3x10); banded rotator cuff rotations.

**Phase 3: Core & Lumbopelvic Crucible** — 15 min
Banded Dead Bug with contralateral resistance (3x12); quadruped knee hovers 1 inch off mat (3x30s); bridge pulses.

**Phase 4: Hip & Lower Kinetic Integration** — 12 min
Side-lying banded clamshells (left knee braced, 3x15); straight-leg abductions; supine single-leg pushdowns.

**Phase 5: Decompression & Unloading** — 11 min
Reclined Bound Angle Pose with blocks under thighs (5 min); constructive rest with bolster (6 min).

Form Reference • Isometric Core & Kinetic Conditioning Zero Impact • Clinical Alignment


Pelvic Clocks & Core Bracing


Pelvic Clocks & Core Bracing

- Transverse engagement
- 12-6 / 3-9 tilts
- Sustained stability


Dead Bug Complex with Band


Dead Bug Complex with Band

- Foot band resistance
- 90° hip angle
- Zero lumbar extension



Pilates Bar Supine Leg Press

- Supine cord resistance
- Zero knee joint shear
- Closed-chain quad drive



Seated Low Wall Rows

- Upright wall support
- Band around feet
- Low elbow retraction



Deep Neck Flexor Retractions

- Supine retractions
- Forehead on block
- Neutral stabilization



Scapulothoracic Band Complex

- Pull-aparts below shoulder
- Low shrugs (1-2kg)
- Rotator cuff glide

**Cervical ACDF C4–C7:** Strictly neutral spine; zero head extension or end-range rotation; supported neck roll.
**Left Knee Meniscal:** Knee flexion ≤45°; no unpadded floor kneeling; cushioned bolster under joints.
**Right Shoulder Impingement:** Active elevation ≤80°; elbows below clavicle; light band resistance only.

## y1 Gentle Lumbar Release — 15 min

**Intensity:** Gentle Restorative**Equipment:** Mat / Bed, Bolster**Target:** Lumbar decompression & facet ease

| | | | |
|---|---|---|---|
| **Supine Pelvic Tilts** | 3m 45s | **Supported Child's Pose** | 3m 45s |
| Flatten lower back against mat on exhale, gentle arch on inhale. | | Widen knees, rest torso forward on bolster, lengthen spine. | |
| **Supine Single Knee-to-Chest** | 3m 45s | **Restorative Savasana with Bolster** | 3m 45s |
| Gently hug right knee, then left knee. Keep sacrum grounded. | | Place bolster under knees to release psoas and lumbar pressure. | |

## y2 Cervical Mobility Flow — 10 min

**Intensity:** Gentle Restorative**Equipment:** Chair / Mat**Target:** Axial neck retractions & trap relaxation

| | | | |
|---|---|---|---|
| **Seated Axial Retraction** | 2m 30s | **Gentle Lateral Ear-to-Shoulder** | 2m 30s |
| Gently draw chin backwards creating double chin, lengthening back of neck. | | Drop right ear to right shoulder without lifting opposite shoulder. Repeat left. | |
| **Shoulder Shrug & Release** | 2m 30s | **Restorative Alignment Breathing** | 2m 30s |
| Inhale lift shoulders towards ears, exhale drop down with a sigh. | | Sit upright, focus on diaphragmatic 360 breathing relaxing neck muscles. | |

## y3 Full Body Restorative Yin — 25 min

**Intensity:** Gentle Restorative**Equipment:** Mat, Bolster, Blocks**Target:** Nervous downshift & passive mobility

| | | | |
|---|---|---|---|
| **Supported Reclined Bound Angle** | 6m 15s | **Gentle Cat-Cow Spine Wave** | 6m 15s |
| Feet together, knees supported by pillows/blocks, hands on abdomen. | | Flow gently with breath, avoiding end-range lumbar/cervical extremes. | |
| **Supported Gentle Sphinx** | 6m 15s | **Legs Up the Wall Relaxation** | 6m 15s |
| Rest elbows on mat, gentle passive thoracic extension, neck neutral. | | Elevate legs against wall to facilitate venous return and decompression. | |

## y4 Shoulder & Thoracic Opener — 20 min

**Intensity:** Adaptive Mobility**Equipment:** Mat, Strap**Target:** Mid-back & pectoral expansion

| | | | |
|---|---|---|---|
| **Thread the Needle** | 5 min | **Puppy Pose Thoracic Stretch** | 5 min |
| Slide right arm under torso, rest right shoulder and temple on cushion/mat. | | Hips stay over knees, walk hands forward melting chest towards floor. | |
| **Seated Cactus Arm Openers** | 5 min | **Scapular Retraction & Rest** | 5 min |
| Draw elbows back and down, opening anterior chest wall without neck strain. | | Rest in prone or seated, focusing on mid-back diaphragmatic expansion. | |

## y5 Hip Flexor & Psoas Flow — 15 min

**Intensity:** Adaptive Mobility**Equipment:** Mat, Cushion, Strap**Target:** Anterior hip release & pelvic tilt

| | | | |
|---|---|---|---|
| **Low Kneeling Lunge** | 3m 45s | **90/90 Seated Hip Flow** | 3m 45s |
| Step foot forward onto cushion, tuck tailbone, stretch anterior hip flexor. | | Rotate knees side to side gently to mobilize internal and external hip rotation. | |
| **Gentle Reclined Figure-4** | 3m 45s | **Savasana Psoas Rest** | 3m 45s |
| Cross right ankle over left thigh, hold left hamstring gently with strap. | | Lie flat with bolster under knees, gentle diaphragmatic expansion. | |

Form Reference • Daily Restorative & Mobility Flows Zero Impact • Clinical Alignment



Supine Pelvic Tilts

- Pelvic flattening
- Deep core brace
- Relaxed upper spine



Cervical Chin Tuck

- Axial retraction
- Lengthen neck back
- Gaze forward




Gentle Cat-Cow Flow

- Segmental wave
- Avoid end-ranges
- Diaphragmatic rhythm




Cactus Arm Expansion

- Elbows at 90°
- Scapular squeeze
- Chest opening




Reclined Figure-Four

- Ankle over thigh
- Piriformis release
- Sacrum grounded

**Cervical ACDF C4–C7:** Strictly neutral spine; zero head extension or end-range rotation; supported neck roll.
**Left Knee Meniscal:** Knee flexion ≤45°; no unpadded floor kneeling; cushioned bolster under joints.
**Right Shoulder Impingement:** Active elevation ≤80°; elbows below clavicle; light band resistance only.

## y6 Morning Spine Awakening — 15 min

**Intensity:** Adaptive Mobility**Equipment:** Mat, Blocks**Target:** Multi-planar spinal lubrication

**Cat-Cow Spine Awakening** — 3m 45s
Coordinate slow spinal flexion and extension with deep breathing.

**Gentle Side Body Child's Pose** — 3m 45s
Walk hands to the right in child's pose, then left.

**Gentle Supine Torso Twist** — 3m 45s
Drop knees gently to right, look center or left. Keep shoulders relaxed.

**Restorative Prone Rest** — 3m 45s
Rest face down on hands, allowing spine to settle in neutral.

## y7 Chair Yoga Desk Decompression — 10 min

**Intensity:** Gentle Restorative**Equipment:** Sturdy Chair**Target:** Zero-floor desk interval relief

**Seated Cat-Cow** — 2m 30s
Hands on knees, inhale arch chest forward, exhale round mid-back gently.

**Seated Figure-4 Hip Opener** — 2m 30s
Ankle on opposite knee, lean gently forward with straight back.

**Seated Upper Trapezius Drop** — 2m 30s
Hold chair base with right hand, tilt head gently to left.

**Seated Chest Expansion** — 2m 30s
Interlace hands behind lower back or chair frame, gently lift collarbones.

## y8 Vagus Nerve & Restorative Breath — 15 min

**Intensity:** Gentle Restorative**Equipment:** Mat, Towel**Target:** Parasympathetic vagal activation

**4-7-8 Parasympathetic Breathing** — 3m 45s
Inhale 4s through nose, hold 7s, smooth exhale 8s through pursed lips.

**Suboccipital Massage with Towel** — 3m 45s
Rest base of skull on rolled towel, gentle micro-turns of head.

**Oculomotor Vagal Reset** — 3m 45s
Keep head straight, look fully right for 30s until swallow/sigh, then left.

**Gentle Heart-Belly Grounding** — 3m 45s
One hand on heart, one on belly. Feel warmth and parasympathetic calm.

## y9 Hamstring & Posterior Chain Release — 15 min

**Intensity:** Adaptive Mobility**Equipment:** Mat, Strap**Target:** Fascial release without disc flexion

**Supine Strap Leg Extension** — 3m 45s
Loop strap under right foot, extend leg upward keeping pelvis flat.

**Gentle IT Band Cross-Body** — 3m 45s
Draw straight leg slightly across midline (2-3 inches max).

**Reclined Hamstring Flutter** — 3m 45s
Gentle micro-bends and straightening of knee to desensitize sciatic nerve.

**Restorative Leg Rest** — 3m 45s
Rest legs long on mat, noticing length through lower back.

## y10 Evening Restorative Wind-Down — 20 min

**Intensity:** Gentle Restorative**Equipment:** Bed / Mat, Bolster**Target:** Parasympathetic sleep induction

**Wide Knee Child's Pose** — 5 min
Allow belly to soften between thighs, long slow exhales.

**Supported Bridge Pose** — 5 min
Block or pillow under sacrum, arms relaxed at sides or low chest.

**Supine Spinal Twist with Pillow** — 5 min
Pillow between knees, slow gentle twist to each side.

**Corpse Pose Deep Relaxation** — 5 min
Complete still surrender into mattress or mat, releasing all guarding.

Form Reference • Spinal Awakening & Evening Wind-Down Zero Impact • Clinical Alignment




Bird Dog Stabilization

- Contralateral reach
- Neutral lumbar core
- Controlled cadence



Chair Seated Cat-Cow

- Chest expands on inhale
- Gentle round on exhale
- Spine lubricated



Chair Chest Expansion

- Hands grip chair back
- Shoulders depressed
- Collarbones lifted



Chair Seated Figure-Four

- Ankle over knee
- Straight torso lean
- Gluteus stretch



Chair Trapezius Drop

- Grip seat edge
- Gentle lateral tilt
- Upper trap release



Restorative Savasana

- Full body surrender
- Bolster under knees
- Vagus nerve reset