


DEMO ASP.NET MVC (.NET FRAMEWORK)

BY Trung Pham

Web application architecture using the MVC pattern (chap6-architecture)



Create a new ASP.NET Web Application



Empty

An empty project template for creating ASP.NET applications. This template does not have any content in it.



Web Forms

A project template for creating ASP.NET Web Forms applications. ASP.NET Web Forms lets you build dynamic websites using a familiar drag-and-drop, event-driven model. A design surface and hundreds of controls and components let you rapidly build sophisticated, powerful UI-driven sites with data access.



MVC

A project template for creating ASP.NET MVC applications. ASP.NET MVC allows you to build applications using the Model-View-Controller architecture. ASP.NET MVC includes many features that enable fast, test-driven development for creating applications that use the latest standards.



Web API

A project template for creating RESTful HTTP services that can reach a broad range of clients including browsers and mobile devices.



Single Page Application

A project template for creating rich client side JavaScript driven HTML5 applications using ASP.NET Web API. Single Page Applications provide a rich user experience which includes client-side interactions using HTML5, CSS3, and JavaScript.

Authentication

None

Add folders & core references

- ☒ Web Forms
- ☒ MVC
- ☐ Web API



Advanced

- ☒ Configure for HTTPS
- ☐ Docker support
(Requires [Docker Desktop](#))
- ☐ Also create a project for unit tests

T6C1.WebMVC.Tests


Back

Create




Welcome to MVC lecture.

```
}  
0 references  
public string student()  
{  
    return "Welcome to MVC lecture.";  
}
```



Welcome to MVC lecture.



Welcome ThuyTien to MVC lecture.

0 references

```
public string studentInfo(string stName)
```

```
{
```

```
    return "Welcome " + stName + " to MVC lecture.";
```

```
}
```

```
}
```

```

class="navbar navbar-inverse navbar-fixed-top">


```

<div class="navbar-collapse collapse">
<ul class="nav navbar-nav">
@Html.ActionLink("Home", "Index", "Home")
@Html.ActionLink("About", "About", "Home")
@Html.ActionLink("Contact", "Contact", "Home")
@Html.ActionLink("StudentList", "student", "Home")

</div>
</div>
<div class="container body-content">
RenderBody()
</div>

```



24/03/2023



ASP.NET MVC (.Net Framework) by P.T.K.T



6


```



```
public ActionResult student()
```

```
{
```

```
    ViewBag.Message= "Welcome to MVC lecture.";
```

```
    return View();
```

```
}
```



Add View

View name:

student

Template:

Empty (without model)

Model class:

student.cshtml | _Layout.cshtml | HomeController.cs | T6C1.WebMVC: Overview

1
2
3
4
5
6
7
8
9
10
11
12

@{
 ViewBag.Title = "student";
}

<h2>student system</h2>
<p>
 My name is Tien. I have Mr Trung because he make me boring
 during his lecture. He also makes me sleepy all the time.
</p>

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'T6C1.WebMVC' (1 of 1 project)
T6C1.WebMVC
 Connected Services
 Properties
 References
 App_Data
 App_Start
 BundleConfig.cs
 FilterConfig.cs
 RouteConfig.cs
 Content
 Controllers
 HomeController.cs
 fonts
 Models
 Scripts
 Views
 Home
 About.cshtml
 Contact.cshtml
 Index.cshtml
 student.cshtml
 Shared
 _Layout.cshtml
 Error.cshtml

- [-] LabDB
 - [+] Database Diagrams
 - [-] Tables
 - [+] System Tables
 - [+] FileTables
 - [+] External Tables
 - [+] Graph Tables
 - [+] dbo.AUTHOR
 - [+] dbo.BOOK
 - [+] dbo.CATEGORY
 - [+] **dbo.Department**
 - [+] **dbo.Dependent**
 - [+] **dbo.Employee**
 - [+] dbo.MEASUREMENT
 - [+] dbo.MEASUREMENTDATA
 - [+] dbo.MOVIE
 - [+] dbo.PUBLISHER
 - [-] **dbo.students**
 - [+] Columns
 - [+] Keys
 - [+] Constraints
 - [+] Triggers
 - [+] Indexes
 - [+] Statistics
 - [+] dbo.tblUsers
 - [+] Views
 - [+] External Resources
 - [+] Synonyms
 - [+] Programmability
 - [+] Service Broker



```
SELECT * FROM [Department]
SELECT * FROM [Employee]
```



300 %

Results Messages

	DName	DNumber	Mgrssn	MgrStartdate
1	Headquarters	1	888665555	2020-10-21 00:00:00.000
2	Finanace	2	123456789	2020-10-20 00:00:00.000
3	Administration	4	987654321	2022-10-01 00:00:00.000
4	Research	5	123456789	2022-10-24 00:00:00.000
5	Human Resources	6	999887777	2022-10-25 00:00:00.000
6	Manufacturing	7	212142102	2022-10-01 00:00:00.000
7	Production	8	888665555	2022-10-25 00:00:00.000

	FName	MInit	LName	SSN	BDate	Address	Sex	Salary	SuperSSN	DNo
1	Cong	K	Nguyen	11112222	2000-01-01 00:00:00.000	HCMC	M	1000000.00	212142102	5
2	John	B	Smith	123456789	1955-01-09 00:00:00.000	Houston TX, USA	M	30000.00	333445555	5
3	Trung	A	Pham	212142102	1981-01-01 00:00:00.000	Cao Oc Hung Phat	M	100000.00	987654321	7
4	Khoi	T	Tran	321321321	2020-01-01 00:00:00.000	HCMC	M	2000000.00	212142102	5
5	Franklin	T	Wong	333445555	1945-12-08 00:00:00.000	Houston TX	M	40000.00	888665555	5
6	Joyce	A	English	453453453	1962-07-31 00:00:00.000	Houston TX	F	25000.00	333445555	5
7	Rame...	K	Naray...	666884444	1952-09-15 00:00:00.000	Humble TX	M	38000.00	333445555	5
8	James	E	Borg	888665555	1927-11-10 00:00:00.000	Houston TX	M	55000.00	NULL	1





Entity Data Model Wizard



Choose Model Contents

What should the model contain?



EF Designer
from
database



Empty EF
Designer
model



Empty Code
First model



Code First
from
database

Creates a model in the EF Designer based on an existing database. You can choose the database connection, settings for the model, and database objects to include in the model. The classes your application will interact with are generated from the model.

< Previous

Next >

Finish

Cancel

Connection Properties

Enter information to connect to the selected data source or click "Change" to choose a different data source and/or provider.

Data source:
Microsoft SQL Server (SqlClient) Change...

Server name:
(local)\SQL2017 Refresh

Log on to the server

Authentication: Windows Authentication

User name:

Password:

☐ Save my password

Connect to a database

☒ Select or enter a database name:
LabDB

☐ Attach a database file:
 Browse...

Logical name:

Advanced...

Test Connection

OK

Cancel

Log on to the server

Authentication: Windows Authentication

User name: SQL Server Authentication

Password: Active Directory Password Authentication

☐ Save my password

Connect to a database

☒ Select or enter a database name:

Study SQL Server Authentication



Choose Your Database Objects and Settings

Which database objects do you want to include in your model?

- ☒ dbo
- ☐ AUTHOR
 - ☐ BOOK
 - ☐ CATEGORY
 - ☒ Department
 - ☒ Dependent
 - ☒ Employee
 - ☐ MEASUREMENT
 - ☐ MEASUREMENTDATA
 - ☐ MOVIE
 - ☐ PUBLISHER
 - ☐ students
 - ☐ sysdiagrams
 - ☐ tblUsers

☒ Pluralize or singularize generated object names☒ Include foreign key columns in the model☒ Import selected stored procedures and functions into the entity model

Model Namespace:


LabDBModel

< Previous

Next >



Finish

Cancel




Right click to update Models.


Remember: Build Solution to integrate Model





After add models, build solution. then add Controller and View



Add New Scaffolded Item




After adding Controller and View then you can see them on the right-hand side




Add menu HRMs , return HRMs View on Home Controller

```
<div class="navbar-collapse collapse">
  <ul class="nav navbar-nav">
    <li>@Html.ActionLink("Home", "Index", "Home")</li>
    <li>@Html.ActionLink("About", "About", "Home")</li>
    <li>@Html.ActionLink("Contact", "Contact", "Home")</li>
    <li>@Html.ActionLink("StudentList", "student", "Home")</li>
    <li>@Html.ActionLink("HRMs System", "HRMs", "Home")</li>
  </ul>
</div>
div>
class="container body-content">
  <div>
```



```
}
0 references
public ActionResult HRMs()
{
    ViewBag.Message = "Welcome to MVC lecture.";
    return View();
}
```



Add link on HRMs page


The screenshot displays the Visual Studio IDE with the `HRMs.cshtml` file open in the editor. The code is as follows:

```
1  @{
2      ViewBag.Title = "HRMs";
3  }
4  <h2> HRMs</h2>
5  <div>
6      <div>
7          @Html.ActionLink("Deparment List", "Index", "Departments")
8      </div>
9      <div>
10         @Html.ActionLink("Employee List", "Index", "Employees")
11     </div>
12 </div>
```

The Solution Explorer on the right shows the project structure. The `HRMs.cshtml` file is highlighted with a red box. The project structure includes:

- App_Data
- App_Start
 - BundleConfig.cs
 - FilterConfig.cs
 - RouteConfig.cs
- Content
- Controllers
 - DepartmentsController.cs
 - EmployeesController.cs
 - HomeController.cs
- fonts
- Models
 - LabDB.edmx
- Scripts
- Views
 - Departments
 - Employees
 - Home
 - About.cshtml
 - Contact.cshtml
 - HRMs.cshtml**
 - Index.cshtml
 - student.cshtml
 - Shared
 - _Layout.cshtml
 - Error.cshtml
 - _ViewStart.cshtml
- Web.config

Overall Website



Enjoy 😊 .

Email: @PTKTRUNG