

TEMPLATES FOR PI

Date: 15.10.2025 Version nr 3

Notes created by: Thunderdarks

Thanks to:

Sources: Eve Uni, Korai Iarok for his Material Diagrams.


Scope: Share PI templates with others with minimal explanations. This is not a beginner's guide.

1) My skills doing PI and making and using the templates:

Command Centre Upgrades	5
Interplanetary Consolidation	5
Advanced Planetology	4
Planetology	4
Remote Sensing	3

2) How to use the template ZIP file.

PI templates reside in an Eve online catalogue at our PC with path
`/users/<user>/Documents/Eve/PlanetaryInteractionTemplates`. You can extract the ZIP to any location. Then you can move the templates you need.



Factory - P2-P4 Organic Mortar Applicators (1).json	03.07.2025 21:27	JSON File
Factory - P2-P4 Recursive Computing Module (1).json	03.07.2025 21:28	JSON File
Factory - P2-P4 Wetware Mainframe (1).json	03.07.2025 20:22	JSON File
P0-P1 Industrial Fibers (1).json	03.07.2025 11:48	JSON File
P0-P1 Industrial Fibers (2).json	03.07.2025 12:13	JSON File
P0-P1 Oxidizing Compound (1).json	03.07.2025 11:56	JSON File

Figure 1 Templates have an explanatory name.

Extract it all:

- 3) On your PC, Navigate to
`/users/<user>/Documents/Eve/PlanetaryInteractionTemplates`
- 4) Unzip and paste all json files in the folder above.
- 5) Refresh your templates menu in game.
- 6) P0->P2 colonies must be set up on correct planet. Check the PDF file for what planet needed to have both P0 resources.

EG: Genetical Enhanced Livestock (P2) need P0 Complex Organisms and P0 Planktic Colonies. These 2 resources only exist on Oceanic planets. In fig 2, you can see the blue square with an O inside it. Indicating Oceanic.

- 7) P2->P4 factories factory templates can only be used on Barren and Temperate planets.




Figure 2 Only Oceanic planets have 2xP0 for Genetic Enhanced Livestock.




Figure 3 You need to import the right pi materials into the correct Launchpad. This one need Biocells and Silicatre class to the Launchpad to the right.

- 8) Some P1 materials need to be made on 2 separate planets for P2 materials. Example of this is Microfiber Shielding, Polyaramids and Silicate Glass. There are therefore separate templates for making the P0 -> P1 materials for shies P2 materials. You need check what the P0->P1 template make and put it on the right planet type.




Figure 4 Put P0->P1 template on correct planet. To the right is a factory making P2 from P1 materials. In this case Microfiber Shielding. There are 2x Launchpads, so you need to put the correct material into them, so it matches the routing.

- 9) There is a good article called Colony management made by Eve Uni. This article is attached as PDF file. The chapter in this context other than that the article is excellent is: **One Planet P0>P2 - Command Center Upgrades V**. It goes on with:

We will assume that, after setting up the above 5 times, that by the time someone has trained Command Center Upgrades V they have a solid understanding of how the process works. Command Center Upgrades V allows us to add 2 additional Basic Industry Facilities and 1 additional Advanced Industrial Facility. This will increase the productivity of the Planet by 33%. To achieve maximum efficiency, the Extractor Control Units will need to be running at **18,000 Units per Hour** to keep up with the increased demand. You will likely need to drop to 3 Extractor Heads on one resource to have enough space to fit the Advanced Industrial Facility. With some re-positioning of the Extractor Control Units closer to the main site, you can free up some fitting space by reducing the lengths of the links between the Extractor Control Units and the Storage Facility, which should allow you to place that fourth Extractor Head back out. It takes a little effort to get the positioning right and can be fiddly, but at an increase of 33% it definitely is worth the added effort. Place the two addition Basic Industrial

Facility first, then the Advanced Industrial Facility so that the P0 resources do not run into the transit limit between structures

- 10) *Place the template is such a way that extractors have access to both P0 resources. Don't spend your cpu on moving them out.*




Figure 5 Putt the P0-> P2 template to that the extractors have access to both P0 materials.

Regards
Thunderdarks