FPT Education

FPT UNIVERSITY

CAPSTONE PROJECT REPORT

Report 6 – Software User Guides

– Cantho, August 2026 –

Table of Contents

I. Record of Changes 11
II. Release Package & User Guides 12
1. Deliverable Package 12
2. Installation Guides 12
2.1 System Requirements 12
2.2 Installation Web Instruction 14
2.3. Installation Moblie app Instruction 74
2.4 Post-Installation Notes 78
3. User Manual 79
3.1 Overview 79
3.2. System configures 79
3.3. Register and Screening 109
3.4. Diagnoses 119
3.5. Intervention 134
3.6. Post-Intervention 168
3.7 Administrator create CARS and PEP-3 assessment tool 176
3.8. Extended dashboard management. 182

Table of Figures

Figure 1 .Search “git download” 14
Figure 2 .“git download” nagivate 14
Figure 4 ,Check system type (2/2) 15
Figure 5 . Download Git (1/2) 16
Figure 6 . Download Git (2/2) 16
Figure 7 .Install Git (1/15) 17
Figure 8 .Install Git (2/15) 17
Figure 9 .Install Git (3/15) 18
Figure 10 .Install Git (4/15) 18
Figure 11 .Install Git (5/15) 19
Figure 12 .Install Git (6/15) 19
Figure 13 .Install Git (7/15) 20
Figure 14 .Install Git (8/15) 20
Figure 15 .Install Git (9/15) 21
Figure 16 .Install Git (10/15) 21
Figure 17 .Install Git (11/15) 22
Figure 18 .Install Git (12/15) 22
Figure 19 .Install Git (13/15) 23
Figure 20 .Install Git (14/15) 23
Figure 21 .Install Git (15/15) 24
Figure 22 . Finish installing Git 24
Figure 23 . Find “docker desktop for windows” 25
Figure 24 . Docker navigation 25
Figure 25 . Dowload Docker Deskstop 26
Figure 26 . Open Docker Desktop downloads file (1/2) 26
Figure 27 . Open Docker Desktop downloads file (2/2) 27
Figure 28 . Install Docker Desktop (1/3) 27
Figure 29 . Install Docker Desktop (2/3) 28
Figure 30 . Install Docker Desktop (3/3) 28
Figure 31 . Create new folder 29
Figure 32 . Name new folder 29
Figure 33 . Create new sub-folder 30
Figure 34 . Name new sub-folder 30
Figure 35 . Open command tab 31
Figure 36 . Clone project (1/3) 31
Figure 37 . Clone project (2/3) 32
Figure 38 . Clone project (3/3) 32
Figure 39 . Create environment sub-folder 33

Figure 40 .Name environment sub-folder 33
Figure 41 . Enivrement files 34
Figure 42 . Find "Notepad++" 34
Figure 43 . Download Notepad++ navigation 35
Figure 44 . Dowload notepad++ (1/3) 35
Figure 45 .Dowload notepad++ (2/3) 36
Figure 46 .Dowload notepad++ (3/3) 36
Figure 47 . Open Notepad++ installer 37
Figure 48 . Choose to install language 37
Figure 49 . Install notepad++ (1/5) 38
Figure 50 . Install notepad++ (2/5) 38
Figure 51 . Install notepad++ (3/5) 39
Figure 52 . Install notepad++ (4/5) 39
Figure 53 .Install notepad++ (5/5) 40
Figure 54 . Open edit Notepad++ 40
Figure 55 . evn file 41
Figure 56 . Find Cloudflare 41
Figure 57 . “Cloudflare: Build for the agent era” navigation 42
Figure 58 . Login Cloudflar 42
Figure 59 . Cloudflare landing page 43
Figure 60 . Create Plan 43
Figure 61 .Plan tiers 44
Figure 62 . Active plan 44
Figure 63 . Authorizing 45
Figure 64 . Continue creating plan 45
Figure 65 . Navigate "Tunnel & Math" tab 46
Figure 66 . Creating a tunnel 46
Figure 67 ."Select cloudflared" 47
Figure 68 . Create tunnel (1/6) 47
Figure 69 . Create tunnel (2/6) 48
Figure 70 . Create tunnel (3/6) 48
Figure 71 . Create tunnel (4/6) 49
Figure 72 . Create tunnel (5/6) 49
Figure 73 . Create tunnel (6/6) 50
Figure 74 . Create tunnel successfully 50
Figure 75 . "Add a connector" 51
Figure 76 . Select Docker 51
Figure 77 . Connector token 52
Figure 78 . PayOS dashboard 52
Figure 79 . Create payment channel 53

Figure 80 . Setup payment 53
Figure 81 . Confirm notification 54
Figure 82 . Apply variable 54
Figure 83 . Find “google console” 55
Figure 84 . “Google console” navigation 55
Figure 85 Google cloud landing page 56
Figure 86 . Creating new project 56
Figure 87 . Create project 57
Figure 88 . Create project successfully 57
Figure 89 . APIs & Services navigation 58
Figure 90 . OAuth consent screen navigates 58
Figure 91 . Start configuring. 59
Figure 92 . Project configure creation (1/6) 59
Figure 93 . Project configure creation (2/6) 60
Figure 94 . Project configure creation (3/6) 60
Figure 95 . Project configure creation (4/6) 61
Figure 96 . Project configure creation (5/6) 61
Figure 97 . Project configure creation (6/6) 62
Figure 98 . "Client" navigation 62
Figure 99 . Create client (1/5). 63
Figure 100 . Create client (2/5). 63
Figure 101 . Create client (3/5). 64
Figure 102 . Create client (4/5). 64
Figure 103 . Create client (5/5). 65
Figure 104 .Sign up 65
Figure 105 . Create app passwords (1/2) 66
Figure 106 . Create app passwords (2/2) 66
Figure 107 . Create app password successfully 67
Figure 108 . Find "Cloudflare Dashboard" 67
Figure 109 . Cloudflare Dashboard navigation 68
Figure 110 . Sign in Cloudflare 68
Figure 111 . Turnstile navigation 69
Figure 112 . “Add widget manually” 69
Figure 113 . Create widget 70
Figure 114 . Finish creates widget 70
Figure 115 . Create widget successfully 71
Figure 116 . Check directory 71
Figure 117 . Composing files (1/4) 72
Figure 118 . Composing files (2/4) 72
Figure 119 . Composing files (3/4) 73

Figure 120 . Composing files (4/4) 73
Figure 121 . Landing page 74
Figure 122 . Google drive download page 74
Figure 123 . Opening apk file in storage of moblie 75
Figure 124 . Confirm installations 75
Figure 125 . Waiting for the installation 76
Figure 126 . Your phone's home screen 76
Figure 127 . Login page of moblie app 77
Figure 128 . Sign in into dashboard (1/2) 80
Figure 129 . Sign in into dashboard (2/2) 80
Figure 130 . Administrator dashboard 81
Figure 131 . View centers list for dashboard page 81
Figure 132 . View center details for dashboard page 82
Figure 133 . View center details for dashboard page 82
Figure 134 . Create center page 83
Figure 135 . Create center page 83
Figure 136 . Update center page 84
Figure 137 . Update center page 84
Figure 138 . Delete center page 85
Figure 139 . Delete center page 85
Figure 140 . Manage staffs navigation 86
Figure 141 .Manage staffs page. 86
Figure 142 . Create staff modal 87
Figure 143 . Editing staff (1/3) 87
Figure 144 . Editing staff (2/3) 88
Figure 145 . Editing staff (3/3) 88
Figure 146 . Ban button 89
Figure 147 . Ban staff confirm 90
Figure 148 . Unban staff 90
Figure 149 . View service packages list page 91
Figure 150 . View service packages detail page 91
Figure 151 . View service packages detail page 92
Figure 152 . Create service package page 92
Figure 153 . Create service package page 93
Figure 154 . Update service package page 93
Figure 155 . Update service package page 94
Figure 156 . Delete service package page 94
Figure 157 . Delete service package page 95
Figure 158 . View statistics for Center Manager page 95
Figure 159 . Roles & Permissions page 96

Figure 160 . Roles & Permissions page – search role 96
Figure 161 . Roles & Permissions page - add permissions to role 97
Figure 162 . Roles & Permissions page - remove permission from role 97
Figure 163 . Add staff to role 98
Figure 164 . Remove staff from role 98
Figure 165 . Roles & Permissions - View role permissions 99
Figure 166 . Create role 99
Figure 167 . Edit role (1/2) 100
Figure 168 . Edit role (2/2) 100
Figure 169 . Delete role 101
Figure 170 . Delete role confirmation 101
Figure 171 . Exercise categories management page 102
Figure 172 . exercise category management page 102
Figure 173 . Exercise Level management page 102
Figure 174 . Exercise category management page 103
Figure 175 . confirm delete exercise category modal 103
Figure 176 . Exercise Levels management page 103
Figure 177 . Exercise level management page 104
Figure 178 . Exercice Levels management page 104
Figure 179 . Create exercise levels modal 104
Figure 180 . Exercice Levels management page 105
Figure 181 . Edit exercise level modal 105
Figure 182 . Exercise level management page 106
Figure 183 . Confirm deleted modal 106
Figure 184 . View exercises list page 107
Figure 185 . Create exercise page 107
Figure 186 . Create exercise page 108
Figure 187 . Delete exercise page 108
Figure 188 . Delete exercise page 109
Figure 189 . Sign up modal. 110
Figure 190 . Verify email modal. 110
Figure 191 . Auticare OTP mail. 111
Figure 192 . Verify email modal. 111
Figure 193 . Sign in modal. 112
Figure 194 . Auticare homepage. 112
Figure 195 . Child profile modal. 113
Figure 196 . Add child modal. 113
Figure 197 . Child profile modal. 114
Figure 198 . Child profile modal. 114
Figure 199 . Child profile detail family background tab. 115

Figure 200 . Family background form. 115
Figure 201 . Child profile detail admission profile tab. 116
Figure 202 . Child profile detail admission profile form. 116
Figure 203 . Auticare homepage. 117
Figure 204 . Choose assessment tool modal 117
Figure 205 . Select child for assessment modal 118
Figure 206 . Screening assessment quiz interface 118
Figure 207 . Screening result modal 119
Figure 208 . AutiCare homepage (Book doctor button) 120
Figure 209 . Early intervention experts modal (Select doctor) 120
Figure 210 . Book consultation session modal (Doctor slot selection) 121
Figure 211 . Doctor booking ticket confirmation modal 121
Figure 212 . Invoices & payment history dashboard (Doctor session invoice) 122
Figure 213 . PayOS VietQR payment gateway (Doctor session) 122
Figure 214 . Payment successful confirmation page 123
Figure 215 . Invoices & payment history dashboard (Paid invoice status) 123
Figure 216 . Doctor dashboard (Parent appointment requests) 124
Figure 217 . Doctor dashboard (Manage diagnoses section) 124
Figure 218 . Create diagnosis modal (Child & basic information) 125
Figure 219 . Diagnosis creation success modal 125
Figure 220 . Parent portal dashboard (Clinical diagnostic records) 126
Figure 221 . Clinical diagnostic record details modal 126
Figure 222 . AutiCare homepage (Book teacher button) 127
Figure 223 . Early intervention experts modal (Select teacher) 127
Figure 224 . Book consultation session modal (Teacher slot selection) 128
Figure 225 . Teacher booking ticket confirmation modal 128
Figure 226 . Invoices & payment history dashboard (Teacher session invoice) 129
Figure 227 . PayOS VietQR payment gateway (Teacher session) 129
Figure 228 . Payment successful confirmation page 130
Figure 229 . Teacher dashboard (Clinical assessment tools) 130
Figure 230 . PEP-3 assessment tool modal 131
Figure 231 . Select child for PEP-3 assessment page 131
Figure 232 . PEP-3 assessment guidelines & scoring protocol 132
Figure 233 . PEP-3 assessment quiz interface (172 items) 132
Figure 234 . PEP-3 assessment report (Profile chart & scores) 133
Figure 235 . PEP-3 assessment report (Conclusion & IEP recommendations) 133
Figure 236 . PEP-3 assessment results saved success modal 134
Figure 237 . Schedule tab. 169
Figure 238 . Create schedule event type modal. 169
Figure 239 . Clinical assessment tab. 170

Figure 240 . Tool assessment modal. 170
Figure 241 . Select child view. 171
Figure 242 . Doing assessment test view. 171
Figure 243 . Extended information view. 172
Figure 244 . Extended information view with save button. 172
Figure 245 . Compare with previous PEP-3 baseline scores. 173
Figure 246 . Assessment tab. 173
Figure 247 . Assessment results detail modal. 174
Figure 248 . IEP tab. 174
Figure 249 . Plan detail tab. 175
Figure 250 . Rate Plan modal. 175
Figure 251 . Plan feedback sections. 176
Figure 252 . Screening and Tests page 176
Figure 253 . Tests management page 177
Figure 254 . User enters general information in add assessment tool modal 177
Figure 255 . User click “add section” button to create a new section 178
Figure 256 . User click "add question" button to create a new question for current section 178
Figure 257 . User enter require field 178
Figure 258 . User click "Save assessment tool" to add new 179
Figure 259 . User click "import PEP-3 from Excel" button 179
Figure 260 . Import PEP-3 assessment tool from Excel modal 180
Figure 261 . Import PEP-3 assessment tool from Excel modal 181
Figure 262 . Preview Excel import modal before saving 181
Figure 263 . Tests management page 182
Figure 264 . Tests management page 182
Figure 265 . Tests management page 183
Figure 266 . User enters general information in add assessment tool modal 183
Figure 267 . User click “add section” button to create a new section 183
Figure 268 . User click "add question" button to create a new question for current section 184
Figure 269 . User enter require field 184
Figure 270 . User click "Save assessment tool" to add new 184
Figure 271 . User click "import PEP-3 from Excel" button 185
Figure 272 . Import PEP-3 assessment tool from Excel modal 185
Figure 273 . Import PEP-3 assessment tool from Excel modal 186
Figure 274 . Preview Excel import modal before saving 186
Figure 275 . Tests management page 187
Figure 276 . System Tests catalog modal 187
Figure 277 . tests management page 187
Figure 278 . edit test modal 188
Figure 279 . tests management page 188

Figure 280 . Tests management page 189
Figure 281 . Confirm test deactivation modal 189
Figure 282 . View blogs list for dashboard page 190
Figure 283 . Search blog page 190
Figure 284 . View blog details dashboard page 191
Figure 285 . View blog details dashboard page 191
Figure 286 . Update blog page 192
Figure 287 . Update blog page 192
Figure 288 . View support tickets list dashboard page 193
Figure 289 . Respond to Support Ticket page 193
Figure 290 . Respond to Support Ticket page 194
Figure 291 . View support ticket details page 194
Figure 292 . View support ticket details page 195
Figure 293 . View center plan areas list page 195
Figure 294 . Search center plan area page 196
Figure 295 . Create center plan area page 196
Figure 296 . Create center plan area page 197
Figure 297 . Delete center plan area page 197
Figure 298 . Delete center plan area page 198
Figure 299 . Update center plan area page 198
Figure 300 . Update center plan area page 199
Figure 301 . Terms and Privacy navigate 199
Figure 302 . Create terms and privacy (1/2) 200
Figure 303 . Create terms and privacy (2/2) 200
Figure 304 . Create terms and privacy success notification 201
Figure 305 . Publishing terms and privacy 201
Figure 306 . Edit terms and privacy (1/2) 202
Figure 307 . Edit terms and privacy (2/2) 202

Table of Tables

Table 1 . Deliverable package table 12
Table 2 . Default ports table 13

I. Record of Changes

Date	A* M, D	In charge	Change Description
08/04/2026	A	AnhLN	Add Installation Guides Add Installation Instruction
08/04/2026	A	VuNLK	Add Overview UserManual
08/04/2026	A	TyHH	Add Deliverable package
08/04/2026	A	PhatPV	Add Intervention and post-intervention
08/07/2026	A	KhanhDC	Add User manual Sreening and Diagnose
08/14/2026	M	KhanhDC	II.3 (3.5 Intervention, 3.3 Register and Screening)
08/27/2026	M	PhatPV	II.3 3.6 Post-intervention

*A - Added M - Modified D - Deleted

II. Release Package & User Guides

1. Deliverable Package

Table 1. Deliverable package table

No.	Deliverable Item	Description
1	Project Backlog	Comprehensive list of project requirements, system features, and task allocations managed throughout the project development lifecycle.
2	Source Codes	Complete source code repository of the AutiCare platform, encompassing both frontend and backend application components.
3	Test Cases Document	Report 5 – v1.2: Detailed test suite documentation covering unit testing, integration testing, system testing, and acceptance testing scenarios.
4	User Guide	Report 6 – v1.2: Detailed operational manual providing step-by-step instructions, role-based workflow walkthroughs, and interface guides for system users.
5	Final Report Document	Report 7 - v1.4: Consolidated final report synthesizing project requirements, system architecture, technical implementations, and evaluation metrics.
6	Presentation Slides	Professional slide deck summarizing project objectives, system architecture, functional highlights, and key achievements for final defense.
7	Video Demo	High-definition video recording demonstrates core system features, user workflows, and live platform operations.

2. Installation Guides

2.1 System Requirements

Client Requirements

- Operating system: Any modern operating system supporting a current web browser.
- Browser: Latest version of Google Chrome, Brave or Microsoft Edge.
- Screen resolution: Minimum 1366 × 768.
- Stable Internet connection.

Server Requirements

- Operating system: 64-bit Linux distribution supported by Docker Engine.
- CPU : Minimum 2 cores; 4 cores recommended.
- RAM: Minimum 4 GB; 8 GB recommended.
- Disk space: Minimum 40 GB, expandable according to uploaded files and database growth.
- Docker Engine and Docker Compose v2.
- Nginx and Certbot.
- Public domain name and HTTPS certificate.
- Persistent storage for PostgreSQL, Redis, RabbitMQ and uploaded files.

Software Requirements

- .NET 10 container runtime.
- Node.js 22 container runtime.
- PostgreSQL 17.
- Redis 8.
- RabbitMQ 4 with the Management plugin.
- Git, Docker Engine and Docker Compose v2.

Table 2. Default ports table

No.	Component	Port	Production exposure
1	Frontend	3000	Internal
2	Backend Docker	8000	Internal
3	PostgreSQL	5432	Internal
4	Redis	6379	Internal
5	RabbitMQ	5672	Internal
6	RabbitMQ Management	15672	Restricted
7	NginX HTTP	80	Public
8	NginX HTTPS	443	Public

Network and Configuration Requirements

- The backend must communicate with PostgreSQL, Redis, RabbitMQ, Google authentication and Cloudflare Turnstile services when enabled.
- For production:
  - Only ports 80 and 443 should be publicly accessible.
  - DNS records must point to the VPS.
  - HTTPS must be enabled.
  - CORS must contain only authorized origins.
  - Secrets must be stored in a protected .env file or CI/CD variables.
  - The .env file should be readable only by the deployment account.
  - PostgreSQL, Redis and RabbitMQ must not be exposed publicly.
  - Firewall rules, persistent volumes, database backups and log rotation must be configured.

2.2 Installation Web Instruction

2.2.1. Install git

Step 1: Access www.google.com and search “git download”



Figure 1.Search “git download”

Step 2: Click “Git- Install for Windows” page



Figure 2.“git download” nagivate



Figure 3.Check system type (1/2)

Step 3: Press + X and choose “System” row

Step 4: Check type of system



Figure 4,Check system type (2/2)

Step 5: Download version that is comfortable system type



Figure 5. Download Git (1/2)



Figure 6. Download Git (2/2)

Step 6: Open file after downloading.



Figure 7.Install Git (1/15)

Step 7: Click “Next” as shown in the images below:



Figure 8.Install Git (2/15)



Figure 9.Install Git (3/15)



Figure 10.Install Git (4/15)



Figure 11.Install Git (5/15)



Figure 12.Install Git (6/15)



Figure 13.Install Git (7/15)



Figure 14.Install Git (8/15)



Figure 15.Install Git (9/15)



Figure 16.Install Git (10/15)



Figure 17.Install Git (11/15)



Figure 18.Install Git (12/15)



Figure 19.Install Git (13/15)

Step 8: Click “Install”



Figure 20.Install Git (14/15)



Figure 21.Install Git (15/15)

Step 9: Untick “View Release Notes” and click “Finish”.



Figure 22. Finish installing Git

2.2.2. Install docker desktop

Step 1: Access www.google.com.vn and search "docker desktop for windows". Then, press the Enter key.



Figure 23. Find "docker desktop for windows"

Step 2: Click "Install Docker Desktop on Windows" page.



Figure 24. Docker navigation

Step 3: Click comfortable link to download.



Figure 25. Dowload Docker Deskstop



Figure 26. Open Docker Desktop downloads file (1/2)

Step 4: Click file to open after downloading



Figure 27. Open Docker Desktop downloads file (2/2)

Step 5: Click Ok



Figure 28. Install Docker Desktop (1/3)



Figure 29. Install Docker Desktop (2/3)

Step 6: Click “Close” to finish



Figure 30. Install Docker Desktop (3/3)

2.2.3. Clone project

Step 1: Choose directory to be able to contain source code. Then, right click in the empty zone, hover over “New” and select “Folder”.



Figure 31. Create new folder

Step 2: Name the folder “projects”



Figure 32. Name new folder

Step 3: Follow the same steps as in step 1.



Figure 33. Create new sub-folder

Step 4: Name folder "projects”



Figure 34. Name new sub-folder

Step 5: Click the address bar and type "cmd". Then, press the Enter key



Figure 35. Open command tab

Step 6: Enter “git clone https://gitlab.com/lnanh2k4-fptu/term-9/sep490/auticare-frontend.git” to clone frontend source code. Then, press the Enter key



Figure 36. Clone project (1/3)

Step 7: Enter “git clone https://gitlab.com/lnanh2k4-fptu/term-9/sep490/auticare-backend.git” to clone backend source code. Then, press the Enter key



Figure 37. Clone project (2/3)



Figure 38. Clone project (3/3)

Step 8: Follow the same steps as in step 3.



Figure 39. Create environment sub-folder

Step 9: Name folder “deployment”



Figure 40.Name environment sub-folder

Step 10: Copy docker-compose, nginx.conf, and. env.production and paste to “deployment” folder.



Figure 41. Enivrement files

2.2.4 Install notepad++

Step 1: Access www.google.com.vn and search “notepad++ download”. Then, press the Enter key.



Figure 42. Find "Notepad++"

Step 2: Click “Downloads | Notepad++” page.



Figure 43. Download Notepad++ navigation

Step 3: Click “Download Notepad++” latest stable version.



Figure 44. Dowload notepad++ (1/3)

Step 4: Scroll down and click download button.



Figure 45.Dowload notepad++ (2/3)



Figure 46.Dowload notepad++ (3/3)

Step 5: Click file to open after downloading.



Figure 47. Open Notepad++ installer

Step 6: Choose language and click ok button.



Figure 48. Choose to install language

Step 7: Click “Next” button.



Figure 49. Install notepad++ (1/5)

Step 8: Click “I Agree” button.



Figure 50. Install notepad++ (2/5)

Step 9: Click “Next” button as shown images below:



Figure 51. Install notepad++ (3/5)

Step 10: Click “Install”.



Figure 52. Install notepad++ (4/5)

Step 11: Click “Finish” button to finish.



Figure 53.Install notepad++ (5/5)

Step 12: Right click and select “Edit with Notepad++” to open file and change all variables comfortable. Please come back to “Clone project” section if you do not perform before



Figure 54. Open edit Notepad++



Figure 55. evn file

2.2.5 Setup Cloudflare Tunnel

Step 1: Access www.google.com.vn and search “Cloudflare”.



Figure 56. Find Cloudflare

Step 2: Click “Cloudflare: Build for the agent era” page.



Figure 57. “Cloudflare: Build for the agent era” navigation

Step 3: Login.



Figure 58. Login Cloudflar

Step 4: Click “Zero Trust” link.



Figure 59. Cloudflare landing page

Step 5: Click Get started.



Figure 60. Create Plan

Step 6: Choose comfortable plan. Then activate it.



Figure 61.Plan tiers



Figure 62. Active plan



Figure 63. Authorizing

Step 7: Click “Continue to Zero Trust” button.



Figure 64. Continue creating plan

Step 8: Select “Tunnels & Mesh” in Networks.



Figure 65. Navigate "Tunnel & Math" tab

Step 9: Click “Create a tunnel” button.



Figure 66. Creating a tunnel

Step 10: Click “Select Cloudflared”.



Figure 67."Select cloudflared"

Step 11: Enter name your tunnel and click “Save tunnel”.



Figure 68. Create tunnel (1/6)

Step 12: Click “Next” button.



Figure 69. Create tunnel (2/6)

Step 13: Enter domain, scroll down and select “HTTP” for type and enter “nginx:80” for URL. Then click “Complete setup”



Figure 70. Create tunnel (3/6)



Figure 71. Create tunnel (4/6)



Figure 72. Create tunnel (5/6)



Figure 73. Create tunnel (6/6)

Step 14: Click “config” in tunnel name that is created successfully.



Figure 74. Create tunnel successfully

Step 15: Click “Add a connector” button.



Figure 75. "Add a connector"

Step 16: Select “Docker”.



Figure 76. Select Docker

Step 17: Copy token (contents after "—token") and paste to CLOUDFLARE_TUNNEL_TOKEN field in ".env.production" file. Please comeback to "Clone project" section if you do not perform before



Figure 77. Connector token

2.2.6. Configure PayOS

Step 1. Access PayOS Dashboard and sign in.



Figure 78. PayOS dashboard

Step 2. Select Payment Channels → Create Payment Channel.



Figure 79. Create payment channel

Step 3. Connect the receiving bank account and complete the payment channel setup.



Figure 80. Setup payment



Step 4. Copy the generated Client ID, API Key, and Checksum Key.

Figure 81. Confirm notification

Step 5. Open:

appsettings.Development.json

Step 6. Configure the following values:

```
"PayOS": {
 "ClientId": "YOUR_CLIENT_ID",
 "ApiKey": "YOUR_API_KEY",
 "ChecksumKey": "YOUR_CHECKSUM_KEY",
 }
```

Figure 82. Apply variable

Step 7. Save the configuration file.

2.2.7. Setup Google Console

Step 1: Access www.google.com.vn and search “google console”.



Figure 83. Find “google console”

Step 2: Click “Google Cloud Console” page.



Figure 84. “Google console” navigation

Step 3: Click project next to “Google Cloud”.



Figure 85 Google cloud landing page

Step 4: Click “New project”.



Figure 86. Creating new project

Step 5: Enter “Project name” and click “Create” button



Figure 87. Create project



Figure 88. Create project successfully

Step 6: Click “APIs & Services” link.



Figure 89. APIs & Services navigation

Step 7: Click “OAuth consent screen” link.



Figure 90. OAuth consent screen navigates

Step 8: Click “Get started” button.



Figure 91. Start configuring.

Step 9: Enter app name & user support email. Then click “Next” button.



Figure 92. Project configure creation (1/6)

Step 10: Choose “External” and click “Next” button.



Figure 93. Project configure creation (2/6)

Step 12: Enter email address and click “Next” button.



Figure 94. Project configure creation (3/6)

Step 13: Tick “I agree to the Google API Services. User Data Policy”. Then click “Continue” button.



Figure 95. Project configure creation (4/6)

Step 14: Click “Create” button.



Figure 96. Project configure creation (5/6)



Figure 97. Project configure creation (6/6)

Step 15: Click “Clients” link.



Figure 98. "Client" navigation

Step 16: Click “Create client” button.



Figure 99. Create client (1/5).

Step 17: Select “Web application”



Figure 100. Create client (2/5).

Step 18: Enter name.



Figure 101. Create client (3/5).

Step 19: Add URI for "Authorized JavaScript origins" section and "Authorized redirect URIs" section. Then click "Create" button.



Figure 102. Create client (4/5).

Step 20: Copy Client ID to GOOGLE_AUTH_WEB_CLIENT_ID field in ".env.production" file. Please comeback to "Clone project" section if you do not perform before.



Figure 103. Create client (5/5).

2.2.8. Setup SMTP

Step 1. Navigate to https://myaccount.google.com/apppasswords and sign in to the Google/Gmail account you want to use.



Figure 104.Sign up

Step 2. Enter an **App name**.



Figure 105. Create app passwords (1/2)

Step 3. Click **Create**.



Figure 106. Create app passwords (2/2)

Step 4. A modal will pop up displaying a **16-character code** in a yellow box.



Figure 107. Create app password successfully

Step 5. Paste it into your application's password field.

2.2.9. Setup Cloudflare Turnstile

Step 1: Access https://www.google.com/ and search “cloudflare dashboard”.



Figure 108. Find "Cloudflare Dashboard"

Step 2: Click “Cloudflare Dashboard | Manage Your Account” page



Figure 109. Cloudflare Dashboard navigation

Step 3: Login



Figure 110. Sign in Cloudflare

Step 4: Click Turnstile.



Figure 111. Turnstile navigation

Step 5: Click “Add widget manually” button.



Figure 112. “Add widget manually”

Step 6: Enter widget name, hostname, select “managed”.



Figure 113. Create widget

Step 7: Click “Create” button



Figure 114. Finish creates widget

Step 8: Copy secret key and paste to TURNSTILE_SECRET_KEY field in ".env.production" file. Please comeback to "Clone project" section if you do not perform before



Figure 115. Create widget successfully

2.2.10. Build and run project

Step 1: Enter "Get-ChildItem" in power shell to check directory whether having entire backend, frontend and deployment folder. Then, enter "Get-ChildItem deployment -Force" to check directory of deployment whether having entire env of production, docker compose file and config of nginx.



Figure 116. Check directory

Step 2: Click on the address bar and type "cmd". Then press Enter. After that, enter “docker compose –env-file .env.production build” to build project.



Figure 117. Composing files (1/4)



Figure 118. Composing files (2/4)

Step 3: Enter “docker compose –env-file .env.production up -d” and press the Enter key.



Figure 119. Composing files (3/4)

Step 4: Enter “docker compose –env-file .env.production ps -a” to get all process that is active in docker now. If entire process similar to the screen below, project run successfully.



Figure 120. Composing files (4/4)

Step 5: Enter domain to access the websites and enjoy.



Figure 121. Landing page

2.3. Installation Moblie app Instruction

Step 1: Download apk file to your moblie: [Download]



Figure 122. Google drive download page

Step 2: Tap to open the downloaded APK file.



Figure 123. Opening apk file in storage of moblie

Step 3: Click “Cài đặt” button to confirm installation



Figure 124. Confirm installations

Step 4: Waiting for the installation process

Figure 125. Waiting for the installation

Step 5: Click on the AutiCare app icon.



Figure 126. Your phone's home screen



Figure 127. Login page of moblie app

2.4 Post-Installation Notes

- Run the production stack from the *deployment* directory:
  - docker compose --env-file .env.production up -d --build
  - docker compose --env-file .env.production ps
- The application is exposed locally through Nginx at:
  - http://localhost:8080
  - The port can be changed using “LOCAL_HTTP_PORT” in “.env.production” file.
- Verify backend readiness:
  - docker compose --env-file .env.production exec backend \
  - curl --fail http://localhost:8000/health/ready
- Database migrations are executed by the one-time *migration* container before the backend starts. Confirm that it finishes successfully:
  - docker compose --env-file .env.production ps -a
  - docker compose --env-file .env.production logs migration
- On the first production startup, the system creates the bootstrap administrator. The generated credentials are written to:
  - deployment/bootstrap-credentials/admin-credentials.txt
- Securely store the credentials, change the generated password after the first sign-in, and remove the credentials file when it is no longer needed. The file is generated only when the bootstrap administrator is created; subsequent restarts do not regenerate its password.
- Ensure “deployment/bootstrap-credentials” is writable by the backend container. If startup reports permission errors for “/run/auticare-bootstrap/admin-credentials.txt”, correct the host directory permissions before restarting the backend.
- Confirm that the production environment includes valid values for PostgreSQL, Redis, RabbitMQ, JWT, email, Google authentication, Cloudflare Turnstile, PayOS, frontend origin, OAuth redirect URI, Cloudflare Tunnel, and bootstrap administrator settings.
- The production API documentation is not exposed because Swagger is enabled only in the Development environment.
- Authentication defaults:
  - Access token lifetime: 30 minutes.
  - Refresh lifetime: 7 days.
  - Remember Me refresh-token lifetime: 14 days.
  - Refresh tokens are rotated automatically when the access token expires.
- Uploaded files and service data persisted using Docker volumes:
  - postgres_data
  - redis_data
  - rabbitmq_data
  - backend_uploads
- Do not use docker compose down -v unless all persistent production data is intentionally being removed.
- Useful operational commands:
  - docker compose --env-file .env.production logs -f backend
  - docker compose --env-file .env.production logs -f frontend
  - docker compose --env-file .env.production logs -f nginx
  - docker compose --env-file .env.production restart backend
  - docker compose --env-file .env.production down
- After installation, validate these user flows:

- Open the public website through the configured domain.
- Sign in using the bootstrap administrator.
- Change the generated administrator password.
- Verify normal username/password authentication.
- Verify Google sign-in and its authorized redirect URI.
- Confirm automatic session renewal after the access token expires.
- Test email verification and forgot-password delivery.
- Test file upload persistence after restarting the containers.
- Confirm the frontend can reach "/api/v1/*" through Nginx.
- Review backend logs for migration, bootstrap, Redis, RabbitMQ, and permission errors.

3. User Manual

3.1 Overview

The AutiCare application is a web-based and mobile system that allows users to manage early autism screening, book clinical appointments with specialists, receive individualized intervention plans, track daily exercise progress, and subscribe to service packages with online payments. The system is designed to be user-friendly and accessible through standard web browsers and mobile devices.

Main Features Overview

Register and log in to the system

- Create and manage child profiles
- Perform autism screening tests
- Book appointments with doctors and special education teachers
- Conduct PEP-3 clinical tool assessments
- Subscribe to service packages and make online payments via PayOS
- Create and manage individualized intervention plans (Plans, Areas, Scopes, Phases, Objectives, Activities, Exercises)
- Log and monitor daily activity homework progress
- Submit plan feedback and ratings
- View center management statistics and operational analytics

3.2. System configures

Admin sign in → Manage center → Manage service package → Center Manager Sign in → Manage role → Manage Staff → Manage exercises categories → Manage exercises level → Manage exercises

Purpose

The purpose of the **System Configuration** process is to establish the core operational structure of the application. This guide outlines the end-of-the-end workflow required to:

1. Allow **System Administrators** to set up physical/organizational centers and assign service subscription packages.
2. Allow **Center Managers** to configure local operations, including staff roles, employee profiles, and the complete exercise library (categories, difficulty levels, and individual exercises).

Step-by-Step User Guide

Step 1: Administrator signs in

– User sign in as administrator role

Figure 128. Sign in into dashboard (1/2)



Figure 129. Sign in into dashboard (2/2)

– User then navigation to the main dashboard.



Figure 130. Administrator dashboard

Step 2: Manage center

– From the dashboard, select Manage Centers to view the complete center list.



Figure 131. View centers list for dashboard page

– User can view a center detail select the view icon of the desired center.



Figure 132. View center details for dashboard page



Figure 133. View center details for dashboard page

– User can add a new center by clicking Select Add New Center from the Manage Centers page.



Figure 134. Create center page

– User can enter the required information center and select Save Changes.



Figure 135. Create center page

– User can edit center infoamation by cliking Select Edit Information from the center overview.



Figure 136. Update center page

– Update the center information and select Save changes.



Figure 137. Update center page

– User can delete a center by clicking Select Delete Center from the center overview.



Figure 138. Delete center page

– Enter the displayed center ID and select Permanently Delete to confirm.



Figure 139. Delete center page

Step 3: Manage staff

– User navigate to “Manage Staff” page to view list of staffs



Figure 140. Manage staffs navigation



Figure 141.Manage staffs page.

– User can create a new staff by click on “Add staff” button



Figure 142. Create staff modal

– User can edit the existing staffs



Figure 143. Editing staff (1/3)

– User can change some valid value like, system role, Center role, Center, full name, email, …



Figure 144. Editing staff (2/3)



Figure 145. Editing staff (3/3)

– User can click the “delete button” to delete a staff



– User can ban or unban a staff by clicking the ban/unban icon and confirm



Figure 146. Ban button



Figure 147. Ban staff confirm



Figure 148. Unban staff

Step 4: Manage service package

– From the dashboard, select Manage Packages to view the service package list.



Figure 149. View service packages list page

– Select the view icon of the desired service package.



Figure 150. View service packages detail page

– Review the package details and select Cancel or close the dialog when finished.



Figure 151. View service packages detail page

– Select Add New Package from the Service Packages Management page.



Figure 152. Create service package page

Step 2: Enter the package information and select Save Package.



Figure 153. Create service package page

– User can edit an existing service package by clicking the edit icon of the service package to be updated.



Figure 154. Update service package page

– Update the package information and select Save Package.



Figure 155. Update service package page

– User can delete the service package the delete icon of the service package to be removed.



Figure 156. Delete service package page

– Select “Yes, Delete” to confirm the deletion.



Figure 157. Delete service package page

Step 5: Center manager signs in

– User signs out and signs in as Center manager role



Figure 158. View statistics for Center Manager page

Step 6: Manage role

– User click “Manage center roles” section on the left of sidebar



Figure 159. Roles & Permissions page

– User can enter keyword to “Search role..” field



Figure 160. Roles & Permissions page – search role

– User can assign permissions to role or remove them.



Figure 161. Roles & Permissions page - add permissions to role



Figure 162. Roles & Permissions page - remove permission from role

– User then can assign their staff into these roles or remove them from the role



Figure 163. Add staff to role



Figure 164. Remove staff from role

– User choose a role then click “permisisons” tab to view permissions



Figure 165. Roles & Permissions - View role permissions

– User click “+” button and fill role’s name then click "save changes”



Figure 166. Create role

– User choose a role then click “General Info” tab to view detail



Figure 167. Edit role (1/2)

– User can choose a role to edit



Figure 168. Edit role (2/2)

– User can click “trashcan” icon on the right of a role to delete



Figure 169. Delete role

– User click “Confirm delete” to confirm delete role



Figure 170. Delete role confirmation

Step 7: Manage exercise categories

– Clicks the “Manage Exercise Categories” section in the left sidebar.



Figure 171. Exercise categories management page

– User can search by enter keyword in “Search category…” field



Figure 172. exercise category management page

– Clicks the “Add Level” button and enters the information for the new Exercise Level then click “Save Changes”.



Figure 173. Exercise Level management page

– User can click the “delete” button and enters the information then click “Confirm delete”.



Figure 174. Exercise category management page



Figure 175. confirm delete exercise category modal

Step 8: Manage exercise levels



– The user clicks the “Manage Exercise Levels” section in the left sidebar.

Figure 176. Exercise Levels management page

– The user can search by enter keyword in “Search level…” field



Figure 177. Exercise level management page

– The user clicks the “Add Level” button and enters the information for the new Exercise Level then click “Save Changes”.



Figure 178. Exercice Levels management page



Figure 179. Create exercise levels modal

– The user can edit an existing exercises level by clicking the “edit” button and enters the information then click “Save Changes”.



Figure 180. Exercice Levels management page



Figure 181. Edit exercise level modal

– User can delete an exercise level clicks the “delete” button and enters the information then click “Confirm delete”.



Figure 182. Exercise level management page



Figure 183. Confirm deleted modal

Step 9: Manage exercises

– From the dashboard, select Manage Exercises to view the exercise list.



Figure 184. View exercises list page

– User can create a new exercise by clicking Add Exercise from the Manage Exercises page.



Figure 185. Create exercise page

– Enter the required exercise information and select Create.



Figure 186. Create exercise page

– User can delete an exercise by clicking the delete icon of the exercise to be removed.



Figure 187. Delete exercise page

– Select Confirm Delete to remove the exercise.



Figure 188. Delete exercise page

3.3. Register and Screening

Sign up → Verify email → Sign in → Create child → Create admission profile and family backgrounds → Create health record → Screening

Purpose

This workflow outlines the initial onboarding and screening process for parents on the AutiCare platform. It covers new account registration, email OTP verification, user sign-in, and child profile creation. Once the profile is set up, parents can select standard screening tools (M-CHAT-R/F or CARS) to evaluate their child's behavioral development and save the screening results for further medical consultation.

Step-by-Step User Guide

Step 1: Sign up

– The user fills out the registration form to create a new AutiCare account.



Figure 189. Sign up modal.

– The user enters the OTP code sent to their email to verify the registered account.



Figure 190. Verify email modal.

– The user receives an email containing the OTP verification code to confirm their email address.



Figure 191. Auticare OTP mail.

– The user submits the received OTP code to verify their email address.



Figure 192. Verify email modal.

Step 2: Sign in

- The user signs in to the AutiCare system using their credentials.



Figure 193. Sign in modal.

Step 3: Create child

- The user clicks on their profile name in the header to access account settings and manage child profiles.



Figure 194. Auticare homepage.

– The user clicks the 'Add Child Profile' button on the Children Profiles dashboard.



Figure 195. Child profile modal.

– The user fills in the child's information and submits the form to create a new child profile.



Figure 196. Add child modal.

– The newly created child profile appears successfully in the Children Profiles list.



Figure 197. Child profile modal.

– Click “eye” icon to view child detail.



Figure 198. Child profile modal.

– Select Family background tab and click create to add child family background.



Figure 199. Child profile detail family background tab.

– Fill in mother and father and child information, click save.



Figure 200. Family background form.

– Next, go to admission profile.



Figure 201. Child profile detail admission profile tab.



Figure 202. Child profile detail admission profile form.

Step 4: Screening test

– The user clicks the 'START ASSESSMENT' button on the homepage to begin the initial screening test.



Figure 203. Auticare homepage.

– The user selects the appropriate assessment tool, such as M-CHAT-R/F or CARS, to proceed with the screening.



Figure 204. Choose assessment tool modal

– The user selects a child profile to associate with the assessment and clicks 'Start Quiz'.



Figure 205. Select child for assessment modal

– The user completes the screening questions and clicks the 'Submit Assessment' button.



Figure 206. Screening assessment quiz interface

– The system displays the screening score and recommendation, allowing the user to click 'Save result'.



Figure 207. Screening result modal

3.4. Diagnoses

Book Doctor → Do diagnose → Book Teacher → Do PEP 3

Purpose

This workflow details the diagnostic and clinical assessment stage on the AutiCare platform. It covers booking a doctor consultation, processing online payment, doctor approval, and creating formal clinical diagnostic records. Following diagnosis, parents can schedule an intervention teacher to perform a comprehensive PEP-3 psychoeducational assessment, generating detailed developmental charts and individualized intervention recommendations.

Step-by-Step User Guide

Step 1: Book doctor and diagnose

– The user clicks the 'BOOK AN EXPERT NOW' button on the homepage to start booking a specialist for clinical diagnosis.



Figure 208. AutiCare homepage (Book doctor button)

– The user selects a doctor from the list of experts and clicks 'Schedule now'.



Figure 209. Early intervention experts modal (Select doctor)

– The user selects the child, date, and available time slot to book a consultation appointment with the doctor.



Figure 210. Book consultation session modal (Doctor slot selection)

– The system confirms successful booking and displays the appointment ticket details.



Figure 211. Doctor booking ticket confirmation modal

– The user navigates to Invoices & Receipts and clicks 'Pay Now' to complete the appointment payment.



Figure 212. Invoices & payment history dashboard (Doctor session invoice)

– The user is redirected to the payment gateway to scan the VietQR code or perform a bank transfer for the invoice.



Figure 213. PayOS VietQR payment gateway (Doctor session)

– The payment gateway confirms that the payment was successful.



Figure 214. Payment successful confirmation page

– The user is redirected back to the dashboard where the invoice status is updated to Paid.



Figure 215. Invoices & payment history dashboard (Paid invoice status)

– The doctor receives the appointment request on their dashboard and clicks 'Approve' to confirm the session.



Figure 216. Doctor dashboard (Parent appointment requests)

– The doctor navigates to Manage Diagnoses and clicks the '+ Add Diagnosis' button.



Figure 217. Doctor dashboard (Manage diagnoses section)

– The doctor selects the child and fills in the clinical diagnosis details.



Figure 218. Create diagnosis modal (Child & basic information)

– The system confirms that the new diagnosis record has been successfully created.



Figure 219. Diagnosis creation success modal

– The parent views the child's updated clinical diagnostic record in the parent portal.



Figure 220. Parent portal dashboard (Clinical diagnostic records)

– The parent opens the detailed view of the clinical diagnostic record to read the doctor's observations and final conclusion.



Figure 221. Clinical diagnostic record details modal

Step 2: Book teacher and do assessment test

– The user clicks the 'BOOK AN EXPERT NOW' button to book an intervention teacher.



Figure 222. AutiCare homepage (Book teacher button)

– The user selects the teacher from the list of experts and clicks 'Schedule now'.



Figure 223. Early intervention experts modal (Select teacher)

– The user chooses the child and time slot to book an assessment session with the teacher.



Figure 224. Book consultation session modal (Teacher slot selection)

– The system confirms successful booking for the teacher session and displays the appointment ticket.



Figure 225. Teacher booking ticket confirmation modal

– The user goes to Invoices & Receipts and clicks 'Pay Now' to complete payment for the teacher assessment session.



Figure 226. Invoices & payment history dashboard (Teacher session invoice)

– The user is redirected to the PayOS gateway to complete payment via VietQR or bank transfer.



Figure 227. PayOS VietQR payment gateway (Teacher session)

– The payment gateway confirms that the transaction was completed successfully.



Figure 228. Payment successful confirmation page

– The teacher accesses the Clinical Assessment tool category and selects PEP-3 to perform the developmental assessment.



Figure 229. Teacher dashboard (Clinical assessment tools)

– The teacher reviews the PEP-3 assessment details and clicks 'Start assessment with v1'.



Figure 230. PEP-3 assessment tool modal

– The teacher selects the child profile and clicks 'Start New Test' to initiate the PEP-3 assessment.



Figure 231. Select child for PEP-3 assessment page

– The teacher reviews the PEP-3 scoring protocol and subtest guidelines before clicking 'Start Test'.



Figure 232. PEP-3 assessment guidelines & scoring protocol

– The teacher evaluates each of the 172 PEP-3 clinical items by observing the child's performance and selecting Passed, Emerging, or Failed.



Figure 233. PEP-3 assessment quiz interface (172 items)

– Upon completing the assessment, the system automatically generates a detailed PEP-3 report with developmental status and subtest charts.



Figure 234. PEP-3 assessment report (Profile chart & scores)

– The teacher provides the final clinical recommendations and saves the PEP-3 assessment results to the child's profile.



Figure 235. PEP-3 assessment report (Conclusion & IEP recommendations)

– The system confirms that the PEP-3 assessment results have been successfully saved.



Figure 236. PEP-3 assessment results saved success modal

3.5. Intervention

Register for a Service Package → Teacher Accepts the Assignment → Teacher Creates the Plan Hierarchy → Parent Approves or Rejects the Plan → Parent Submits or Resubmits Activity Progress → Teacher Evaluates the Activity → Plan Completion, Feedback, and Export

Purpose

This workflow guides parents and teachers through the complete intervention process, from service package registration and teacher acceptance to intervention plan creation, parent approval, activity progress reporting, teacher evaluation, plan completion, parent feedback, and final plan summary export.

Step-by-Step User Guide

Step 1: Register for and Accept a Service Package

1.1 View available service packages

Sign in as a parent and open Service Packages to browse the packages currently available.



Figure 45. Service packages available to the parent.

1.2 Register for and pay for a service package

Select the appropriate package, choose the child and assigned teacher, review the registration details, and complete the payment.



Figure 46. Service package registration and payment screen.

1.3 View the paid invoice

After completing the payment, open Invoices & Receipts and verify the package, amount, payment date, and payment status.



Figure 47. Paid service package invoice details.

1.4 Review of the assigned package request

Sign in as the selected teacher and open the assigned package request to review the child and package information.



Figure 48. Assigned service package request displayed to the teacher.

1.5 Accept the package assignment

Select Accept to confirm the assignment and make the package available for intervention planning.



Figure 49. Teacher accepts the assigned service package request.

Step 2: Create and Manage the Intervention Plan

2.1 View intervention plans

Open Plans to view the intervention plans assigned to the teacher, then select a plan to open its details.



Figure 50. Intervention plans assigned to the teacher.

2.2 Create an intervention plan

Select + Add New Plan to start creating an intervention plan.



Figure 51. Add New Plan action in the intervention plans list.

Select the child for whom the new intervention plan will be created.



Figure 52. Child selection for a new intervention plan.

Complete the Medical & Psychological Profile section with the relevant assessment and profile information.



Figure 53. Medical & Psychological Profile section of the plan creation form.

Enter the required family and parent information in the Family & Parents section.



Figure 54. Family & Parents section of the plan creation form.

Select the appropriate caregivers and development information in the Caregivers & Source section.



Figure 55. Caregivers & Source section of the plan creation form.

Review the generated plan phases, complete the required phase information, and save the plan.



Figure 56. Plan Phases section of the plan creation form.

After the plan is created successfully, confirm that it appears in the plan list.



Figure 57. Newly created intervention plan displayed in the plan list.

2.3 Update an intervention plan

Select the edit action for the plan that needs to be updated.



Figure 58. Edit action for an intervention plan.

Update the editable plan information and save the changes.



Figure 59. Update intervention plan form.

2.4 Delete an intervention plan

Select a plan that is eligible for deletion, enter the plan name to confirm, and delete it.



Figure 60. Delete intervention plan confirmation dialog.

2.5 View plan details and phases

Open the selected plan to review its general information and ordered list of intervention phases.



Figure 61. Plan details and intervention phases.

2.6 Create a plan phase

Add a phase, enter its name, date range, type, and other required information, then save it.



Figure 62. Create plan phase form.

2.7 Update a plan phase

Select a phase, update its information, and save the changes.



Figure 63. Update plan phase form.

2.8 Delete a plan phase

Select an eligible phase and confirm that it should be deleted.



Figure 64. Delete plan phase confirmation dialog.

2.9 View plan scopes

Open Plan Scopes to view the scopes defined for the intervention plan.



Figure 65. Plan scopes list.

2.10 Create a plan scope

Create a plan scope, enter the required information, and save it.



Figure 66. Create plan scope form.

2.11 Update a plan scope

Select the edit action for the plan scope that needs to be updated.



Figure 67. Edit action for a plan scope.

Update the plan scope information and save the changes.



Figure 68. Update plan scope form.

2.12 Delete a plan scope

Select an eligible plan scope and confirm that it should be deleted.



Figure 69. Delete plan scope confirmation dialog.

2.13 View plan areas

Open Plan Areas to view the intervention areas available for the plan.



Figure 70. Plan areas list.

2.14 Create a plan area

Create a plan area, enter the required information, and save it.



Figure 71. Create plan area form.

2.15 Update a plan area

Select the edit action for the plan area that needs to be updated.



Figure 72. Edit action for a plan area.

Update the plan area information and save the changes.



Figure 73. Update plan area form.

2.16 Delete a plan area

Select an eligible plan area and confirm that it should be deleted.



Figure 74. Delete plan area confirmation dialog.

2.17 View phase scopes

Open the plan phases list and select the phase whose scopes you want to review.



Figure 75. Plan phases list used to open phase details.

Review the selected phase details and the scopes assigned to that phase.



Figure 76. Plan phase details and assigned scopes.

2.18 Create a phase scope

Select Create Scope to add a scope to the selected phase.



Figure 77. Create Scope action for the selected phase.

Enter the phase scope information and save the new scope.



Figure 78. Create phase scope form.

2.19 Update a phase scope

Select a phase scope, update its information, and save the changes.



Figure 79. Update phase scope form.

2.20 Delete a phase scope

Select an eligible phase scope and confirm that it should be deleted.



Figure 80. Delete phase scope confirmation dialog.

2.21 View plan objectives

Open a phase scope to view its intervention objectives.



Figure 81. Plan objectives list.

2.22 Create a plan objective

Create an objective, define its expected outcome and other required information, then save it.



Figure 82. Create plan objective form.

2.23 Update a plan objective

Select an objective, update its information, and save the changes.



Figure 83. Update plan objective form.

2.24 Delete a plan objective

Select an eligible objective and confirm that it should be deleted.



Figure 84. Delete plan objective confirmation dialog.

2.25 View activities

Select an objective to view the activities assigned to it.



Figure 85. Activities assigned to a plan objective.

2.26 Create an activity

Create an activity, select the appropriate exercise, complete the required information, and save it.



Figure 86. Create activity dialog.

2.27 Update an activity

Select an activity, update its information, and save the changes.



Figure 87. Update activity dialog.

2.28 View activity details

Open an activity to review its complete details.



Figure 88. Activity details dialog.

2.29 Submit the plan for parent approval

Review the complete plan hierarchy, then submit the plan to the parent for approval.



Figure 89. Plan submission for parent approval.

Step 3: Review and Respond to the Plan

3.1 Open the Intervention Plan section

Sign in as a parent, open the child profile, and select the Intervention Plan section.



Figure 90. Intervention Plan section in the child profile.

3.2 View plan details

Open the plan to review its phases, scopes, objectives, assigned activities, and other relevant information.



Figure 91. Intervention plan details displayed to the parent.

3.3 Reject the plan and provide feedback

If revisions are required, select Reject, enter clear feedback for the teacher, and submit the response.



Figure 92. Plan rejection and feedback dialog.

3.4 Approve the plan

If the plan is suitable, select Approve to open the confirmation dialog.



Figure 93. Plan approval confirmation dialog.

Review the confirmation message before completing the approval.

Select Confirm to approve the plan and allow the intervention process to begin.



Figure 94. Parent confirms approval of the intervention plan.

Step 4: Submit or Resubmit an Activity Progress Report

4.1 View the assigned activity

Open the active plan, select an assigned activity, and review its instructions and submission requirements.



Figure 95. Assigned activity details displayed to the parent.

4.2 Submit an activity progress report

– Open the activity details and navigate to the Submission & Evaluation section.



Figure 96. Submission & Evaluation section in the activity details.

– Enter the practice results, attach the required evidence, and submit the activity progress report to the teacher.



Figure 97. Activity progress report submission form.

After submission, review the submitted notes and evidence in the activity details.



Figure 98. Submitted activity progress report displayed to the parent.

4.3 Resubmit an activity progress report

When a revision is requested, review the teacher feedback, update the report or evidence, and submit it again.



Figure 99. Activity progress report resubmission form.

Step 5: Review and Evaluate the Activity Report

5.1 View activity submission details

Open Activity Submissions to view the progress reports submitted by parents.



Figure 100. Activity submissions displayed to the teacher.

Select a submitted report to review the parent notes and attached evidence.



Figure 101. Activity submission details displayed to the teacher.

5.2 Evaluate the activity report

Enter an evaluation result and constructive feedback based on the submitted evidence.



Figure 102. Teacher evaluation of an activity progress report.

5.3 Request resubmission

If the report does not meet the requirements, request resubmission and clearly explain what the parent must revise.



Figure 103. Teacher requests resubmission of an activity progress report.

5.4 Mark the activity as completed

If the report meets the requirements, save the evaluation and mark the activity as Completed.



Figure 104. Teacher marks the evaluated activity as completed.

Step 6: Complete, Evaluate, and Export the Plan

6.1 Complete the intervention plan

After all required objectives and activities are completed, review the overall progress. The teacher can complete the plan manually, or the system can complete it automatically when all completion conditions are met.



Figure 105. Action used to complete the intervention plan.

Review the Confirm Plan Completion dialog, then select Confirm to complete the plan.



Figure 106. Confirm Plan Completion dialog.

6.2 View the completed plan

Open the child profile and review the completed plan, including its objectives, activity results, and final status.



Figure 107. Completed intervention plan displayed to the parent.

6.3 Evaluate the completed plan

Open the completed plan from the child profile to access the plan evaluation section.



Figure 108. Completed plan details and evaluation section.

Submit a rating and feedback for the completed intervention plan.



Figure 109. Plan rating and feedback form.

6.4 Delete plan feedback

Review the existing plan evaluation and select Delete Feedback if it is no longer needed.



Figure 110. Existing plan evaluation and feedback.

Review the confirmation dialog, then confirm the deletion of the plan feedback.



Figure 111. Delete plan feedback confirmation dialog.

6.5 Export the plan summary

Open the completed plan and select Export Plan Summary to generate the final report.



Figure 112. Export Plan Summary action.

In the Export Language Selection dialog, choose Vietnamese or English, then download the plan summary.



Figure 113. Export Language Selection dialog.

Open the exported document and verify that the plan summary was generated in the selected language.



Figure 114. Exported intervention plan summary document.

3.6. Post-Intervention

Create Event → Re-assess PEP-3 → Parent Feedback → Complete Phase

Purpose

This workflow guides teachers and parents through the post-intervention phase for a child. It allows teachers to initiate a post-intervention review event, perform a follow-up PEP-3 assessment to measure progress, collect parental feedback, and officially conclude the intervention cycle.

Step-by-Step User Guide

Step 1: Create Post-Intervention Event

- Log in to the web as a teacher.
- Navigate to the Schedule tab.



Figure 237. Schedule tab.

– Click **Create Event** and select the child currently completing an intervention period and assigned staffs if available.



Figure 238. Create schedule event type modal.

– Fill in the necessary event details, such as event date, and assigned staff members, the child then clicks **Save**.

Step 2: Re-assess PEP-3

– Teacher navigates to the **Clinical assessment** tab.



Figure 239. Clinical assessment tab.

– Click **Start Assessment** to evaluate the child's developmental and behavioral progress.



Figure 240. Tool assessment modal.

– Select the child currently completing an intervention period.



Figure 241. Select child view.

– Input the evaluation for the child.



Figure 242. Doing assessment test view.

– Input the information if needed.



Figure 243. Extended information view.

– Click **Save results** to finalize.



Figure 244. Extended information view with save button.

– Navigate to the **tool assessment** tab and select the same assessment test.
– Review the assessment results and compare them with previous PEP-3 baseline scores.



Figure 245. Compare with previous PEP-3 baseline scores.

Step 3: Parent Feedback

- The Parent logs into the web.
- Parent navigate to **Assessment** tab in **child profiles**.



Figure 246. Assessment tab.

– Parent views the updated PEP-3 report and progress summary.



Figure 247. Assessment results detail modal.

– The parent navigates to **IEP** tab and access to the completed plan



Figure 248. IEP tab.

– The Parent completes the **Parent Feedback** by providing home observation notes, comments, and satisfaction ratings.



Figure 249. Plan detail tab.

– Click **Submit Feedback** to send the response back to the teacher.



Figure 250. Rate Plan modal.

Step 4: Teacher view feedback

- The Teacher navigate to **Plan feedback** section and reviews the parent's feedback.



Figure 251. Plan feedback sections.

3.7 Administrator create CARS and PEP-3 assessment tool

Sign in with administrator role → Create

Purpose

This workflow instructs Administrators on how to configure CARS and PEP-3 assessment tool for whole system, and the other center can clone PEP-3 assessment to their center

Step-by-step User Guide

Step 1: Administrator click to "Manage Screening and Tests" Section in the left of sidebar



Figure 252. Screening and Tests page

Admin can create CARS and PEP-3 assessment tool in two ways:

1. Manually:
   - The user clicks the "+ Add Assessment Tool" button.



Figure 253. Tests management page

– User enters general information for assessment



Figure 254. User enters general information in add assessment tool modal

– If user needs to add new section for assessment, can click “+Add Sections”



Figure 255. User click “add section” button to create a new section

– All sections need at least 1 question, user can click “+ Add questions” to add a question for that section



Figure 256. User click "add question" button to create a new question for current section

– User enter all required field



Figure 257. User enter require field

– User click “Save assessment tool” to save



Figure 258. User click "Save assessment tool" to add new

2. Upload the available PEP-3 Excel template.
   - User click “Import PEP-3 from Excel” button



Figure 259. User click "import PEP-3 from Excel" button

- User can click “Download full PEP-3 data” button to download PEP-3 Template to desktop to edit PEP-3 assessment tool to suitable for the center



Figure 260. Import PEP-3 assessment tool from Excel modal

– User upload Excel file and preview



Figure 261. Import PEP-3 assessment tool from Excel modal

– A preview modal will appear, allowing you to preview your assessment tool before saving.



Figure 262. Preview Excel import modal before saving

3.8. Extended dashboard management.

Purpose

Provides supplementary analytical and operational features designed to the primary workflow.

1. Manage tests

– The user clicks the “Manage Tests”



Figure 263. Tests management page

– Search assessment tool: The user enter keyword in “search tool….” field



Figure 264. Tests management page

– Create tests: There are 3 ways to create a new assessment tool:
– The user can create an Assessment Tool manually.
    - The user clicks the “+ Add Assessment Tool” button.



Figure 265. Tests management page

- User enter general information for assessment



Figure 266. User enters general information in add assessment tool modal

- If user needs to add new section for assessment, can click "+Add Sections"



Figure 267. User click "add section" button to create a new section

- All sections need at least 1 question, user can click “+ Add questions” to add a question for that section



Figure 268. User click "add question" button to create a new question for current section

– User enter all required field



Figure 269. User enter require field

- User click “Save assessment tool” to save



Figure 270. User click "Save assessment tool" to add new

– Create test by excel: The user can download the available PEP-3 Excel template, complete or modify its content, and then upload it to the system.
    - User click “Import PEP-3 from Excel” button



Figure 271. User click "import PEP-3 from Excel" button

    - User can click “Download full PEP-3 data” button to download PEP-3 Template to desktop to edit PEP-3 assessment tool to *suitable for the center*



Figure 272. Import PEP-3 assessment tool from Excel modal

    - User upload Excel file and preview



Figure 273. Import PEP-3 assessment tool from Excel modal

- A preview modal will appear, allowing you to preview your assessment tool before saving.



Figure 274. Preview Excel import modal before saving

– Create test: The user can import the predefined PEP-3 template available in the system.
  - User click “Import system tool”



Figure 275. Tests management page

- User chose a PEP-3 assessment tool from System Tests Catalog modal then click "Import to Center"



Figure 276. System Tests catalog modal

– The user click "edit" button to open edit modal



Figure 277. tests management page



Figure 278. edit test modal

– The user clicks “view details” button to view test detail



Figure 279. tests management page

– The user can click “power” button then click “Deactive” to set active/inactive test, this action will set status of test to Active/Inactive



Figure 280. Tests management page



Figure 281. Confirm test deactivation modal

2. Manage blogs

– From the dashboard, select Manage Blogs to view the complete blog list.



Figure 282. View blogs list for dashboard page

– Enter an article title or author in the search box to find the desired blog.



Figure 283. Search blog page

– Select the view icon of the desired article in Blog Management.



Figure 284. View blog details dashboard page

– Review the article details and select Close when finished.



Figure 285. View blog details dashboard page

– Select the edit icon of the article to be updated.



Figure 286. Update blog page

– Update the article information and select Save Changes.



Figure 287. Update blog page

3. Manage support tickets

– From the dashboard, select Support Tickets to view the complete ticket list.



Figure 288. View support tickets list dashboard page

– Select Respond for the support ticket that requires a response.



Figure 289. Respond to Support Ticket page

– Enter the response in Ticket Details and select Send.



Figure 290. Respond to Support Ticket page

– Select “Detail” on the desired support ticket.



Figure 291. View support ticket details page

– Review the ticket status, issue description, attachments, and conversation history.



Figure 292. View support ticket details page

4. Manage Center Plan Areas

– User navigate to manage center area, user can Enter a keyword in the Search center areas box to find the desired center plan area.



Figure 293. View center plan areas list page



Figure 294. Search center plan area page

– Select Add Area from the Manage Center Areas page.



Figure 295. Create center plan area page

– Enter the center area name and description, then select Add.



Figure 296. Create center plan area page

– User can delete a center area by selecting the delete icon of the center plan area to be removed.



Figure 297. Delete center plan area page

– Select Confirm Delete to remove the center plan area.



Figure 298. Delete center plan area page

– User can select the edit icon of the center plan area to be updated.



Figure 299. Update center plan area page

– Update the center area information and select Update.



Figure 300. Update center plan area page

5. Manage terms and privacy

– User navigate to Term and Privacy



Figure 301. Terms and Privacy navigate

– User can create terms and privacy input the text into the context then click “Save draft”



Figure 302. Create terms and privacy (1/2)



Figure 303. Create terms and privacy (2/2)

– The system will notify the success of saving the draft



Figure 304. Create terms and privacy success notification

– User then can publish the content



Figure 305. Publishing terms and privacy

– User can update terms and privacy but clicking “Edit” button



Figure 306. Edit terms and privacy (1/2)

– After input the update content, user can click the “Save draft” button to save the updated information.



Figure 307. Edit terms and privacy (2/2)