

<<route>>
ReviewResponseManagementRoutes
+ POST /reviews/:reviewId/response [AuthGuard, PermissionGuard]
+ PATCH /reviews/responses/:responseId [AuthGuard, PermissionGuard]
+ DELETE /reviews/responses/:responseId [AuthGuard, PermissionGuard]
maps to
ReviewController
- service: ReviewService
+ respond(userId: number, reviewId: number, body: CreateReviewResponseDto)
+ updateResponse(userId: number, responseId: number, body: UpdateReviewResponseDto)
+ removeResponse(userId: number, responseId: number)
calls
ReviewService
- repository: ReviewRepository
+ respond(userId: number, reviewId: number, responseText: string)
+ updateResponse(userId: number, responseId: number, responseText: string)
+ removeResponse(userId: number, responseId: number)
calls
ReviewRepository
- prisma: PrismaService
+ findContract(contractId: number)
+ findById(reviewId: number, includeDeleted?: boolean)
+ findResponseByReview(reviewId: number)
+ findResponseById(responseId: number)
+ createResponse(reviewId: number, userId: number, reviewerId: number, contractId: number, responderName: string, responseText: string, deletedResponseId?: number)
+ updateResponse(responseId: number, responseText: string)
+ softDeleteResponse(responseId: number)
authenticated routes
rr
input
uses
<<infrastructure>>
PrismaService
extends PrismaClient
Generated model delegates and $transaction
<<guard>>
AuthGuard
- tokenService: TokenService
- prisma: PrismaService
- reflector: Reflector
+ canActivate(context: ExecutionContext): Promise<boolean>;
- extractTokenFromHeader(request: Request): string | undefined
<<guard>>
PermissionGuard
- reflector: Reflector
- sharedPermissionRepository: SharedPermissionRepository
+ canActivate(context: ExecutionContext): Promise<boolean>;
<<repository>>
SharedPermissionRepository
- prisma: PrismaService
+ roleHasPermission(roleId: number, method: string, path: string)
persists
queries grants
checks access
<<dto>>
CreateReviewResponseDto
+ responseText: string
<<dto>>
ReviewResponseDto
+ id: number
+ reviewId: number
+ userId: number
+ responseText: string
+ createdAt: string | Date
+ updatedAt: string | Date
+ deletedAt: string | Date | null
+ user: { id: number; profile: { displayName: string | null; avatarUrl: string | null; } | null; }
<<dto>>
UpdateReviewResponseDto
+ responseText: string
<<schema>>
ReviewResponse
+ id: Int
+ reviewId: Int
+ userId: Int
+ responseText: String
+ createdAt: DateTime
+ updatedAt: DateTime
+ deletedAt: DateTime?
review
<<schema>>
Review
+ id: Int
+ contractId: Int
+ reviewerId: Int
+ revieweeId: Int
+ overallRating: Decimal
+ breakdown: Json?
+ comment: String?
+ createdAt: DateTime
+ updatedAt: DateTime
+ deletedAt: DateTime?
response