LABORATORY REPORT

[redacted]

Laboratory accredited to ISO 15189:2022***

Lab Group International Vietnam Company Limited
Polyclinic - Medical Laboratory and Diagnostic Center
– Medical Diag Center
414-416-418-420 Cao Thang, Hoa Hung Ward, HCM City
1900 1717 | diag.vn | info@diag.vn

Name	[redacted]	VID	[redacted]
Gender	Male	Client name	WALKIN
Phone	[redacted]		
DOB	[redacted]1982		
ID number	[redacted]		
Address	53, NGUYEN DU, Sai Gon Ward, Ho Chi Minh City		

Registered **24/02/2026 12:17 PM** Collection **24/02/2026 12:27 PM** Received **24/02/2026 01:13 PM** Reported **13/03/2026 03:07 PM**

TEST NAME	RESULT	REFERENCE RANGE	UNIT
Homocysteine Serum, [Abbott] Alinity i	8	5.46 - 16.2	µmol/L
CLINICAL PATHOLOGY			
Urine analysis [Automatic system] Urine, [Sysmex] UC-3500			
Specific Gravity	1.018	1.015 - 1.025	
pH	5.5	4.6 - 8	
Blood	Negative	Negative	
Leukocytes	Negative	Negative	
Nitrite	Negative	Negative	
Glucose	Negative	Negative	
Ketones	Negative	Negative	
Urobilinogen	Normal	Normal	
Bilirubin	Negative	Negative	
Protein	Negative	Negative	
GENETICS			
SPOT-MAS 10 Early Screening for 10 Cancers ** GS-Whole Blood	Result attached		

Disclaimer:
- Test results released pertain to the specimen submitted.
- All test results are dependent on the quality of the sample received by the laboratory.
- Laboratory testing is only a tool to facilitate arriving at a diagnosis and should be clinically correlated by the referring physician.
- Sample repeats are accepted on request of the referring physician within 24 hours post reporting.
- Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.
- Test results may show interlaboratory variations.
- (!) Interpretation should be made with caution, and in correlation with the clinical condition