


Realistic View




Realistic View




Top Layer (Scale 5:2)




Bottom Layer (Scale 3:2)




Top Paste (Scale 3:2)



Top Overlay (Scale 3:2)



View from Top side (Scale 5:2)



Drill Table

Symbol	Count	Hole Size	Plated	Hole Tolerance
⊠	142	0.25mm	Plated	
⊠	28	0.30mm	Plated	
✡	4	0.60mm	Plated	
▽	2	0.65mm	Non-Plated	
□	3	1.07mm	Non-Plated	
✣	4	2.20mm	Plated	
	183 Total			

Bill Of Materials

Line #	Designator	Comment	Quantity
1	C100, C101	4u7	2
2	C102	22p	1
3	C103, C104, C200, C201, C205, C206, C300, C301	100n	8
4	C203, C204	10p	2
5	FB100, FB200	120R	2
6	J100	USB4105-GF-A-060	1
7	J300	SM06B-GHS-TB	1
8	L100	10u	1
9	R100	887K	1
10	R101	280K	1
11	R102, R103, R200	5K1	3
12	R201, R202	1K1	2
13	U100	LTC3405ES6#TRMPBF	1
14	U200	STM32F042G6U6	1
15	U300	BMI088	1
16	X200	24MHz	1