

Opening your Folder in File Explorer

⌕

🔗

📁

🏠

🔧

📌

🔌

🔗

👤

⚙️

Welcome

🔍 Search

🔍 ...

Visual Studio Code

Editing evolved

Start

New File...

Open...

Clone Git Repository...

Connect to...

Generate New Workspace...

Recent

Lab2 ~/Documents/Personal-Projects/Labs_2024

IDAES-Stakeholder-Summit-2025 ~/Documents/Personal-Projects

ML-GUI-App ~/Documents/Personal-Projects

WaterTap ~/Documents/Personal-Projects

PFAS-Project-Team-Drive (Workspace) ~/Documents/Personal-Projects/PF...

More...

Walkthroughs

★

Get started with VS Code

Customize your editor, learn the basics, and start coding

💡

Learn the Fundamentals

📖

Get Started with Bookmarks Updated

🤖

GitHub Copilot Updated


🐍

Get Started with Python Development Updated

More...

☒ Show welcome page on startup

00:00:38 Elapsed



Visual Studio Code

Editing evolved

Start

- New File...
- Open...
- Clone Git Repository...
- Connect to...
- Generate New Workspace...

Recent

- Lab2 ~/Documents/Personal-Projects/Labs_2024
- IDAES-Stakeholder-Summit-2025 ~/Documents/Personal-Projects
- ML-GUI-App ~/Documents/Personal-Projects
- WaterTap ~/Documents/Personal-Projects
- PFAS-Project-Team-Drive (Workspace) ~/Documents/Personal-Projects/PF...
- More...

Walkthroughs

- Get started with VS Code
Customize your editor, learn the basics, and start coding
- Learn the Fundamentals
- Get Started with Bookmarks Updated
- GitHub Copilot Updated
- Get Started with Python Development Updated

More...

☒ Show welcome page on startup



VS Welcome X

Visual Studio Code


Editing environment

Start

- New File
- Open...
- Clone G
- Conne
- General

Recent

- Lab2 ~/Do
- IDAES-Stake
- ML-GUI-App
- WaterTap
- 5510 D



Welcome ×



Visual Studio Code

Editing environments

Start

- New File
- Open Folder
- Clone from GitHub
- Connect to Remote
- Generate

Recent

- Lab2 ~/Documents
- IDAES-Stakeholder
- ML-GUI-App
- WaterTap
- 5510-2021



 Explorer (⇧⌘E) ... Welc

OPEN EDITORS

× Welcome

NO FOLDER OPENED

You have not yet opened a folder.


Open Folder


Opening a folder will close all currently open editors. To keep them open, [add a folder](#) instead.


You can clone a repository locally.

Clone Repository

To learn more about how to use Git and source control in VS Code [read our docs](#).








Find the folder you want to open in your Explorer.


You could use the “Favorites” list on the LHS that you can use for quick navigation.

If you don’t know where your folder was, you could speed up the process by:

Find “Downloads” in the Favorites list. Click on New Folder and create a new folder there.



Once you find the the folder you are interested in, click the folder and click Add.



Once you find the the folder you are interested in, click the folder and click Add.





















EXPLORER

...

WELCOME X

EXPLORED

OPEN EDITORS

WELCOME

UNTITLED (WORKSPACE)

Lab-sessions

Lab-1

Lab-2

\\

E

S

[

E

g

>

↳

R

L

L

IT



...



> Lab-2

IC

How to install Package

Pytho

Pytho

Comments

AI responses may be inaccurate.

CodeFileEditSelectionViewGoRunTerminalWindowHelp

←→Untitled (Workspace)

⚙️📄🔍

EXPLORER

...WelcomeLab 2 Tutorial.ipynb

OPEN EDITORS

Welcome

Lab 2 Tutorial.ipynb

UNTITLED (WORKSPACE)

Lab-sessions

Lab-1

Lab-2

~\$How-to-Visuals.pptx

~\$Lab 2_PRG.pptx

~\$Week2-Additional-Announcements.p...

How-to-Visuals.pptx

Lab 2_PRG.pptx

Week2-Additional-Announcements.pptx

Lab 2 Tutorial.ipynb

Lab-sessions > Lab 2 Tutorial.ipynb > M+ Lab 2: Getting Started in Python > M+ Comments > # This is a comment. I can read this, but python skips it.

Generate + Code + Markdown ▶ Run All ⌵ Clear All Outputs ⌵ Outline ...

Select Kernel

Importing Packages

Use the command `import [PackageName] as [alias]` to import a package where packagename is the name of the package you want to import, and the as to signify the package is being assigned an alias. An alias is a "nickname" for the package that will be easier to type many times.

The alias for a package can be whatever you want it to be. However, common aliases include: pd for the pandas package np for the numpy package plt for the matplotlib.pyplot package

Below, we will import each of these packages (and use them later in the code and in the course)

#Import Packages
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt

Python

Traceback (most recent call last)

1

sklearn

or: No module named 'sklearn'

package that isn't pre installed? You will have to install it on your own before using. Suppose you want to use a package you would implement the following code:

pip install sklearn

We got an error because the package is not pre-installed. In order to install the package, go to the command prompt/terminal, and enter the following command: `pip install tsnet` where `tsnet` is the name of any package you are trying to install. Once you do that, then the package should be available to use on your computer and you can try to import it to your script again.

Comments

New File...
New Folder...
Reveal in Finder ⌘⇧R
Open in Integrated Terminal
Add Folder to Workspace...
Open Folder Settings
Remove Folder from Workspace
Find in Folder... ⌘⇧F
Add Folder to Chat
Paste ⌘V
Copy Path ⌘⇧C
Copy Relative Path ⌘⇧⌘C
Run Tests
Debug Tests
Run Tests with Coverage
Add as Python Project

Build with agent mode.

AI responses may be inaccurate.

Add Context...

Lab 2 Tutorial.ipynb +

Add context (#), extension

🔍📄🔍🔍🔍🔍

OUTLINE

TIMELINE

4 6 ▶ 00:00

00:03:55 Elapsed Cell 9 of 48

```
import numpy as np
import pandas as pd
lib.py
```

New File...

New Folder...

Reveal in Finder

⌘ ⌘ R

Open in Integrated Terminal

Add Folder to Workspace...

Open Folder Settings

Remove Folder from Workspace

Find in Folder...

⌘ ⇧ F

Add Folder to Chat

Paste

⌘ V

Copy Path

⌘ ⌘ C

Copy Relative Path

⌘ ⇧ ⌘ C

Run Tests

Debug Tests

Run Tests with Coverage

Add as Python Project

```
pip install sklearn
```

AI responses may be inaccurate.

PROBLEMS 10

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
○ (base) pg13@Priyanshus-Laptop Lab-sessions %
```



> OUTLINE

> TIMELINE



⊗ 4 ⚠ 6 ▶ 00:00

⚙️

> OUTLINE

> TIMELINE

⏮

⊗ 4 ⚠️ 6 ▶ 00:00

PROBLEMS 10

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

◦ (base) pg13@Priyanshus-Laptop Lab-sessions %

⚙

⚙

> OUTLINE

> TIMELINE

PROBLEMS 10

OUTPUT

DEBUG CONSOLE

TERMINAL


PORTS

◦ (base) pg13@Priyanshus-Laptop Lab-sessions %

<


⊗ 4 ⚠ 6 ▶ 00:00

○ (base) pg13@Priyanshus-Laptop Lab-sessions % pip install numpy



```
PROBLEMS 10 OUTPUT DEBUG CONSOLE TERMINAL PORTS zsh + v [ ] [ ] ... [ ] [ ] x

• (base) pg13@Priyanshus-Laptop Lab-sessions % pip install numpy
Requirement already satisfied: numpy in /opt/anaconda3/lib/python3.11/site-packages (1.26.4)
• (base) pg13@Priyanshus-Laptop Lab-sessions % conda activate eve310
• (eve310) pg13@Priyanshus-Laptop Lab-sessions % pip install numpy
Collecting numpy
  Using cached numpy-2.3.2-cp311-cp311-macosx_14_0_arm64.whl.metadata (62 kB)
  Using cached numpy-2.3.2-cp311-cp311-macosx_14_0_arm64.whl (5.4 MB)
Installing collected packages: numpy
```



Successfully installed numpy-2.3.2

Add Context...

Lab 2 Tutorial.ipynb +