```
CREATE DATABASE IF NOT EXISTS `chat` /*!40100 DEFAULT CHARACTER SET
utf8 COLLATE utf8 unicode ci */;
USE `chat`;
-- MySQL dump 10.13 Distrib 5.7.17, for Win64 (x86 64)
-- Host: 127.0.0.1 Database: chat
__ ______
-- Server version
                    5.5.21
/*!40101 SET @OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIENT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS */;
/*!40101 SET @OLD COLLATION CONNECTION=@@COLLATION CONNECTION */;
/*!40101 SET NAMES utf8 */;
/*!40103 SET @OLD TIME ZONE=@@TIME ZONE */;
/*!40103 SET TIME ZONE='+00:00' */;
/*!40014 SET @OLD UNIQUE CHECKS=@@UNIQUE CHECKS, UNIQUE CHECKS=0 */;
/*!40014 SET @OLD FOREIGN KEY CHECKS=@@FOREIGN KEY CHECKS,
FOREIGN KEY CHECKS=0 */;
/*!40101 SET @OLD SQL MODE=@@SQL MODE,
SQL MODE='NO AUTO VALUE ON ZERO' */;
/*!40111 SET @OLD SQL NOTES=@@SQL NOTES, SQL NOTES=0 */;
-- Table structure for table `emoji`
DROP TABLE IF EXISTS `emoji`;
/*!40101 SET @saved cs client = @@character set client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `emoji` (
  `id emoji` int(11) NOT NULL AUTO INCREMENT,
  `nombre` varchar(50) COLLATE utf8 unicode ci NOT NULL,
  `tipo` varchar(50) COLLATE utf8 unicode ci NOT NULL,
  `descripcion` varchar(50) COLLATE utf8 unicode ci NOT NULL,
 PRIMARY KEY ('id emoji'),
 UNIQUE KEY `nombre` (`nombre`),
 UNIQUE KEY `tipo` (`tipo`),
 CONSTRAINT `tiagolex` FOREIGN KEY (`tipo`) REFERENCES `tipoemoji`
(`tipo`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8 unicode ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `emoji`
LOCK TABLES `emoji` WRITE;
/*!40000 ALTER TABLE `emoji` DISABLE KEYS */;
/*!40000 ALTER TABLE `emoji` ENABLE KEYS */;
UNLOCK TABLES;
```

```
-- Table structure for table `salauser`
DROP TABLE IF EXISTS `salauser`;
/*!40101 SET @saved cs client = @@character set client */;
/*!40101 SET character set client = utf8 */;
CREATE TABLE `salauser` (
  `id user` int(11) NOT NULL AUTO INCREMENT,
  `nombre sala` varchar(50) COLLATE utf8 unicode ci NOT NULL,
  `password sala` blob NOT NULL,
 PRIMARY KEY ('id user'),
 UNIQUE KEY `nombre sala` (`nombre sala`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8 unicode ci;
/*!40101 SET character set client = @saved cs client */;
-- Dumping data for table `salauser`
LOCK TABLES `salauser` WRITE;
/*!40000 ALTER TABLE `salauser` DISABLE KEYS */;
/*!40000 ALTER TABLE `salauser` ENABLE KEYS */;
UNLOCK TABLES;
-- Table structure for table `tipoemoji`
DROP TABLE IF EXISTS `tipoemoji`;
/*!40101 SET @saved cs client = @@character set client */;
/*!40101 SET character set client = utf8 */;
CREATE TABLE `tipoemoji` (
  `id tipo` int(11) NOT NULL AUTO INCREMENT,
  `tipo` varchar(50) COLLATE utf8 unicode ci NOT NULL,
 PRIMARY KEY ('id tipo'),
 UNIQUE KEY `tipo` (`tipo`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8 unicode ci;
/*!40101 SET character set client = @saved_cs_client */;
-- Dumping data for table `tipoemoji`
LOCK TABLES `tipoemoji` WRITE;
/*!40000 ALTER TABLE `tipoemoji` DISABLE KEYS */;
/*!40000 ALTER TABLE `tipoemoji` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME ZONE=@OLD TIME ZONE */;
/*!40101 SET SQL MODE=@OLD SQL MODE */;
/*!40014 SET FOREIGN KEY CHECKS=@OLD FOREIGN KEY CHECKS */;
/*!40014 SET UNIQUE CHECKS=@OLD UNIQUE CHECKS */;
```

```
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;
-- Dump completed on 2017-11-23 10:10:23
```