[Lynis 3.0.9]

```
Lynis comes with ABSOLUTELY NO WARRANTY. This is free software, and you are
  welcome to redistribute it under the terms of the GNU General Public License.
  See the LICENSE file for details about using this software.
  2007-2021, CISOfy - https://cisofy.com/lynis/
  Enterprise support available (compliance, plugins, interface and tools)
[+] Initializing program
- Detecting OS... [ DONE ]
- Checking profiles... [ DONE ]
  Program version:
                           3.0.9
  Operating system:
                           Linux
  Operating system name:
                           Ubuntu
  Operating system version:
                           24.04
  Kernel version:
                           6.8.0
 Hardware platform:
                           x86 64
 Hostname:
                           ip-172-31-89-106
 Profiles:
                           /etc/lynis/default.prf
  Log file:
                           /var/log/lynis.log
  Report file:
                           /var/log/lynis-report.dat
  Report version:
                           1.0
                           /etc/lynis/plugins
 Plugin directory:
  Auditor:
                            [Not Specified]
  Language:
                           en
  Test category:
                           all
  Test group:
                           all
- Program update status... [ NO UPDATE ]
[+] System tools

    Scanning available tools...

- Checking system binaries...
[+] Plugins (phase 1)
Note: plugins have more extensive tests and may take several minutes to complete
Plugin: debian
[+] Debian Tests
- Checking for system binaries that are required by Debian Tests...
- Checking /bin... [ FOUND ]
- Checking /sbin... [ FOUND ]
- Checking /usr/bin... [ FOUND ]
- Checking /usr/sbin... [ FOUND ]
- Checking /usr/local/bin... [ FOUND ]
- Checking /usr/local/sbin... [ FOUND ]
- Authentication:
PAM (Pluggable Authentication Modules):libpam-tmpdir [ Not Installed ]
- File System Checks:
- DM-Crypt, Cryptsetup & Cryptmount:
- Checking / on /dev/xvda1 [ NOT ENCRYPTED ]
- Checking /snap/amazon-ssm-agent/9881 on /var/lib/snapd/snaps/amazon-ssm-agent_9881.snap [ NOT ENCRYPTED ]
- Checking /snap/core22/1748 on /var/lib/snapd/snaps/core22_1748.snap [ NOT ENCRYPTED ]
- Checking /snap/snapd/23545 on /var/lib/snapd/snaps/snapd 23545.snap [ NOT ENCRYPTED ]
- Checking /boot on /dev/xvda16 [ NOT ENCRYPTED ]
- Checking /boot/efi on /dev/xvda15 [ NOT ENCRYPTED ]
- Software:
- apt-listbugs [ Not Installed ]
- apt-listchanges [ Not Installed ]
- needrestart [ Installed ]
  fail2ban [ Installed with jail.conf ]
```

44.212.30.110:8000/lynis-report.html

1/10

[+] Boot and services

```
- Service Manager [ systemd ]
- Checking UEFI boot [ DISABLED ]
 Checking presence GRUB2 [ FOUND ]
 Checking for password protection [ {f NONE} ]
- Check running services (systematl) [ DONE ]
Result: found 26 running services
Check enabled services at boot (systemctl) [ DONE ]
Result: found 53 enabled services
Check startup files (permissions) [ OK ]
- Running 'systemd-analyze security'
- ModemManager.service: [ MEDIUM ]
- acpid.service: [ UNSAFE ]
- chrony.service: [ PROTECTED ]
- containerd.service: [ UNSAFE ]
- cron.service: [ UNSAFE ]
- dbus.service: [ UNSAFE ]
- dm-event.service: [ UNSAFE ]
- dmesg.service: [ UNSAFE ]
- docker.service: [ UNSAFE ]
- emergency.service: [ UNSAFE ]
- fail2ban.service: [ UNSAFE ]
 getty@tty1.service: [ UNSAFE ]
- hibinit-agent.service: [ UNSAFE ]
- irqbalance.service: [ EXPOSED ]
- iscsid.service: [ UNSAFE ]
- lvm2-lvmpolld.service: [ UNSAFE ]
- lynis.service: [ UNSAFE ]
- multipathd.service: [ UNSAFE ]
- networkd-dispatcher.service: [ UNSAFE ]
 open-vm-tools.service: [ UNSAFE ]
packagekit.service: [ UNSAFE ]
- plymouth-start.service: [ UNSAFE ]
- polkit.service: [ PROTECTED ]
- rc-local service: [ UNSAFE ]
- rescue service: [ UNSAFE ]
- rsyslog.service: [ MEDIUM ]
- serial-getty@ttyS0.service: [ UNSAFE ]
- snap.amazon-ssm-agent.amazon-ssm-agent.service: [ UNSAFE ]
- snapd.service: [ UNSAFE ]
- ssh.service: [ UNSAFE ]
- systemd-ask-password-console.service: [ UNSAFE ]
- systemd-ask-password-plymouth.service: [ UNSAFE ]
- systemd-ask-password-wall.service: [ UNSAFE ]
- systemd-bsod.service: [ UNSAFE ]
- systemd-fsckd.service: [ UNSAFE ]
- systemd-initctl.service: [ UNSAFE ]
- systemd-journald.service: [ PROTECTED ]
- systemd-logind.service: [ PROTECTED ]
- systemd-networkd.service: [ PROTECTED ]
- systemd-resolved.service: [ PROTECTED ]
- systemd-rfkill.service: [ UNSAFE ]
- systemd-udevd.service: [ MEDIUM ]
- tpm-udev.service: [ UNSAFE ]
- ubuntu-advantage.service: [ UNSAFE ]
- udisks2.service: [ UNSAFE ]
- unattended-upgrades_service: [ UNSAFE ]
- user@1000.service: [ UNSAFE ]
- uuidd.service: [ MEDIUM ]
- vgauth.service: [ UNSAFE ]
[+] Kernel
- Checking default run level [ RUNLEVEL 5 ]
Checking CPU support (NX/PAE)
CPU support: PAE and/or NoeXecute supported [ FOUND ]
Checking kernel version and release [ DONE ]
- Checking kernel type [ DONE ]
Checking loaded kernel modules [ DONE ]
Found 50 active modules
Checking Linux kernel configuration file [ FOUND ]Checking default I/O kernel scheduler [ NOT FOUND ]
- Checking for available kernel update [ OK ]
- Checking core dumps configuration
- configuration in systemd conf files [ DEFAULT ]
- configuration in /etc/profile [ DEFAULT ]
```

```
- 'hard' configuration in /etc/security/limits.conf [ DEFAULT ]
- 'soft' configuration in /etc/security/limits.conf [ DEFAULT ]
Checking setuid core dumps configuration [ PROTECTED ]
Check if reboot is needed [ YES ]
[+] Memory and Processes
- Checking /proc/meminfo [ FOUND ]
- Searching for dead/zombie processes [ NOT FOUND ]
Searching for IO waiting processes [ NOT FOUND ]
 Search prelink tooling [ NOT FOUND ]
[+] Users, Groups and Authentication
Administrator accounts [ OK ]
- Unique UIDs [ OK ]
- Consistency of group files (grpck) [ OK ]
- Unique group IDs [ OK ]
- Unique group names [ OK ]
Password file consistency [ OK ]
- Password hashing methods [ OK ]
- Checking password hashing rounds [ DISABLED ]
- Query system users (non daemons) [ DONE ]
NIS+ authentication support [ NOT ENABLED ]
- NIS authentication support [ NOT ENABLED ]
- Sudoers file(s) [ FOUND ]
Permissions for directory: /etc/sudoers.d [ OK ]
- Permissions for: /etc/sudoers [ OK ]
- Permissions for: /etc/sudoers.d/90-cloud-init-users [ OK ]
- Permissions for: /etc/sudoers.d/README [ OK ]
PAM password strength tools [ SUGGESTION ]
- PAM configuration files (pam.conf) [ FOUND ]
- PAM configuration files (pam.d) [ FOUND ]
- PAM modules [ FOUND ]
- LDAP module in PAM [ NOT FOUND ]
Accounts without expire date [ OK ]
Accounts without password [ OK ]Locked accounts [ FOUND ]
- Checking user password aging (minimum) [ DISABLED ]
User password aging (maximum) [ DISABLED ]
- Checking expired passwords [ OK ]

    Checking Linux single user mode authentication [ OK ]

    Determining default umask

- umask (/etc/profile) [ NOT FOUND ]
- umask (/etc/login.defs) [ SUGGESTION ]
LDAP authentication support [ NOT ENABLED ]

    Logging failed login attempts [ ENABLED ]

[+] Shells

    Checking shells from /etc/shells

Result: found 9 shells (valid shells: 9).
 Session timeout settings/tools [ NONE ]

    Checking default umask values

Checking default umask in /etc/bash.bashrc [ NONE ]
Checking default umask in /etc/profile [ NONE ]
[+] File systems
- Checking mount points
- Checking /home mount point [ SUGGESTION ]
- Checking /tmp mount point [ SUGGESTION ]
- Checking /var mount point [ SUGGESTION ]
- Query swap partitions (fstab) [ NONE ]
Testing swap partitions [ OK ]
- Testing /proc mount (hidepid) [ SUGGESTION ]
Checking for old files in /tmp [ OK ]
- Checking /tmp sticky bit [ OK ]
Checking /var/tmp sticky bit [ OK ]
- ACL support root file system [ ENABLED ]
- Mount options of / [ NON DEFAULT ]
- Mount options of /boot [ DEFAULT
- Mount options of /dev [ HARDENED ]
- Mount options of /dev/shm [ PARTIALLY HARDENED ]
- Mount options of /run [ HARDENED ]
- Total without nodev:6 noexec:11 nosuid:7 ro or noexec (W^X): 8 of total 26
- Disable kernel support of some filesystems
```

```
[+] USB Devices
- Checking usb-storage driver (modprobe config) [ NOT DISABLED ]
Checking USB devices authorization [ DISABLED ]
- Checking USBGuard [ NOT FOUND ]
[+] Storage
- Checking firewire ohci driver (modprobe config) [ DISABLED ]
- Check running NFS daemon [ NOT FOUND ]
[+] Name services
- Checking search domains [ FOUND ]
- Checking /etc/resolv.conf options [ FOUND ]
Searching DNS domain name [ FOUND ]
Domain name: ec2.internal
- Checking /etc/hosts
- Duplicate entries in hosts file [ NONE ]
- Presence of configured hostname in /etc/hosts [ NOT FOUND ]
Hostname mapped to localhost [ NOT FOUND ]
- Localhost mapping to IP address [ OK ]
[+] Ports and packages
- Searching package managers
- Searching dpkg package manager [ FOUND ]
- Querying package manager
- Query unpurged packages [ NONE ]
Checking security repository in sources.list.d directory [ OK ]
Checking APT package database [ OK ]
- Checking vulnerable packages [ OK ]
Checking upgradeable packages [ SKIPPED ]

    Checking package audit tool [ INSTALLED ]

Found: apt-check
Toolkit for automatic upgrades (unattended-upgrade) [ FOUND ]
[+] Networking
- Checking IPv6 configuration [ ENABLED ]
Configuration method [ AUTO ]
IPv6 only [ NO ]
- Checking configured nameservers

    Testing nameservers

Nameserver: 127.0.0.53 [ OK ]
- DNSSEC supported (systemd-resolved) [ UNKNOWN ]
- Getting listening ports (TCP/UDP) [ DONE ]
Checking promiscuous interfaces [ OK ]
- Checking status DHCP client
Checking for ARP monitoring software [ NOT FOUND ]
Uncommon network protocols [ 0 ]
[+] Printers and Spools
Checking cups daemon [ NOT FOUND ]
- Checking lp daemon [ NOT RUNNING ]
[+] Software: e-mail and messaging
[+] Software: firewalls
- Checking iptables kernel module [ FOUND ]
Checking iptables policies of chains [ FOUND ]
- Checking for empty ruleset [ OK ]
- Checking for unused rules [ FOUND ]
- Checking host based firewall [ ACTIVE ]
[+] Software: webserver
Checking Apache [ NOT FOUND ]
- Checking nginx [ NOT FOUND ]
[+] SSH Support
```

```
- Checking running SSH daemon [ FOUND ]
  Searching SSH configuration [ FOUND ]
OpenSSH option: AllowTcpForwarding [ SUGGESTION ]

    OpenSSH option: ClientAliveCountMax [ SUGGESTION ]

- OpenSSH option: ClientAliveInterval [ OK ]
OpenSSH option: FingerprintHash [ OK ]OpenSSH option: GatewayPorts [ OK ]
- OpenSSH option: IgnoreRhosts [ OK ]
- OpenSSH option: LoginGraceTime [ OK ]
- OpenSSH option: LogLevel [ SUGGESTION ]
- OpenSSH option: MaxAuthTries [ SUGGESTION ]
- OpenSSH option: MaxSessions [ SUGGESTION ]
OpenSSH option: PermitRootLogin [ OK ]
- OpenSSH option: PermitUserEnvironment [ OK ]
OpenSSH option: PermitTunnel [ OK ]OpenSSH option: Port [ SUGGESTION ]
- OpenSSH option: PrintLastLog [ OK ]
- OpenSSH option: StrictModes [ OK ]
OpenSSH option: TCPKeepAlive [ SUGGESTION ]OpenSSH option: UseDNS [ OK ]
- OpenSSH option: X11Forwarding [ SUGGESTION ]
OpenSSH option: AllowAgentForwarding [ SUGGESTION ]
- OpenSSH option: AllowUsers [ NOT FOUND ]
OpenSSH option: AllowGroups [ NOT FOUND ]
[+] SNMP Support
- Checking running SNMP daemon [ NOT FOUND ]
[+] Databases
No database engines found
[+] LDAP Services
- Checking OpenLDAP instance [ NOT FOUND ]
[+] PHP
- Checking PHP [ NOT FOUND ]
[+] Squid Support
- Checking running Squid daemon [ NOT FOUND ]
[+] Logging and files
- Checking for a running log daemon [ OK ]
Checking Syslog-NG status [ NOT FOUND ]
- Checking systemd journal status [ FOUND ]
Checking Metalog status [ NOT FOUND ]
- Checking RSyslog status [ FOUND ]
- Checking RFC 3195 daemon status [ NOT FOUND ]
Checking minilogd instances [ NOT FOUND ]
- Checking logrotate presence [ OK ]
Checking remote logging [ NOT ENABLED ]
- Checking log directories (static list) [ DONE ]
Checking open log files [ DONE ]
- Checking deleted files in use [ FILES FOUND ]
[+] Insecure services
Installed inetd package [ NOT FOUND ]
Installed xinetd package [ OK ]

    xinetd status

Installed rsh client package [ OK ]
Installed rsh server package [ OK ]
Installed telnet client package [ OK ]Installed telnet server package [ NOT FOUND ]
- Checking NIS client installation [ OK ]
- Checking NIS server installation [ OK ]
- Checking TFTP client installation [ OK ]
Checking TFTP server installation [ OK ]
[+] Banners and identification
- /etc/issue [ FOUND ]
 /etc/issue contents [ WEAK ]
```

```
- /etc/issue.net [ FOUND ]
- /etc/issue.net contents [ WEAK ]
[+] Scheduled tasks
- Checking crontab and cronjob files [ DONE ]
[+] Accounting
- Checking accounting information [ NOT FOUND ]
Checking sysstat accounting data [ DISABLED ]
- Checking auditd [ NOT FOUND ]
[+] Time and Synchronization
[+] Cryptography
- Checking for expired SSL certificates [0/150] [ NONE ]
      WING: Test CRYP-7902 had a long execution: 11.379959 seconds
- Found 0 encrypted and 0 unencrypted swap devices in use. [ OK ]
Kernel entropy is sufficient [ YES ]HW RNG & rngd [ NO ]
- SW prng [ NO ]
- MOR variable not found [ WEAK ]
[+] Virtualization
[+] Containers
- Docker
- Docker daemon [ RUNNING ]
Docker info output (warnings) [ NONE ]
Containers
Total containers [ 0 ]
- File permissions [ OK ]
[+] Security frameworks
- Checking presence AppArmor [ FOUND ]
Checking AppArmor status [ ENABLED ]
Found 37 unconfined processes
Checking presence SELinux [ NOT FOUND ]Checking presence TOMOYO Linux [ NOT FOUND ]
- Checking presence grsecurity [ NOT FOUND ]
- Checking for implemented MAC framework [ OK ]
[+] Software: file integrity
- Checking file integrity tools
- dm-integrity (status) [ DISABLED ]
- dm-verity (status) [ DISABLED ]
Checking presence integrity tool [ NOT FOUND ]
[+] Software: System tooling

    Checking automation tooling

- Automation tooling [ NOT FOUND ]
- Checking presence of Fail2ban [ FOUND ]
- Checking Fail2ban jails [ ENABLED ]
Checking for IDS/IPS tooling [ FOUND ]
[+] Software: Malware
- Malware software components [ NOT FOUND ]
[+] File Permissions

    Starting file permissions check

File: /boot/grub/grub.cfg [ OK ]
File: /etc/crontab [ SUGGESTION ]
File: /etc/group [ OK ]
File: /etc/group- [ OK ]
File: /etc/hosts.allow [ OK ]
File: /etc/hosts.deny [ OK ]
```

```
File: /etc/issue [ OK ]
File: /etc/issue.net [ OK ]
File: /etc/passwd [ OK ]
File: /etc/passwd- [ OK ]
File: /etc/ssh/sshd_config [ SUGGESTION ]
Directory: /root/.ssh [ OK ]
Directory: /etc/cron.d [ SUGGESTION ]
Directory: /etc/cron.daily [ SUGGESTION ]
Directory: /etc/cron.hourly [ SUGGESTION ]
Directory: /etc/cron.weekly [ SUGGESTION ]
Directory: /etc/cron.monthly [ SUGGESTION ]
[+] Home directories
- Permissions of home directories [ OK ]
Ownership of home directories [ OK ]
- Checking shell history files [ OK ]
[+] Kernel Hardening
- Comparing sysctl key pairs with scan profile
- dev.tty.ldisc_autoload (exp: 0) [ DIFFERENT ]
- fs.protected_fifos (exp: 2) [ DIFFERENT ]
- fs.protected_hardlinks (exp: 1) [ OK ]
- fs.protected_regular (exp: 2) [ OK ]
- fs.protected_symlinks (exp: 1) [ OK ]
- fs.suid_dumpable (exp: 0) [ DIFFERENT ]
- kernel.core_uses_pid (exp: 1) [ DIFFERENT ]
- kernel.ctrl-alt-del (exp: 0) [ OK ]
- kernel.dmesg_restrict (exp: 1) [ OK ]
- kernel.kptr_restrict (exp: 2) [ DIFFERENT ]
- kernel.modules_disabled (exp: 1) [ DIFFERENT ]
- kernel.perf_event_paranoid (exp: 3) [ DIFFERENT ]
- kernel.randomize_va_space (exp: 2) [ OK ]
- kernel.sysrg (exp: 0) [ DIFFERENT ]
- kernel.unprivileged_bpf_disabled (exp: 1) [ DIFFERENT ]
- kernel.yama.ptrace_scope (exp: 1 2 3) [ OK ]
- net.core.bpf_jit_harden (exp: 2) [ DIFFERENT ]
- net.ipv4.conf.all.accept_redirects (exp: 0) [ OK ]
- net.ipv4.conf.all.accept_source_route (exp: 0) [ OK ]
- net.ipv4.conf.all.bootp_relay (exp: 0) [ OK ]
- net.ipv4.conf.all.forwarding (exp: 0) [ DIFFERENT ]
- net.ipv4.conf.all.log_martians (exp: 1) [ DIFFERENT ]
- net.ipv4.conf.all.mc_forwarding (exp: 0) [ OK ]
- net.ipv4.conf.all.proxy_arp (exp: 0) [ OK ]
- net.ipv4.conf.all.rp_filter (exp: 1) [ DIFFERENT ]
- net.ipv4.conf.all.send_redirects (exp: 0) [ DIFFERENT ]
- net.ipv4.conf.default.accept_redirects (exp: 0) [ DIFFERENT ]
- net.ipv4.conf.default.accept_source_route (exp: 0) [ DIFFERENT ]
- net.ipv4.conf.default.log_martians (exp: 1) [ DIFFERENT ]
- net.ipv4.icmp_echo_ignore_broadcasts (exp: 1) [ OK ]
- net.ipv4.icmp_ignore_bogus_error_responses (exp: 1) [ OK ]
- net.ipv4.tcp syncookies (exp: 1) [ OK ]
- net.ipv4.tcp_timestamps (exp: 0 1) [ OK ]
- net.ipv6.conf.all.accept_redirects (exp: 0) [ DIFFERENT ]
- net.ipv6.conf.all.accept_source_route (exp: 0) [ OK ]
- net.ipv6.conf.default.accept redirects (exp: 0) [ DIFFERENT ]
- net.ipv6.conf.default.accept_source_route (exp: 0) [ OK ]
[+] Hardening
- Installed compiler(s) [ NOT FOUND ]
Installed malware scanner [ NOT FOUND ]
- Non-native binary formats [ FOUND ]
[+] Custom tests
- Running custom tests... [ NONE ]
[+] Plugins (phase 2)
  -[ Lynis 3.0.9 Results ]-
  Warnings (1):
```

! Reboot of system is most likely needed [KRNL-5830]
- Solution : reboot
 https://cisofy.com/lynis/controls/KRNL-5830/

Suggestions (47):

- * This release is more than 4 months old. Check the website or GitHub to see if there is an update available. [https://cisofy.com/lynis/controls/LYNIS/
- * Install libpam-tmpdir to set \$TMP and \$TMPDIR for PAM sessions [DEB-0280]
 https://cisofy.com/lynis/controls/DEB-0280/
- * Install apt-listbugs to display a list of critical bugs prior to each APT installation. [DEB-0810] https://cisofy.com/lynis/controls/DEB-0810/
- * Install apt-listchanges to display any significant changes prior to any upgrade via APT. [DEB-0811] https://cisofy.com/lynis/controls/DEB-0811/
- * Copy /etc/fail2ban/jail.conf to jail.local to prevent it being changed by updates. [DEB-0880] https://cisofy.com/lynis/controls/DEB-0880/
- * Set a password on GRUB boot loader to prevent altering boot configuration (e.g. boot in single user mode with https://cisofy.com/lynis/controls/BOOT-5122/
- * Consider hardening system services [B00T-5264]
 Details : Run '/usr/bin/systemd-analyze security SERVICE' for each service
 https://cisofy.com/lynis/controls/B00T-5264/
- * If not required, consider explicit disabling of core dump in /etc/security/limits.conf file [KRNL-5820] https://cisofy.com/lynis/controls/KRNL-5820/
- * Configure password hashing rounds in /etc/login.defs [AUTH-9230] https://cisofy.com/lynis/controls/AUTH-9230/
- * Install a PAM module for password strength testing like pam_cracklib or pam_passwdqc [AUTH-9262] https://cisofy.com/lynis/controls/AUTH-9262/
- * Look at the locked accounts and consider removing them [AUTH-9284] https://cisofy.com/lynis/controls/AUTH-9284/
- * Configure minimum password age in /etc/login.defs [AUTH-9286]
 https://cisofy.com/lynis/controls/AUTH-9286/
- * Configure maximum password age in /etc/login.defs [AUTH-9286]
 https://cisofy.com/lynis/controls/AUTH-9286/
- * Default umask in /etc/login.defs could be more strict like 027 [AUTH-9328] https://cisofy.com/lynis/controls/AUTH-9328/
- * To decrease the impact of a full /home file system, place /home on a separate partition [FILE-6310] https://cisofy.com/lynis/controls/FILE-6310/
- * To decrease the impact of a full /tmp file system, place /tmp on a separate partition [FILE-6310] https://cisofy.com/lynis/controls/FILE-6310/
- * To decrease the impact of a full /var file system, place /var on a separate partition [FILE-6310] https://cisofy.com/lynis/controls/FILE-6310/
- * Disable drivers like USB storage when not used, to prevent unauthorized storage or data theft [USB-1000] https://cisofy.com/lynis/controls/USB-1000/
- * Add the IP name and FQDN to /etc/hosts for proper name resolving [NAME-4404] https://cisofy.com/lynis/controls/NAME-4404/
- * Install debsums utility for the verification of packages with known good database. [PKGS-7370] https://cisofy.com/lynis/controls/PKGS-7370/
- * Install package apt-show-versions for patch management purposes [PKGS-7394]
 https://cisofy.com/lynis/controls/PKGS-7394/
- * Determine if protocol 'dccp' is really needed on this system [NETW-3200] https://cisofy.com/lynis/controls/NETW-3200/
- * Determine if protocol 'sctp' is really needed on this system [NETW-3200] https://cisofy.com/lynis/controls/NETW-3200/
- * Determine if protocol 'rds' is really needed on this system [NETW-3200] https://cisofy.com/lynis/controls/NETW-3200/

* Determine if protocol 'tipc' is really needed on this system [NETW-3200] https://cisofy.com/lynis/controls/NETW-3200/

- * Check iptables rules to see which rules are currently not used [FIRE-4513] https://cisofy.com/lynis/controls/FIRE-4513/
- * Consider hardening SSH configuration [SSH-7408] Details : AllowTcpForwarding (set YES to NO) https://cisofy.com/lynis/controls/SSH-7408/
- * Consider hardening SSH configuration [SSH-7408] Details : ClientAliveCountMax (set 3 to 2) https://cisofy.com/lynis/controls/SSH-7408/
- * Consider hardening SSH configuration [SSH-7408] - Details : LogLevel (set INFO to VERBOSE) https://cisofy.com/lynis/controls/SSH-7408/
- Consider hardening SSH configuration [SSH-7408] - Details : MaxAuthTries (set 6 to 3) https://cisofy.com/lynis/controls/SSH-7408/
- * Consider hardening SSH configuration [SSH-7408] Details : MaxSessions (set 10 to 2) https://cisofy.com/lynis/controls/SSH-7408/
- * Consider hardening SSH configuration [SSH-7408]
 Details : Port (set 22 to) https://cisofy.com/lynis/controls/SSH-7408/
- * Consider hardening SSH configuration [SSH-7408] Details : TCPKeepAlive (set YES to NO) https://cisofy.com/lynis/controls/SSH-7408/
- * Consider hardening SSH configuration [SSH-7408] - Details : X11Forwarding (set YES to NO) https://cisofy.com/lynis/controls/SSH-7408/
- Consider hardening SSH configuration [SSH-7408] Details : AllowAgentForwarding (set YES to NO) https://cisofy.com/lynis/controls/SSH-7408/
- * Enable logging to an external logging host for archiving purposes and additional protection [LOGG-2154] https://cisofy.com/lynis/controls/LOGG-2154/
- * Check what deleted files are still in use and why. [LOGG-2190] https://cisofy.com/lynis/controls/LOGG-2190/
- * Add a legal banner to /etc/issue, to warn unauthorized users [BANN-7126] https://cisofy.com/lynis/controls/BANN-7126/
- * Add legal banner to /etc/issue.net, to warn unauthorized users [BANN-7130] https://cisofy.com/lynis/controls/BANN-7130/
- * Enable process accounting [ACCT-9622] https://cisofy.com/lynis/controls/ACCT-9622/
- * Enable sysstat to collect accounting (disabled) [ACCT-9626] https://cisofy.com/lynis/controls/ACCT-9626/
- * Enable auditd to collect audit information [ACCT-9628] https://cisofy.com/lynis/controls/ACCT-9628/
- * Install a file integrity tool to monitor changes to critical and sensitive files [FINT-4350] https://cisofy.com/lynis/controls/FINT-4350/
- * Determine if automation tools are present for system management [TOOL-5002] https://cisofy.com/lynis/controls/TOOL-5002/
- * Consider restricting file permissions [FILE-7524] - Details : See screen output or log file
 - Solution : Use chmod to change file permissions https://cisofy.com/lynis/controls/FILE-7524/
- * One or more sysctl values differ from the scan profile and could be tweaked [KRNL-6000] Solution: Change sysctl value or disable test (skip-test=KRNL-6000:<sysctl-key>) https://cisofy.com/lynis/controls/KRNL-6000/

* Harden the system by installing at least one malware scanner, to perform periodic file system scans [HRDN-723 - Solution : Install a tool like rkhunter, chkrootkit, OSSEC https://cisofy.com/lynis/controls/HRDN-7230/ Follow-up: Show details of a test (lynis show details TEST-ID) Check the logfile for all details (less /var/log/lynis.log) Read security controls texts (https://cisofy.com) Use --upload to upload data to central system (Lynis Enterprise users) Lynis security scan details: Hardening index : 64 [######### Tests performed : 258 Plugins enabled: 1 Components: - Firewall - Malware scanner Scan mode: Normal [V] Forensics [] Integration [] Pentest [] Lynis modules: Compliance status [?] Security audit [V] - Vulnerability scan [V] Files: Test and debug information : /var/log/lynis.log - Report data : /var/log/lynis-report.dat Lynis 3.0.9 Auditing, system hardening, and compliance for UNIX-based systems (Linux, macOS, BSD, and others) 2007-2021, CISOfy - https://cisofy.com/lynis/ Enterprise support available (compliance, plugins, interface and tools)

[TIP]: Enhance Lynis audits by adding your settings to custom.prf (see /etc/lynis/default.prf for all settings)