
## TEAM 26

Phase [2]

Boyue Zheng (bzheng42) Tianyu Zhan (tzhan34) Yinquan Lu (ylu461) Yuntian Zhang (yzhang3469)



User=(username, status, password, firstname, lastname)

Customer=(username[fk1])

fk1:username -> User.username

Employee=(username[fk2])

fk2:username -> User.username

Admin=(username[fk3])

fk3:Username -> Employee.username

Manager=(<u>Username</u>[fk4],zipcode,street,city,state,work\_in[fk11])

fk4:username -> Employee.username

fk11:work in -> Company.compname, work in is non-null

Company=(compname)

CreditCard=(creditcardnum, ownedby[fk12])

fk12: ownedby ->User.username ownedby is non-null

Visit=(id,date,visitedby[fk9],visitto\_compname,visitto\_theaname[fk10])

fk9:vistedby -> User.username vistedby is non-null

fk10:visitto\_compname,visitto\_theaname -> Theater.compname, Theater.theaname, visitto\_compname is non-null, visitto\_theaname is non-null

Movie=(moviename,releasedate,duration)

Theater=(compname[fk5],theaname,zipcode,street,city,state,capacity,manageby[fk8])

fk5:compname -> Company.compname

fk8: manageby -> Manager.username, manageby is non-null

 $Movie Play = (\underbrace{moviename}, release date[fk6], \underline{date}, \underline{compname}, t\underline{heaname}[fk7])$ 

fk6:moviename,releasedate ->Movie.moviename,Movie.releasedate

fk7:compname,theaname -> Theatre.compname,Theatre.theaname

 $Order history = (\underline{credit card num}[fk13], \underline{moviename}, \underline{released ate}, \underline{date}, \underline{compname}, \underline{the aname}[fk14])$ 

fk13: creditcardnum -> CreditCard.creditcardnum

fk14:moviename,releasedate,date,compname,theaname

->Movieplay.moviename,Movieplay.releasedate,Movieplay.date,Movieplay.compname,Movieplay .theaname

```
1 CREATE DATABASE IF NOT EXISTS `Atlanta_Movie` /*!40100 DEFAULT CHARACTER SET utf8mb4 COLLATE utf8mb4 0900 ai ci */ /*!80016 DEFAULT ENCRYPTION='N' *,
  2 USE `Atlanta_Movie`;
  3 -- MySQL dump 10.13 Distrib 8.0.17, for macos10.14 (x86_64)
  5 -- Host: localhost Database: Atlanta_Movie
                               8.0.17
    -- Server version
9 /*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
10 /*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS *.
11 /*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
 12 /*!50503 SET NAMES utf8 */;
12 /*150503 SET NAMES utf8 */;

3 /*140103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;

14 /*140103 SET TIME_ZONE=!#00:00' */;

15 /*140014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */;

16 /*140014 SET @OLD_FOREIGN_KEY_CHECKS=@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */;

17 /*140101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;

18 /*140111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;
20 --
21 -- Table structure for table `admin`
23
24 DROP TABLE IF EXISTS `admin`;
25 /*!40101 SET @saved_cs_client = @@character
26 /*!50503 SET character_set_client = utf8mb4 */;
                                                 = @@character_set_client */;
27 CREATE TABLE `admin` (
        'username' varchar(45) NOT NULL COMMENT 'Admin cannot decline "approved" users',
      PRIMARY KEY ('username'),

CONSTRAINT `admin_empoyee(fk3)` FOREIGN KEY ('username') REFERENCES `employee' ('username') ON DELETE CASCADE ON UPDATE CASCADE
29
 30
 31 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
32 /*!40101 SET character_set_client = @saved_cs_client */;
 33
 34 --
35 -- Dumping data for table `admin`
 36 --
37
 38 LOCK TABLES `admin` WRITE:
39 /*!40000 ALTER TABLE `admin` DISABLE KEYS */;
40 /*!40000 ALTER TABLE `admin` ENABLE KEYS */;
 41 UNLOCK TABLES:
43 --
 44 -- Table structure for table `company'
46
 47 DROP TABLE IF EXISTS `company`;
48 /*!40101 SET @saved_cs_client = @@character
49 /*!50503 SET character_set_client = utf8mb4 */;
                                                 = @@character_set_client */;
50 CREATE TABLE company (
51 compname varchar(45) NOT NULL,
52 PRIMARY KEY (compname)
53 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
 54 /*!40101 SET character_set_client = @saved_cs_client */;
55
 56 --
 57 -- Dumping data for table `company`
58 --
 59
60 LOCK TABLES `company` WRITE;
61 /*!40000 ALTER TABLE `company` DISABLE KEYS */;
62 /*!40000 ALTER TABLE `company` ENABLE KEYS */;
 63 UNLOCK TABLES:
64
 66 -- Table structure for table `creditcard`
67 --
68
72 CREATE TABLE `creditcard` (
73 `credicardnum` char(16) NOT NULL,
73 credicardnum char(16) NOT NULL,
74 ownedby` varchar(45) NOT NULL,
75 PRIMARY KEY (`credicardnum`),
76 KEY `creditcar_user(fk12)_idx` (`ownedby`),
77 CONSTRAINT `creditcar_user(fk12) FOREIGN KEY (`ownedby`) REFERENCES `user` (`username`) ON DELETE CASCADE ON UPDATE CASCADE
78 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
 79 /*!40101 SET character_set_client = @saved_cs_client */;
81 --
82 -- Dumping data for table `creditcard`
84
85 LOCK TABLES `creditcard` WRITE;
86 /*!40000 ALTER TABLE `creditcard` DISABLE KEYS */;
87 /*!40000 ALTER TABLE `creditcard` ENABLE KEYS */;
88 UNLOCK TABLES;
 89
90 --
 91 -- Table structure for table `customer'
 92 --
93
95 /*140101 SET @saved_cs_client = @@character
96 /*!50503 SET character_set_client = utf8mb4 */;
97 CREATE TABLE `customer` (
 98
       'username' varchar(45) NOT NULL,
      PRIMARY KEY ( username ),
       CONSTRAINT `customer_user(fkl)` FOREIGN KEY (`username`) REFERENCES `user` (`username`) ON DELETE CASCADE ON UPDATE CASCADE
101 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
102 /*!40101 SET character_set_client = @saved_cs_client */;
```

104 --

```
105 -- Dumping data for table `customer`
106 --
107
108 LOCK TABLES `customer` WRITE;
109 /*!40000 ALTER TABLE `customer` DISABLE KEYS */;
110 /*!40000 ALTER TABLE `customer` ENABLE KEYS */;
111 UNLOCK TABLES;
112
113 --
114 -- Table structure for table `employee`
115 --
116
118 /*!40101 SET @saved_cs_client = @@character
119 /*!50503 SET character_set_client = utf8mb4 */;
120 CREATE TABLE employee
125 /*!40101 SET character_set_client = @saved_cs_client */;
126
127 --
128 -- Dumping data for table `employee`
129 --
130
131 LOCK TABLES `employee` WRITE;
132 /*!40000 ALTER TABLE `employee` DISABLE KEYS */;
133 /*!40000 ALTER TABLE `employee` ENABLE KEYS */;
134 UNLOCK TABLES;
135
136 --
137 -- Table structure for table `manager`
138 --
141 /*:40101 SB1 @SaveL_S_client = utf8mb4 */;
142 /*!50503 SET character_set_client = utf8mb4 */;
143 CREATE TABLE manager (
144 `username` varchar(45) NOT NULL,
           `zipcode` char(5) NOT NULL,
`street` varchar(100) NOT NULL,
145
           city varchar(45) NOT NULL,

state enum('AL','AK','AZ','AR','CA','CO','CT','DE','FL','GA','HI','ID','IL','IN','IA','KS','KY','LA','ME','MD','MA','MI','MN','MS','MO','NE','NV',

work_in varchar(45) NOT NULL COMMENT 'Manager works for the same company that owns the theater managed by the manage.',
147
149
           work_in varchar(45) NOT NULL COMMENT midder works for the same company ("same company of the same company ("same company of the same company of th
150
152
153
155 ) ENGINE-InnoDB DEFAULT CHARSET-utf8mb4 COLLATE-utf8mb4_0900_ai_ci;
156 /*!40101 SET character set client = @saved cs client */:
158 --
159 -- Dumping data for table `manager
161
162 LOCK TABLES `manager` WRITE;
163 /*!40000 ALTER TABLE `manager` DISABLE KEYS */;
164 /*!40000 ALTER TABLE `manager` ENABLE KEYS */;
165 UNLOCK TABLES;
167 --
168 -- Table structure for table `movie`
169 --
170
171 DROP TABLE IF EXISTS `movie`:
                                                                          = @@character_set_client */;
172 /*!40101 SET @saved_cs_client
173 /*!50503 SET character_set_client = utf8mb4 */;
174 CREATE TABLE `movie` (
175
            `moviename` varchar(45) NOT NULL,
         releaseDate datetime NOT NULL,
176
          `duration` int(11) NOT NULL,
177
178 PRIMARY KEY (`moviename`, releaseDate`)
179 ) ENGINE-InnoDB DEFAULT CHARSET-utf8mb4 COLLATE-utf8mb4 0900 ai ci;
180 /*!40101 SET character_set_client = @saved_cs_client */;
181
182 --
183 -- Dumping data for table `movie`
184 --
185
186 LOCK TABLES `movie` WRITE;
186 LUCK TABLES MOVIE WRITE;
187 /*!40000 ALTER TABLE `movie` DISABLE KEYS */;
188 /*!40000 ALTER TABLE `movie` ENABLE KEYS */;
189 UNLOCK TABLES;
190
191 --
192 -- Table structure for table `movieplay`
193 --
194
196 /*!40101 SET @saved_cs_client = @@character
197 /*!50503 SET character_set_client = utf8mb4 */;
198 CREATE TABLE 'movieplay' (
199 'moviename' varchar(45) NOT NULL,
200 'releasedate' datetime NOT NULL,
             `date` datetime NOT NULL COMMENT 'MoviePlay date comes after Movie''s release date',
202
              compname varchar(45) NOT NULL,
              theatername varchar(45) NOT NULL COMMENT 'MoviesPlay Per Day cannot exceed the theater capacity',
theatername 'varchar(%)' NOT NOLL COMMENT MOVIESTAY PET Day Cannot exceed the theater Capacity,

Heatername 'varchar(%)' NOT NoLL COMMENT MOVIESTAY PET Day Cannot exceed the theater Capacity,

Heatername 'varchar(%)' NOT NoLL COMMENT MOVIESTAY PET Day Cannot exceed the theater Capacity,

KEY 'movieplay_movie(fk6)_idx` (`moviename', `theatername'),

KEY `movieplay_theater(fk7)_idx` (`compname', `theatername'),

CONSTRAINT `movieplay_movie(fk6)` FOREIGN KEY (`moviename', `releasedate') REFERENCES `movie' (`moviename', `releasedate') ON DELETE CASCADE ON UPDA

CONSTRAINT `movieplay_theater(fk7)` FOREIGN KEY (`compname', `theatername') REFERENCES `theater' (`compname', `theaname') ON DELETE CASCADE ON UPDA

DENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
```

```
210 /*!40101 SET character_set_client = @saved_cs_client */;
211
212 --
213 -- Dumping data for table `movieplay`
214 --
215
216 LOCK TABLES `movieplay` WRITE;
217 /*!40000 ALTER TABLE `movieplay` DISABLE KEYS */;
218 /*!40000 ALTER TABLE `movieplay` ENABLE KEYS */;
219 UNLOCK TABLES;
220
222 -- Table structure for table `orderhistory`
223 --
225 DROP TABLE IF EXISTS `orderhistory`;
226 /*!40101 SET @saved_cs_client = @@character_set_client */;
227 /*!50503 SET character_set_client = utf8mb4 */;
228 CREATE TABLE `orderhistory` (
229 `creditcardnum` char(16) NOT NULL,
230 `moviename` varchar(45) NOT NULL,
231
         'releasedate' datetime NOT NULL,
        `date` datetime NOT NULL,
232
        compname varchar(45) NOT NULL,
theaname varchar(45) NOT NULL,
234
       PRIMARY KEY (`creditcardnum`, `moviename`, `releasedate`, `date`, `compname`, `theaname`),

KEY `orderhistory_movieplay(fk14)_idx` (`moviename`, `releasedate`, `date`, `compname`, `theaname`),

CONSTRAINT `orderhistory_credicard(fk13)` FOREIGN KEY (`creditcardnum`) REFERENCES `creditcard` (`credicardnum`) ON DELETE CASCADE ON UPDATE CASCADE

CONSTRAINT `orderhistory_movieplay(fk14)` FOREIGN KEY (`moviename`, `releasedate`, `date`, `compname`, `theaname`) REFERENCES `movieplay` (`moviename`)
235
237
239 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
240 /*!40101 SET character_set_client = @saved_cs_client */;
241
243 -- Dumping data for table `orderhistory`
244 --
246 LOCK TABLES `orderhistory` WRITE;
247 /*140000 ALTER TABLE `orderhistory` DISABLE KEYS */;
248 /*140000 ALTER TABLE `orderhistory` ENABLE KEYS */;
249 UNLOCK TABLES:
252 -- Table structure for table `theater`
253 --
254
255 DROP TABLE IF EXISTS `theater`;
256 /*!40101 SET @saved_cs_client = @@character
257 /*!50503 SET character_set_client = utf8mb4 */;
258 CREATE TABLE `theater` (
                                                     = @@character_set_client */;
        compname varchar(45) NOT NULL,
theaname varchar(45) NOT NULL,
260
261
          zipcode char(5) NOT NULL,
          street varchar(100) NOT NULL,
        `city` varchar(45) NOT NULL,
`state` enum('AL','AK','AZ','AR','CA','CO','CT','DE','FL','GA','HI','ID','IL','IN','IA','KS','KY','LA','ME','MD','MA','MI','MN','MS','MO','NE','NV',
263
264
        `capacity` int(11) NOT NULL,
`manageby` varchar(45) NOT NULL,
PRIMARY KEY (`compname`, `theaname`),
266
267
        KEY `theater_manager(fk8)_idx` (`manageby`),
        CONSTRAINT `theater_company(fk5)` FOREIGN KEY (`compname`) REFERENCES `company` (`compname`) ON DELETE CASCADE ON UPDATE CASCADE, CONSTRAINT `theater_manager(fk8)` FOREIGN KEY (`manageby`) REFERENCES `manager` (`username`) ON DELETE RESTRICT ON UPDATE CASCADE
269
271 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 0900 ai ci;
272 /*!40101 SET character set client = @saved cs client */;
274 --
275 -- Dumping data for table `theater
277
278 LOCK TABLES `theater` WRITE:
279 /*140000 ALTER TABLE theater DISABLE KEYS */;
280 /*140000 ALTER TABLE theater ENABLE KEYS */;
281 UNLOCK TABLES:
283 --
284 -- Table structure for table `user`
286
287 DROP TABLE IF EXISTS `user`;
288 /*!40101 SET @saved_cs_client = @@character_
289 /*!50503 SET character_set_client = utf8mb4 */;
290 CREATE TABLE `user` (
                                                     = @@character_set_client */;
     username varchar(45) NOT NULL,
         status enum('All','Pending','Declined','Approved') NOT NULL,
password varchar(200) NOT NULL,
firstname varchar(45) NOT NULL,
292
293
          lastname varchar(45) NOT NULL,
295
        PRIMARY KEY (`username`)
296
297 ) ENGINE-InnoDB DEFAULT CHARSET-utf8mb4 COLLATE-utf8mb4_0900_ai_ci;
298 /*!40101 SET character_set_client = @saved_cs_client */;
299
300 --
301 -- Dumping data for table `user`
303
304 LOCK TABLES `user` WRITE:
305 /*!40000 ALTER TABLE `user` DISABLE KEYS */;
306 /*!40000 ALTER TABLE `user` ENABLE KEYS */;
307 UNLOCK TABLES:
309 --
310 -- Table structure for table `visit`
312
313 DROP TABLE IF EXISTS `visit`;
314 /*!40101 SET @saved_cs_client
                                                       = @@character set client */;
```

```
315 /*!50503 SET character_set_client = utf8mb4 */;
316 CREATE TABLE `visit` (
317 `id` int(11) NOT NULL,
            `date` datetime NOT NULL,
            `visitedby` varchar(45) NOT NULL,

`visitto_compname` varchar(45) NOT NULL,

`visitto_thename` varchar(45) NOT NULL,
319
 320
           PRIMARY KEY ( id ),
 322
           PRIMARY KEY ('id'),

KEY `visit_user(fk9)_idx` (`visitedby`),

KEY `visito_theater(fk10)_idx` (`visitto_compname`, `visitto_thename`),

CONSTRAINT `visit_user(fk9)` FOREIGN KEY (`visitedby`) REFERENCES `user` (`username`) ON DELETE RESTRICT ON UPDATE RESTRICT,

CONSTRAINT `visito_theater(fk10)` FOREIGN KEY (`visitto_compname`, `visitto_thename`) REFERENCES `theater` (`compname`, `theaname`) ON DELETE RESTRI
 323
 324
 325
 326
 327 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
 328 /*!40101 SET character_set_client = @saved_cs_client */;
 329
 330 --
 331 -- Dumping data for table `visit`
 332 --
 333
 334 LOCK TABLES `visit` WRITE;
335 /*!40000 ALTER TABLE `visit` DISABLE KEYS */;
336 /*!40000 ALTER TABLE `visit` ENABLE KEYS */;
 337 UNLOCK TABLES;
 339 -
 340 -- Dumping events for database 'Atlanta Movie'
342
 343 --
 344 -- Dumping routines for database 'Atlanta_Movie'
 345 --
 346 /*!40103 SET TIME ZONE=@OLD TIME ZONE */;
347
348 /*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
349 /*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
350 /*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
351 /*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
352 /*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
353 /*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
354 /*!40101 SET SQL_NOTES=@OLD_SQL_NOTES */;
 356 -- Dump completed on 2019-10-29 15:14:15
```