




Image 1: EC2 security group



Image 2: All services status running on Ubuntu server

```
ubuntu@ip-172-31-45-46: ~$ cat /etc/nginx/sites-available/product-app
server {
    listen 80;
    listen [::]:80;
    server_name _;

    # Logs
    access_log /var/log/nginx/product-app-access.log;
    error_log /var/log/nginx/product-app-error.log;

    # Max upload size
    client_max_body_size 10M;

    # Main application - Reverse proxy to Node.js
    location / {
        proxy_pass http://localhost:3000;
        proxy_http_version 1.1;

        # WebSocket support
        proxy_set_header Upgrade $http_upgrade;
        proxy_set_header Connection 'upgrade';

        # Headers
        proxy_set_header Host $host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
        proxy_set_header X-Forwarded-Proto $scheme;

        # Timeouts
        proxy_connect_timeout 60s;
        proxy_send_timeout 60s;
        proxy_read_timeout 60s;

        # Buffering
        proxy_cache_bypass $http_upgrade;
        proxy_buffering off;
    }

    # Serve uploaded files directly from nginx
    location /uploads/ {
```

Image 3: Nginx configuration file




Image 4: Website secured with HTTPS




Image 5: Configuration of the www domain record




Image 6: DNS A record configuration for the root domain (@)