TP: Git et GitHub

Vérifier si git est installé sur votre machine et mentionner la version : git version

```
tiemoko.Sogodogo@DCIREODCPR40 MINGW64 /d

$ git version

git version 2.32.0.windows.2

tiemoko.Sogodogo@DCIREODCPR40 MINGW64 /d

$ |
```


Créer un dossier du nom "ProjetGit" sur votre disque D:/, dedans créer un fichier "lisezmoi.txt", et initialise le pour en faire un projet Git :

mkdir ProjetGit : Créer un dossier **touch** lisezmoi.txt : Créer un fichier

git init : Initialise le dépôt

```
tiemoko.Sogodogo@DCIREODCPR40 MINGW64 /d/ProjetGit (master)
$ git init
Initialized empty Git repository in D:/ProjetGit/.git/
tiemoko.Sogodogo@DCIREODCPR40 MINGW64 /d/ProjetGit (master)
$ |
```


Créer un compte sur Github :




Créer un repository "ProjetGit" au niveau de votre compte GitHub :

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? Import a repository.





Associer votre "ProjetGit" local à votre "ProjetGit" sur Github : git branch -M main git remote add https://github.com/Tieckby/ProjetGit.git

```
tiemoko.Sogodogo@DCIREODCPR40 MINGW64 /d/ProjetGit (master)
$ git remote add origin https://github.com/Tieckby/ProjetGit.git
tiemoko.Sogodogo@DCIREODCPR40 MINGW64 /d/ProjetGit (master)
$ git branch -M main
tiemoko.Sogodogo@DCIREODCPR40 MINGW64 /d/ProjetGit (main)
$ |
```

Faire que le fichier "lisezmoi.txt" du dossier "ProjetGit" existant sur D:/, soit sur le "ProjetGit" se trouvant sur Github. git add lisezmoi.txt git commit -m "Ajout du fichier lisezmoi.txt"

```
riemoko.Sogodogo@DCIREODCPR40 MINGW64 /d/ProjetGit (master)
$ git add lisezmoi.txt
tiemoko.Sogodogo@DCIREODCPR40 MINGW64 /d/ProjetGit (master)
$ git commit -m "Ajout du fichier lisezmoi"
[master (root-commit) 6a253fa] Ajout du fichier lisezmoi
Committer: Tiemoko Sogodogo <tiemoko.sogodogo@odc.local>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
    git config --global --edit
After doing this, you may fix the identity used for this commit with:
    git commit --amend --reset-author
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 lisezmoi.txt
tiemoko.Sogodogo@DCIREODCPR40 MINGW64 /d/ProjetGit (main)
$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 232 bytes | 232.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Tieckby/ProjetGit.git
```

Branch 'main' set up to track remote branch 'main' from 'origin'.

Ajout de document sur github :
 git add "Tiémoko_TP_Git_GitHub.pdf"
 git commit -m "Ajout de mon fichier doc"
 git push -u origin main

* [new branch] main -> main

