

Tables (26)

Name	Type	Schema
accounts_app_setting		CREATE TABLE "accounts_app_setting" ("key" varchar(255) NOT NULL PRIMARY KEY, "value" varchar(255) NOT NULL)
key	varchar(255)	"key" varchar(255) NOT NULL
value	varchar(255)	"value" varchar(255) NOT NULL
accounts_app_userprofile		CREATE TABLE "accounts_app_userprofile" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "display_name" varchar(255) NOT NULL, "bio" text NOT NULL, "email_notifications" bool NOT NULL, "push_notifications" bool NOT NULL, "weekly_reports" bool NOT NULL, "two_factor_enabled" bool NOT NULL, "session_timeout" integer NOT NULL, "theme" varchar(50) NOT NULL, "accent_color" varchar(50) NOT NULL, "user_id" integer NOT NULL UNIQUE REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
display_name	varchar(255)	"display_name" varchar(255) NOT NULL
bio	text	"bio" text NOT NULL
email_notifications	bool	"email_notifications" bool NOT NULL
push_notifications	bool	"push_notifications" bool NOT NULL
weekly_reports	bool	"weekly_reports" bool NOT NULL
two_factor_enabled	bool	"two_factor_enabled" bool NOT NULL
session_timeout	integer	"session_timeout" integer NOT NULL
theme	varchar(50)	"theme" varchar(50) NOT NULL
accent_color	varchar(50)	"accent_color" varchar(50) NOT NULL
user_id	integer	"user_id" integer NOT NULL UNIQUE
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_permissions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
auth_user		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL,

Name	Type	Schema
		"is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
auth_user_groups		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
auth_user_user_permissions		CREATE TABLE "auth_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
career_app_enrollment		CREATE TABLE "career_app_enrollment" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "applicant_name" varchar(255) NOT NULL, "email" varchar(254) NOT NULL, "resume" varchar(100) NOT NULL, "status" varchar(50) NOT NULL, "position_id" bigint NOT NULL REFERENCES "career_app_position" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
applicant_name	varchar(255)	"applicant_name" varchar(255) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
resume	varchar(100)	"resume" varchar(100) NOT NULL
status	varchar(50)	"status" varchar(50) NOT NULL
position_id	bigint	"position_id" bigint NOT NULL
career_app_offerletter		CREATE TABLE "career_app_offerletter" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "salary" decimal NOT NULL, "joining_date" date NOT NULL, "generated_pdf" varchar(100) NULL, "applicant_id" bigint NOT NULL REFERENCES "career_app_enrollment" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
salary	decimal	"salary" decimal NOT NULL
joining_date	date	"joining_date" date NOT NULL
generated_pdf	varchar(100)	"generated_pdf" varchar(100)
applicant_id	bigint	"applicant_id" bigint NOT NULL

Name	Type	Schema
career_app_position		CREATE TABLE "career_app_position" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "title" varchar(255) NOT NULL, "department" varchar(255) NOT NULL, "description" text NOT NULL, "is_open" bool NOT NULL)
id	integer	"id" integer NOT NULL
title	varchar(255)	"title" varchar(255) NOT NULL
department	varchar(255)	"department" varchar(255) NOT NULL
description	text	"description" text NOT NULL
is_open	bool	"is_open" bool NOT NULL
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"
tiesverse_app_article		CREATE TABLE "tiesverse_app_article" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "title" varchar(255) NOT NULL, "content" text NOT NULL, "author" varchar(255) NOT NULL, "published_date" date NOT NULL)

Name	Type	Schema
id	integer	"id" integer NOT NULL
title	varchar(255)	"title" varchar(255) NOT NULL
content	text	"content" text NOT NULL
author	varchar(255)	"author" varchar(255) NOT NULL
published_date	date	"published_date" date NOT NULL
tiesverse_app_event		CREATE TABLE "tiesverse_app_event" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "title" varchar(255) NOT NULL, "description" text NOT NULL, "date" datetime NOT NULL, "location" varchar(255) NOT NULL, "is_active" bool NOT NULL)
id	integer	"id" integer NOT NULL
title	varchar(255)	"title" varchar(255) NOT NULL
description	text	"description" text NOT NULL
date	datetime	"date" datetime NOT NULL
location	varchar(255)	"location" varchar(255) NOT NULL
is_active	bool	"is_active" bool NOT NULL
tiesverse_app_guest		CREATE TABLE "tiesverse_app_guest" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(255) NOT NULL, "affiliation" varchar(255) NOT NULL, "is_upcoming" bool NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
affiliation	varchar(255)	"affiliation" varchar(255) NOT NULL
is_upcoming	bool	"is_upcoming" bool NOT NULL
tiesverse_app_teammember		CREATE TABLE "tiesverse_app_teammember" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(255) NOT NULL, "role" varchar(255) NOT NULL, "linkedin_url" varchar(200) NULL, "image" varchar(100) NULL)
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
role	varchar(255)	"role" varchar(255) NOT NULL
linkedin_url	varchar(200)	"linkedin_url" varchar(200)
image	varchar(100)	"image" varchar(100)
tiesverse_app_webinarlisting		CREATE TABLE "tiesverse_app_webinarlisting" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "title" varchar(255) NOT NULL, "speaker" varchar(255) NOT NULL, "date" datetime NOT NULL, "registration_link" varchar(200) NULL, "status" varchar(50) NOT NULL)
id	integer	"id" integer NOT NULL
title	varchar(255)	"title" varchar(255) NOT NULL
speaker	varchar(255)	"speaker" varchar(255) NOT NULL
date	datetime	"date" datetime NOT NULL
registration_link	varchar(200)	"registration_link" varchar(200)
status	varchar(50)	"status" varchar(50) NOT NULL
tiesverse_app_workshop		CREATE TABLE "tiesverse_app_workshop" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "title" varchar(255) NOT NULL, "instructor" varchar(255) NOT NULL, "schedule" datetime NOT NULL)
id	integer	"id" integer NOT NULL
title	varchar(255)	"title" varchar(255) NOT NULL
instructor	varchar(255)	"instructor" varchar(255) NOT NULL
schedule	datetime	"schedule" datetime NOT NULL

Name	Type	Schema
tiesverse_app_youtubevideo		CREATE TABLE "tiesverse_app_youtubevideo" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "title" varchar(255) NOT NULL, "url" varchar(200) NOT NULL, "thumbnail_url" varchar(200) NULL)
id	integer	"id" integer NOT NULL
title	varchar(255)	"title" varchar(255) NOT NULL
url	varchar(200)	"url" varchar(200) NOT NULL
thumbnail_url	varchar(200)	"thumbnail_url" varchar(200)
webinar_app_calendarevent		CREATE TABLE "webinar_app_calendarevent" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "calendar_id" varchar(255) NOT NULL, "sync_status" bool NOT NULL, "webinar_id" bigint NOT NULL REFERENCES "webinar_app_webinarevent" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
calendar_id	varchar(255)	"calendar_id" varchar(255) NOT NULL
sync_status	bool	"sync_status" bool NOT NULL
webinar_id	bigint	"webinar_id" bigint NOT NULL
webinar_app_registrationform		CREATE TABLE "webinar_app_registrationform" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_name" varchar(255) NOT NULL, "user_email" varchar(254) NOT NULL, "date_of_filling" datetime NOT NULL, "amount_paid" decimal NOT NULL, "payment_status" varchar(50) NOT NULL, "is_accepted" bool NOT NULL, "notification_sent" bool NOT NULL, "webinar_id" bigint NOT NULL REFERENCES "webinar_app_webinarevent" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_name	varchar(255)	"user_name" varchar(255) NOT NULL
user_email	varchar(254)	"user_email" varchar(254) NOT NULL
date_of_filling	datetime	"date_of_filling" datetime NOT NULL
amount_paid	decimal	"amount_paid" decimal NOT NULL
payment_status	varchar(50)	"payment_status" varchar(50) NOT NULL
is_accepted	bool	"is_accepted" bool NOT NULL
notification_sent	bool	"notification_sent" bool NOT NULL
webinar_id	bigint	"webinar_id" bigint NOT NULL
webinar_app_webinarevent		CREATE TABLE "webinar_app_webinarevent" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "title" varchar(255) NOT NULL, "speaker" varchar(255) NOT NULL, "scheduled_time" datetime NOT NULL, "meeting_link" varchar(200) NULL)
id	integer	"id" integer NOT NULL
title	varchar(255)	"title" varchar(255) NOT NULL
speaker	varchar(255)	"speaker" varchar(255) NOT NULL
scheduled_time	datetime	"scheduled_time" datetime NOT NULL
meeting_link	varchar(200)	"meeting_link" varchar(200)

Indices (19)

Name	Type	Schema
auth_group_permissions_group_id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"

Name	Type	Schema
auth_group_permissions_group_id_permission_id_0cd325b0_uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_permissions_permission_id_84c5c92e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permission_content_type_id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permission_content_type_id_codename_01ab375a_uniq		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"
auth_user_groups_group_id_97559544		CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
auth_user_groups_user_id_6a12ed8b		CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
auth_user_groups_user_id_group_id_94350c0c_uniq		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
auth_user_user_permissions_permission_id_1fbb5f2c		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
auth_user_user_permissions_user_id_a95ead1b		CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
auth_user_user_permissions_user_id_permission_id_14a6b632_uniq		CREATE UNIQUE INDEX "auth_user_user_permissions_user_id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
career_app_enrollment_position_id_2fd10b85		CREATE INDEX "career_app_enrollment_position_id_2fd10b85" ON "career_app_enrollment" ("position_id")

Name	Type	Schema
position_id		"position_id"
career_app_offerletter_applicant_id_bedb98bf		CREATE INDEX "career_app_offerletter_applicant_id_bedb98bf" ON "career_app_offerletter" ("applicant_id")
applicant_id		"applicant_id"
django_admin_log_content_type_id_c4bce8eb		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_log_user_id_c564eba6		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
django_content_type_app_label_model_76bd3d3b_uniq		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
django_session_expire_date_a5c62663		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"
webinar_app_calendarevent_webinar_id_2abb7903		CREATE INDEX "webinar_app_calendarevent_webinar_id_2abb7903" ON "webinar_app_calendarevent" ("webinar_id")
webinar_id		"webinar_id"
webinar_app_registrationform_webinar_id_3ce40aaf		CREATE INDEX "webinar_app_registrationform_webinar_id_3ce40aaf" ON "webinar_app_registrationform" ("webinar_id")
webinar_id		"webinar_id"

Views (0)

Name	Type	Schema
------	------	--------

Triggers (0)

Name	Type	Schema
------	------	--------