



OPEN

Correction: A miniature, subterranean, blind cobitid loach, *Gitchak nakana*, new genus and species, is the first groundwater-dwelling fish from Northeast India

Ralf Britz, Wimarithy K. Marak, Kangjam Velentina, Yumnam Lokeshwor, Rajeev Raghavan, Amanda K. Pinion & Lukas Rüber

Published online: 02 October 2026

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-026-40425-6>, published online 26 February 2026

The original version of this Article contained an error in the Introduction section.

“Since scientific description of the Olm, *Proteus anguinus*, in the 18th century³, subterranean animals with their often-otherworldly appearance have peaked the interest of researchers and the public alike.”

now reads:

“Since scientific description of the Olm, *Proteus anguinus*, in the 18th century³, subterranean animals with their often-otherworldly appearance have piqued the interest of researchers and the public alike.”

In addition, in the Results section, under the subheading ‘Osteology’,

“Neural arches 2 and 3 wide but shallow with shallow supraneural 3 articulating with both.”

now reads:

“Neural arches 3 and 4 wide but shallow with shallow supraneural 3 articulating with both.”

Furthermore, in Figures 3e, 4e, and 5e, the labels “na3” were incorrectly given as “na2”, and “na4” were incorrectly given as “na3”. Consequently, in the legends of Figures 3-5,

“na2: neural arch of second vertebra; na3: neural arch of third vertebra”

now reads:

“na3: neural arch of third vertebra; na4: neural arch of fourth vertebra”

The original Figures 3, 4, 5 and accompanying legends appear below.

The original Article has been corrected.




Fig. 3. *Gitchak nakana*, ZSI FF11124, 20.2 mm SL. CT-images of head and anterior vertebral column in lateral view (a) and select complexes (b–g), illustrating unique and highly unusual characters. (b) Occipital part of skull in lateral view, note absence of foramen in exoccipital (exoc). (c) Neurocranium in dorsal view, note absence of skull roof and unique anterior position of orbitosphenoid (os) and suborbital spine. (d) Hyopalatine arch in lateral view, note absence of foramen between quadrate (q) and metapterygoid (mtp). (e) Weberian centra and neural arches in lateral view, note dorsally directed lateral process of first vertebra (lp1) completely covering scaphium laterally. (f) Hyoid, interhyal and branchiostegal rays, note very long dorsally curving branchiostegal rays (br). (g) Weberian vertebrae and post-Weberian vertebrae 5–7 in lateral view, note long, ovoid swimbladder capsule (sbc) extending to anterior margin of seventh vertebra. Other abbreviations: ach: anterior ceratohyal; asph: autosphenotic; boc: basioccipital; d: dentary; dhh: dorsal hypohyal; ecp: ectopterygoid; enp: endopterygoid; eo: epiotic; h: hyomandibular; ih: interhyal; io: interopercle; le: lateral ethmoid; lp2: lateral process of vertebra 2; m: maxilla; me: mesethmoid; na2: neural arch of second vertebra; na3: neural arch of third vertebra; o: opercle; p: parietal; pch: posterior ceratohyal; pm: premaxilla; po: preopercle; pro: prootic; ps: parasphenoid; pto: pterotic; ra: retroarticular; sn3: supraneural 3; so: subopercle; soc: supraoccipital; sy: symplectic; V5,6,7: vertebra 5,6,7; vhh: ventral hypohyal; vo: vomer.




Fig. 4. *Lepidocephalichthys guntea*, ADBU-MF 5597, 56.6 mm SL. μ CT-images of head and anterior vertebral column in lateral view (middle) and select complexes for comparison with *Gitchak nakana* (Fig. 3): (a) lateral view of head. (b) Lateral view of occiput, note presence of exoccipital foramen (marked with *). (c) Dorsal view of skull, note complete skull roof. (d) Lateral view of hyopalatine arch, note quadrato-metapterygoid foramen (marked with *). (e) Lateral view of Weberian centra, first lateral process (lp1) short. (f) Lateral view of hyoid and branchiostegal rays (br). (g) Lateral view of Weberian and post-Weberian vertebrae, note small and short swimbladder capsule (sbc) only reaching posterior margin of vertebra 5. Other abbreviations: ach: anterior ceratohyal; asph: autosphenotic; boc: basioccipital; cl: claustrum; d: dentary; dh: dorsal hypohyal; ecp: ectopterygoid; enp: endopterygoid; eo: epiotic; exoc: exoccipital; h: hyomandibular; ih: interhyal; io: interopercle; le: lateral ethmoid; lp2: lateral process of vertebra 2; m: maxilla; me: mesethmoid; mtp: metapterygoid; na2: neural arch of second vertebra; na3: neural arch of third vertebra; o: opercle; p: parietal; pal: autopalatine; ppal: preautopalatine; pch: posterior ceratohyal; pm: premaxilla; po: preopercle; pro: prootic; ps: parasphenoid; pto: pterotic; q: quadrate; ra: retroarticular; sc: scaphium; sn2: supraneural 2; sn3: supraneural 3; so: subopercle; sor: supraorbital; soc: supraoccipital; sy: symplectic; V5,6: vertebra 5,6; vhh: ventral hypohyal; vo: vomer.




Fig. 5. *Pangio pangia*, ADBU-MF 5282, 41.8 mm SL. μ CT-images of head and anterior vertebral column in lateral view (middle) and select complexes for comparison with *Gitchak nakana* (Fig. 3): (a) lateral view of head. (b) Lateral view of occiput, note presence of exoccipital foramen (marked with *). (c) Dorsal view of skull, note complete skull roof. (d) Lateral view of hyopalatine arch, note quadrato-metapterygoid foramen (marked with *). (e) Lateral view of Weberian centra, first lateral process (lp1) short. (f) lateral view of hyoid and branchiostegal rays (br). (g) Lateral view of Weberian and post-Weberian vertebrae, note small and short swimbladder capsule (sbc) only reaching posterior margin of vertebra 5. ach: anterior ceratohyal; asph: autosphenotic; boc: basioccipital; cl: claustrum; d: dentary; dhh: dorsal hypohyal; ecp: ectopterygoid; enp: endopterygoid; eo: epiotic; h: hyomandibular; ih: interhyal; io: interopercle; le: lateral ethmoid; lp2: lateral process of vertebra 2; m: maxilla; me: mesethmoid; mtp: metapterygoid; na2: neural arch of second vertebra; na3: neural arch of third vertebra; o: opercle; p: parietal; pch: posterior ceratohyal; pm: premaxilla; po: preopercle; pal: autopalatine; ppal: preautopalatine; pro: prootic; ps: parasphenoid; pto: pterotic; q: quadrate; ra: retroarticular; sc: scaphium; sn2: supraneural 2; sn3: supraneural 3; so: subopercle; soc: supraoccipital; sy: symplectic; V5,6,7: vertebra 5,6,7; vhh: ventral hypohyal; vo: vomer.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2026