
You commented **Sorry, Steve**

By Mahir



Design skill for Claude Code

Make Claude design like Apple.

The skill from the video, set up step by step. One command teaches Claude Code **the 17 principles Apple uses to make things feel right**: press states, springs, glass, type and the eight design principles from WWDC.

216K	46.5K	17	~2 min
installs on skills.sh	stars on GitHub	Apple principles inside	to set up

The problem

AI can code. It can't feel.

Ask Claude for a UI and it works, but something feels off. Buttons wait until you let go. Animations can't stop halfway. Everything bounces. **Steve would have sent it back.**



Steve, reviewing your AI-made UI

The fix

apple-design

by Emil Kowalski · ★ 46.5K · 216K installs

One file with 17 principles taken from Apple's WWDC design talks. Claude reads it whenever you build interface, then writes UI that responds, moves and reads like Apple's.

Emil is the designer-engineer behind Sonner and Vaul.

github.com/emilkowalski/skills

What changes

	Without the skill	With apple-design
Pressing a button	✕ Reacts when you let go	✓ Reacts on touch: scale 0.97 in 100ms
Closing mid-animation	✕ Jumps or restarts	✓ Turns around from where it is
Motion	✕ Fixed ease-in-out, bounce everywhere	✓ Springs. Bounce only after a flick
Dragging	✕ Lags or jumps under your finger	✓ Moves 1:1 and keeps your grab point
Hitting an edge	✕ Hard stop, feels frozen	✓ Rubber-bands, then settles
Glass	✕ Glass on glass, muddy text	✓ One translucent layer, content under it
Big headlines	✕ Same letter-spacing at every size	✓ Tighter tracking as type grows
Reduce Motion on	✕ Ignored	✓ Slides become gentle cross-fades

How it fits together

You ask for a UI → **Claude Code** spots a UI task → **apple-design** SKILL.md · 17 principles → **Your app** feels like Apple

Claude loads the skill on its own when the task is about interface. **Name it in your prompt to be sure.**

Set it up

Install it with one line.

★ 46.5K · github.com/emilkowalski/skills · skill: apple-design

1 Install › 2 Check › 3 Ask › 4 Feel it

You need ✓ Claude Code ✓ Node.js (for npx) ✓ A web project ✓ 2 minutes

1

Install the skill

Run this in your project folder. When it asks, **pick Claude Code**.

Terminal Copy

```
$ npx skills add emilkowalski/skills --skill apple-design
# add -g to install it for every project, not just this one
```

2

Check it's there

List what's installed. You should see **apple-design**.

Terminal Copy

```
$ npx skills list
# apple-design should be in the list
```

3

Ask Claude

Open Claude Code and name the skill. Ask with no task and it replies **"I'm ready to help you build fluid, Apple-style interfaces on the web..."**

claude — ~/my-app Copy

```
> Use the apple-design skill. Make my signup modal
  and buttons feel like iOS.
# in Claude Code, typing /apple-design works too
```

4

Feel it

Run your app and use it. Page 6 has a 60-second test.

Press
Shrinks the moment you touch

Drag
Sticks to your finger, 1:1

Flick
Keeps your speed, lands soft

Skip the questions

Installs for Claude Code, in every project, with no prompts.

```
$ npx skills add emilkowalski/skills \
  --skill apple-design -g -a claude-code -y
```

Try it before installing

Starts Claude Code with the skill loaded. Nothing is saved.

```
$ npx skills use emilkowalski/skills \
  --skill apple-design --agent claude-code
```

ⓘ **Something off?** Run `npx skills update` to get Emil's latest version, then restart Claude Code.

Inside the skill

17 principles, in plain English.

This is what Claude knows after the install. Each idea comes from Apple's own WWDC talks, rewritten for the web.

01 **Respond on press** `scale .97 · 100ms`
Feedback starts on touch-down, never on release.

02 **Direct manipulation** `pointer capture`
Dragged things move 1:1 and keep your grab point.

03 **Interruptible** Most important
Any animation can turn around mid-flight, from where it is.

04 **Springs, not curves** `damping 1.0`
No fixed durations. Damping and response instead.

05 **Velocity handoff** `v ÷ distance`
A flick's speed carries straight into the animation.

06 **Momentum** `d ≈ 0.998`
Predict where a throw would land, then snap there.

07 **Spatial consistency**
Things leave the way they came in.

08 **Hint the direction**
In-between frames point at where things are going.

09 **Rubber-banding** `constant 0.55`
Edges resist softly instead of stopping dead.

10 **Gesture details** `~10px`
Highlight on touch, small threshold before a drag commits.

11 **Smooth frames** `transform · opacity`
Animate only what the browser can draw cheaply.

12 **Materials & depth** `backdrop-filter`
Translucent layers. Never light glass on light glass.

13 **Multimodal feedback** `same frame`
Motion, sound and haptics fire together, only when it matters.

14 **Reduced motion** `prefers-reduced-motion`
Gentler versions for people who turn motion down.

15 **Typography** `-0.02em large`
Tracking and line height change with size.

16 **The eight principles** `WWDC 2026`
Purpose, Agency, Responsibility, Familiarity, Flexibility, Simplicity, Craft, Delight.

17 **Process**
Prototype it, play it in slow motion, test with real people.

The big one

Interruptible beats smooth.

Change your mind mid-animation and the motion turns around **from exactly where it is**, carrying its speed. No jump, no restart. It's most of why an iPhone feels alive.

Springs Apple ships

Interaction	Damping	Response
Default UI	1.0	0.3–0.4
Move / reposition	1.0	0.4
Rotation	0.8	0.4
Drawer / sheet	0.8	0.3

Copy, paste, ship

Six prompts that just work.

Paste these into Claude Code inside your project. Each one names the skill, so Claude loads it every time.

Audit my app

Copy

```
Use the apple-design skill. Audit this app against it. List every problem, worst first, then fix the top five.
```

Press states

Copy

```
Use apple-design. Make every button, link and card respond on press, not release, with the scale-down from the skill.
```

iOS-style sheet

Copy

```
Use apple-design. Turn my modal into an iOS sheet: drag to dismiss, rubber-band at the top, spring 0.8 / 0.3, fully interruptible.
```

Springs everywhere

Copy

```
Use apple-design. Replace every CSS ease and fixed duration with springs. Damping 1.0 unless a gesture threw it.
```

Glass and type

Copy

```
Use apple-design. Make the navbar one translucent glass layer, then fix headline tracking and line height for each size.
```

Accessibility pass

Copy

```
Use apple-design. Add reduced-motion, reduced-transparency and increased-contrast versions of every animation and glass surface.
```

Cheat sheet

The numbers inside the skill

Press feedback	`scale(0.97) · 100ms`	Flick landing	`d ≈ 0.998`
Default spring	`damping 1.0 · response 0.3–0.4`	Glass	`blur(20px) saturate(180%)`
After a flick	`damping ~0.8`	Big headlines	`letter-spacing −0.02em`
Drag start	`~10px, then 1:1`	Animate only	`transform, opacity`
Past an edge	`rubber-band, 0.55`	Reduce Motion	`cross-fade, no slide`

Make it automatic

Add one line to your project's **CLAUDE.md** and Claude follows the skill on every UI task, no reminder needed.

```
$ echo "For any UI work, use the apple-design skill." >> CLAUDE.md
```

Before you ship

Test it in 60 seconds.

Open your app and do these six things. If all six feel right, Claude used the skill.

	Do this	You should see
○	**Press and hold a button**	It shrinks the moment you touch it, before you let go.
○	**Open a modal, close it halfway**	It turns around from where it is. No jump, no restart.
○	**Flick a card or drawer**	It keeps your speed and settles with a small bounce.
○	**Drag past the end of a sheet**	It stretches, resists, then springs back.
○	**Turn on Reduce Motion**	Slides become quick fades. Mac: System Settings → Accessibility → Display
○	**Look at your biggest headline**	Letters sit tighter than the body text.

Straight talk

Not magic
It's a file of rules. Claude still slips sometimes, so test on a real phone.

Made for the web
It writes CSS and JavaScript for websites and web apps, not native iOS code.

Not from Apple
Emil wrote it from Apple's public talks. Apple isn't involved.

Easy to remove
Don't like it? `npx skills remove apple-design`

