

no	Database name	Global variable name	JSON file name	Property name	Script Call (id:data ID)	Remarks and array legend
1	Actors	\$dataActors	Actors.json	id	\$dataActors[id].id	
2	Actors	\$dataActors	Actors.json	battlerName	\$dataActors[id].battlerName	
3	Actors	\$dataActors	Actors.json	characterIndex	\$dataActors[id].characterIndex	
4	Actors	\$dataActors	Actors.json	characterName	\$dataActors[id].characterName	
5	Actors	\$dataActors	Actors.json	classId	\$dataActors[id].classId	
6	Actors	\$dataActors	Actors.json	equips	\$dataActors[id].equips	Weapon and Armor ID for each equipment type [1,1,2,3,0]
7	Actors	\$dataActors	Actors.json	faceIndex	\$dataActors[id].faceIndex	
8	Actors	\$dataActors	Actors.json	faceName	\$dataActors[id].faceName	
9	Actors	\$dataActors	Actors.json	traits[0].code	\$dataActors[id].traits[0].code	
10	Actors	\$dataActors	Actors.json	traits[0].dataId	\$dataActors[id].traits[0].dataId	
11	Actors	\$dataActors	Actors.json	traits[0].value1	\$dataActors[id].traits[0].value1	
12	Actors	\$dataActors	Actors.json	traits[0].value2	\$dataActors[id].traits[0].value2	
13	Actors	\$dataActors	Actors.json	initialLevel	\$dataActors[id].initialLevel	
14	Actors	\$dataActors	Actors.json	maxLevel	\$dataActors[id].maxLevel	
15	Actors	\$dataActors	Actors.json	name	\$dataActors[id].name	
16	Actors	\$dataActors	Actors.json	nickname	\$dataActors[id].nickname	
17	Actors	\$dataActors	Actors.json	note	\$dataActors[id].note	
18	Actors	\$dataActors	Actors.json	profile	\$dataActors[id].profile	
19	Classes	\$dataClasses	Classes.json	id	\$dataClasses[id].id	
20	Classes	\$dataClasses	Classes.json	expParams[0]	\$dataClasses[id].expParams[0]	
21	Classes	\$dataClasses	Classes.json	expParams[1]	\$dataClasses[id].expParams[1]	
22	Classes	\$dataClasses	Classes.json	expParams[2]	\$dataClasses[id].expParams[2]	
23	Classes	\$dataClasses	Classes.json	expParams[3]	\$dataClasses[id].expParams[3]	
24	Classes	\$dataClasses	Classes.json	traits[0].code	\$dataClasses[id].traits[0].code	
25	Classes	\$dataClasses	Classes.json	traits[0].dataId	\$dataClasses[id].traits[0].dataId	
26	Classes	\$dataClasses	Classes.json	traits[0].value1	\$dataClasses[id].traits[0].value1	
27	Classes	\$dataClasses	Classes.json	traits[0].value2	\$dataClasses[id].traits[0].value2	
28	Classes	\$dataClasses	Classes.json	learnings[0].level	\$dataClasses[id].learnings[0].level	
29	Classes	\$dataClasses	Classes.json	learnings[0].skillId	\$dataClasses[id].learnings[0].skillId	
30	Classes	\$dataClasses	Classes.json	learnings[0].note	\$dataClasses[id].learnings[0].note	
31	Classes	\$dataClasses	Classes.json	name	\$dataClasses[id].name	
32	Classes	\$dataClasses	Classes.json	note	\$dataClasses[id].note	
33	Classes	\$dataClasses	Classes.json	params[0]	\$dataClasses[id].params[0]	An array containing all the basic values for each level [1,450,500,550,600,...]
34	Classes	\$dataClasses	Classes.json	params[1]	\$dataClasses[id].params[1]	An array containing all the basic values for each level
35	Classes	\$dataClasses	Classes.json	params[2]	\$dataClasses[id].params[2]	An array containing all the basic values for each level
36	Classes	\$dataClasses	Classes.json	params[3]	\$dataClasses[id].params[3]	An array containing all the basic values for each level
37	Classes	\$dataClasses	Classes.json	params[4]	\$dataClasses[id].params[4]	An array containing all the basic values for each level
38	Classes	\$dataClasses	Classes.json	params[5]	\$dataClasses[id].params[5]	An array containing all the basic values for each level
39	Classes	\$dataClasses	Classes.json	params[6]	\$dataClasses[id].params[6]	An array containing all the basic values for each level
40	Classes	\$dataClasses	Classes.json	params[7]	\$dataClasses[id].params[7]	An array containing all the basic values for each level
41	Skills	\$dataSkills	Skills.json	id	\$dataSkills[id].id	
42	Skills	\$dataSkills	Skills.json	animationId	\$dataSkills[id].animationId	
43	Skills	\$dataSkills	Skills.json	description	\$dataSkills[id].description	

no	Database name	Global variable name	JSON file name	Property name	Script Call (id:data ID)	Remarks and array legend
44	Skills	\$dataSkills	Skills.json	effects[0].code	\$dataSkills[id].effects[0].code	
45	Skills	\$dataSkills	Skills.json	effects[0].dataId	\$dataSkills[id].effects[0].dataId	
46	Skills	\$dataSkills	Skills.json	effects[0].value1	\$dataSkills[id].effects[0].value1	
47	Skills	\$dataSkills	Skills.json	effects[0].value2	\$dataSkills[id].effects[0].value2	
48	Skills	\$dataSkills	Skills.json	hitType	\$dataSkills[id].hitType	
49	Skills	\$dataSkills	Skills.json	iconIndex	\$dataSkills[id].iconIndex	
50	Skills	\$dataSkills	Skills.json	message1	\$dataSkills[id].message1	
51	Skills	\$dataSkills	Skills.json	message2	\$dataSkills[id].message2	
52	Skills	\$dataSkills	Skills.json	mpCost	\$dataSkills[id].mpCost	
53	Skills	\$dataSkills	Skills.json	name	\$dataSkills[id].name	
54	Skills	\$dataSkills	Skills.json	note	\$dataSkills[id].note	
55	Skills	\$dataSkills	Skills.json	occasion	\$dataSkills[id].occasion	
56	Skills	\$dataSkills	Skills.json	repeats	\$dataSkills[id].repeats	
57	Skills	\$dataSkills	Skills.json	requiredWtypeld1	\$dataSkills[id].requiredWtypeld1	
58	Skills	\$dataSkills	Skills.json	requiredWtypeld2	\$dataSkills[id].requiredWtypeld2	
59	Skills	\$dataSkills	Skills.json	scope	\$dataSkills[id].scope	
60	Skills	\$dataSkills	Skills.json	speed	\$dataSkills[id].speed	
61	Skills	\$dataSkills	Skills.json	stypeld	\$dataSkills[id].stypeld	
62	Skills	\$dataSkills	Skills.json	successRate	\$dataSkills[id].successRate	
63	Skills	\$dataSkills	Skills.json	tpCost	\$dataSkills[id].tpCost	
64	Skills	\$dataSkills	Skills.json	tpGain	\$dataSkills[id].tpGain	
65	Skills	\$dataSkills	Skills.json	messageType	\$dataSkills[id].messageType	For MV data conversion, type of skill message.
66	Skills	\$dataSkills	Skills.json	damage.critical	\$dataSkills[id].damage.critical	
67	Skills	\$dataSkills	Skills.json	damage.elementId	\$dataSkills[id].damage.elementId	
68	Skills	\$dataSkills	Skills.json	damage.formula	\$dataSkills[id].damage.formula	
69	Skills	\$dataSkills	Skills.json	damage.type	\$dataSkills[id].damage.type	
70	Skills	\$dataSkills	Skills.json	damage.variance	\$dataSkills[id].damage.variance	
71	Items	\$dataItems	Items.json	id	\$dataItems[id].id	
72	Items	\$dataItems	Items.json	animationId	\$dataItems[id].animationId	
73	Items	\$dataItems	Items.json	consumable	\$dataItems[id].consumable	
74	Items	\$dataItems	Items.json	description	\$dataItems[id].description	
75	Items	\$dataItems	Items.json	effects[0].code	\$dataItems[id].effects[0].code	
76	Items	\$dataItems	Items.json	effects[0].dataId	\$dataItems[id].effects[0].dataId	
77	Items	\$dataItems	Items.json	effects[0].value1	\$dataItems[id].effects[0].value1	
78	Items	\$dataItems	Items.json	effects[0].value2	\$dataItems[id].effects[0].value2	
79	Items	\$dataItems	Items.json	hitType	\$dataItems[id].hitType	
80	Items	\$dataItems	Items.json	iconIndex	\$dataItems[id].iconIndex	
81	Items	\$dataItems	Items.json	itypeld	\$dataItems[id].itypeld	
82	Items	\$dataItems	Items.json	name	\$dataItems[id].name	
83	Items	\$dataItems	Items.json	note	\$dataItems[id].note	
84	Items	\$dataItems	Items.json	occasion	\$dataItems[id].occasion	
85	Items	\$dataItems	Items.json	price	\$dataItems[id].price	
86	Items	\$dataItems	Items.json	repeats	\$dataItems[id].repeats	
87	Items	\$dataItems	Items.json	scope	\$dataItems[id].scope	

no	Database name	Global variable name	JSON file name	Property name	Script Call (id:data ID)	Remarks and array legend
88	Items	\$dataItems	Items.json	speed	\$dataItems[id].speed	
89	Items	\$dataItems	Items.json	successRate	\$dataItems[id].successRate	
90	Items	\$dataItems	Items.json	tpGain	\$dataItems[id].tpGain	
91	Items	\$dataItems	Items.json	damage.critical	\$dataItems[id].damage.critical	
92	Items	\$dataItems	Items.json	damage.elementId	\$dataItems[id].damage.elementId	
93	Items	\$dataItems	Items.json	damage.formula	\$dataItems[id].damage.formula	
94	Items	\$dataItems	Items.json	damage.type	\$dataItems[id].damage.type	
95	Items	\$dataItems	Items.json	damage.variance	\$dataItems[id].damage.variance	
96	Weapons	\$dataWeapons	Weapons.json	id	\$dataWeapons[id].id	
97	Weapons	\$dataWeapons	Weapons.json	animationId	\$dataWeapons[id].animationId	
98	Weapons	\$dataWeapons	Weapons.json	description	\$dataWeapons[id].description	
99	Weapons	\$dataWeapons	Weapons.json	etypeld	\$dataWeapons[id].etypeld	
100	Weapons	\$dataWeapons	Weapons.json	traits[0].code	\$dataWeapons[id].traits[0].code	
101	Weapons	\$dataWeapons	Weapons.json	traits[0].dataId	\$dataWeapons[id].traits[0].dataId	
102	Weapons	\$dataWeapons	Weapons.json	traits[0].value1	\$dataWeapons[id].traits[0].value1	
103	Weapons	\$dataWeapons	Weapons.json	traits[0].value2	\$dataWeapons[id].traits[0].value2	
104	Weapons	\$dataWeapons	Weapons.json	iconIndex	\$dataWeapons[id].iconIndex	
105	Weapons	\$dataWeapons	Weapons.json	name	\$dataWeapons[id].name	
106	Weapons	\$dataWeapons	Weapons.json	note	\$dataWeapons[id].note	
107	Weapons	\$dataWeapons	Weapons.json	price	\$dataWeapons[id].price	
108	Weapons	\$dataWeapons	Weapons.json	wtypeld	\$dataWeapons[id].wtypeld	
109	Weapons	\$dataWeapons	Weapons.json	params[0]	\$dataWeapons[id].params[0]	mhp
110	Weapons	\$dataWeapons	Weapons.json	params[1]	\$dataWeapons[id].params[1]	mmp
111	Weapons	\$dataWeapons	Weapons.json	params[2]	\$dataWeapons[id].params[2]	atk
112	Weapons	\$dataWeapons	Weapons.json	params[3]	\$dataWeapons[id].params[3]	def
113	Weapons	\$dataWeapons	Weapons.json	params[4]	\$dataWeapons[id].params[4]	mat
114	Weapons	\$dataWeapons	Weapons.json	params[5]	\$dataWeapons[id].params[5]	mdf
115	Weapons	\$dataWeapons	Weapons.json	params[6]	\$dataWeapons[id].params[6]	agi
116	Weapons	\$dataWeapons	Weapons.json	params[7]	\$dataWeapons[id].params[7]	luk
117	Armors	\$dataArmors	Armors.json	id	\$dataArmors[id].id	
118	Armors	\$dataArmors	Armors.json	atypeld	\$dataArmors[id].atypeld	
119	Armors	\$dataArmors	Armors.json	description	\$dataArmors[id].description	
120	Armors	\$dataArmors	Armors.json	etypeld	\$dataArmors[id].etypeld	
121	Armors	\$dataArmors	Armors.json	traits[0].code	\$dataArmors[id].traits[0].code	
122	Armors	\$dataArmors	Armors.json	traits[0].dataId	\$dataArmors[id].traits[0].dataId	
123	Armors	\$dataArmors	Armors.json	traits[0].value1	\$dataArmors[id].traits[0].value1	
124	Armors	\$dataArmors	Armors.json	traits[0].value2	\$dataArmors[id].traits[0].value2	
125	Armors	\$dataArmors	Armors.json	iconIndex	\$dataArmors[id].iconIndex	
126	Armors	\$dataArmors	Armors.json	name	\$dataArmors[id].name	
127	Armors	\$dataArmors	Armors.json	note	\$dataArmors[id].note	
128	Armors	\$dataArmors	Armors.json	price	\$dataArmors[id].price	
129	Armors	\$dataArmors	Armors.json	params[0]	\$dataArmors[id].params[0]	mhp
130	Armors	\$dataArmors	Armors.json	params[1]	\$dataArmors[id].params[1]	mmp
131	Armors	\$dataArmors	Armors.json	params[2]	\$dataArmors[id].params[2]	atk

no	Database name	Global variable name	JSON file name	Property name	Script Call (id:data ID)	Remarks and array legend
132	Armors	\$dataArmors	Armors.json	params[3]	\$dataArmors[id].params[3]	def
133	Armors	\$dataArmors	Armors.json	params[4]	\$dataArmors[id].params[4]	mat
134	Armors	\$dataArmors	Armors.json	params[5]	\$dataArmors[id].params[5]	mdf
135	Armors	\$dataArmors	Armors.json	params[6]	\$dataArmors[id].params[6]	agi
136	Armors	\$dataArmors	Armors.json	params[7]	\$dataArmors[id].params[7]	luk
137	Enemies	\$dataEnemies	Enemies.json	id	\$dataEnemies[id].id	
138	Enemies	\$dataEnemies	Enemies.json	actions	\$dataEnemies[id].actions	
139	Enemies	\$dataEnemies	Enemies.json	battlerHue	\$dataEnemies[id].battlerHue	
140	Enemies	\$dataEnemies	Enemies.json	battlerName	\$dataEnemies[id].battlerName	
141	Enemies	\$dataEnemies	Enemies.json	droplItems	\$dataEnemies[id].droplItems	
142	Enemies	\$dataEnemies	Enemies.json	exp	\$dataEnemies[id].exp	
143	Enemies	\$dataEnemies	Enemies.json	traits[0].code	\$dataEnemies[id].traits[0].code	
144	Enemies	\$dataEnemies	Enemies.json	traits[0].dataId	\$dataEnemies[id].traits[0].dataId	
145	Enemies	\$dataEnemies	Enemies.json	traits[0].value1	\$dataEnemies[id].traits[0].value1	
146	Enemies	\$dataEnemies	Enemies.json	traits[0].value2	\$dataEnemies[id].traits[0].value2	
147	Enemies	\$dataEnemies	Enemies.json	gold	\$dataEnemies[id].gold	
148	Enemies	\$dataEnemies	Enemies.json	name	\$dataEnemies[id].name	
149	Enemies	\$dataEnemies	Enemies.json	note	\$dataEnemies[id].note	
150	Enemies	\$dataEnemies	Enemies.json	params[0]	\$dataEnemies[id].params[0]	mhp
151	Enemies	\$dataEnemies	Enemies.json	params[1]	\$dataEnemies[id].params[1]	mmp
152	Enemies	\$dataEnemies	Enemies.json	params[2]	\$dataEnemies[id].params[2]	atk
153	Enemies	\$dataEnemies	Enemies.json	params[3]	\$dataEnemies[id].params[3]	def
154	Enemies	\$dataEnemies	Enemies.json	params[4]	\$dataEnemies[id].params[4]	mat
155	Enemies	\$dataEnemies	Enemies.json	params[5]	\$dataEnemies[id].params[5]	mdf
156	Enemies	\$dataEnemies	Enemies.json	params[6]	\$dataEnemies[id].params[6]	agi
157	Enemies	\$dataEnemies	Enemies.json	params[7]	\$dataEnemies[id].params[7]	luk
158	Troops	\$dataTroops	Troops.json	id	\$dataTroops[id].id	
159	Troops	\$dataTroops	Troops.json	members	\$dataTroops[id].members	
160	Troops	\$dataTroops	Troops.json	name	\$dataTroops[id].name	
161	Troops	\$dataTroops	Troops.json	pages	\$dataTroops[id].pages	
162	States	\$dataStates	States.json	id	\$dataStates[id].id	
163	States	\$dataStates	States.json	autoRemovalTiming	\$dataStates[id].autoRemovalTiming	
164	States	\$dataStates	States.json	chanceByDamage	\$dataStates[id].chanceByDamage	
165	States	\$dataStates	States.json	iconIndex	\$dataStates[id].iconIndex	
166	States	\$dataStates	States.json	maxTurns	\$dataStates[id].maxTurns	
167	States	\$dataStates	States.json	message1	\$dataStates[id].message1	
168	States	\$dataStates	States.json	message2	\$dataStates[id].message2	
169	States	\$dataStates	States.json	message3	\$dataStates[id].message3	
170	States	\$dataStates	States.json	message4	\$dataStates[id].message4	
171	States	\$dataStates	States.json	minTurns	\$dataStates[id].minTurns	
172	States	\$dataStates	States.json	motion	\$dataStates[id].motion	
173	States	\$dataStates	States.json	name	\$dataStates[id].name	
174	States	\$dataStates	States.json	note	\$dataStates[id].note	
175	States	\$dataStates	States.json	overlay	\$dataStates[id].overlay	

no	Database name	Global variable name	JSON file name	Property name	Script Call (id:data ID)	Remarks and array legend
176	States	\$dataStates	States.json	priority	\$dataStates[id].priority	
177	States	\$dataStates	States.json	releaseByDamage	\$dataStates[id].releaseByDamage	
178	States	\$dataStates	States.json	removeAtBattleEnd	\$dataStates[id].removeAtBattleEnd	
179	States	\$dataStates	States.json	removeByDamage	\$dataStates[id].removeByDamage	
180	States	\$dataStates	States.json	removeByRestriction	\$dataStates[id].removeByRestriction	
181	States	\$dataStates	States.json	removeByWalking	\$dataStates[id].removeByWalking	
182	States	\$dataStates	States.json	restriction	\$dataStates[id].restriction	
183	States	\$dataStates	States.json	stepsToRemove	\$dataStates[id].stepsToRemove	
184	States	\$dataStates	States.json	traits[0].code	\$dataStates[id].traits[0].code	
185	States	\$dataStates	States.json	traits[0].dataId	\$dataStates[id].traits[0].dataId	
186	States	\$dataStates	States.json	traits[0].value1	\$dataStates[id].traits[0].value1	
187	States	\$dataStates	States.json	traits[0].value2	\$dataStates[id].traits[0].value2	
188	States	\$dataStates	States.json	messageType	\$dataStates[id].messageType	For MV data conversion, type of state message.
189	Animations	\$dataAnimations	Animations.json	id	\$dataAnimations[id].id	
190	Animations	\$dataAnimations	Animations.json	name	\$dataAnimations[id].name	
191	Animations	\$dataAnimations	Animations.json	displayType	\$dataAnimations[id].displayType	
192	Animations	\$dataAnimations	Animations.json	effectName	\$dataAnimations[id].effectName	
193	Animations	\$dataAnimations	Animations.json	scale	\$dataAnimations[id].scale	
194	Animations	\$dataAnimations	Animations.json	speed	\$dataAnimations[id].speed	
195	Animations	\$dataAnimations	Animations.json	flashTimings	\$dataAnimations[id].flashTimings	[{"frame":0,"duration":30,"color":[255,255,255,255]}]
196	Animations	\$dataAnimations	Animations.json	soundTimings	\$dataAnimations[id].soundTimings	[{"frame":0,"se":{"name":"Blow1","pan":0,"pitch":100,"volume":90}}]
197	Animations	\$dataAnimations	Animations.json	offsetX	\$dataAnimations[id].offsetX	
198	Animations	\$dataAnimations	Animations.json	offsetY	\$dataAnimations[id].offsetY	
199	Animations	\$dataAnimations	Animations.json	rotation.x	\$dataAnimations[id].rotation.x	
200	Animations	\$dataAnimations	Animations.json	rotation.y	\$dataAnimations[id].rotation.y	
201	Animations	\$dataAnimations	Animations.json	rotation.z	\$dataAnimations[id].rotation.z	
202	Tilesets	\$dataTilesets	Tilesets.json	id	\$dataTilesets[id].id	
203	Tilesets	\$dataTilesets	Tilesets.json	flags	\$dataTilesets[id].flags	Flag tables for determining passability for ladders, bushes, etc.
204	Tilesets	\$dataTilesets	Tilesets.json	mode	\$dataTilesets[id].mode	
205	Tilesets	\$dataTilesets	Tilesets.json	name	\$dataTilesets[id].name	
206	Tilesets	\$dataTilesets	Tilesets.json	note	\$dataTilesets[id].note	
207	Tilesets	\$dataTilesets	Tilesets.json	tilesetName	\$dataTilesets[id].tilesetName	["World_A1","World_A2","","","","World_B","World_C","",""]
208	CommonEvents	\$dataCommonEvents	CommonEvents.json	id	\$dataCommonEvents[id].id	
209	CommonEvents	\$dataCommonEvents	CommonEvents.json	list	\$dataCommonEvents[id].list	See separate file for details. [{"code":0,"indent":0,"parameters":[]}]
210	CommonEvents	\$dataCommonEvents	CommonEvents.json	name	\$dataCommonEvents[id].name	
211	CommonEvents	\$dataCommonEvents	CommonEvents.json	switchId	\$dataCommonEvents[id].switchId	
212	CommonEvents	\$dataCommonEvents	CommonEvents.json	trigger	\$dataCommonEvents[id].trigger	
213	System	\$dataSystem	System.json	advanced.gameld	\$dataSystem.advanced.gameld	
214	System	\$dataSystem	System.json	advanced.screenWidth	\$dataSystem.advanced.screenWidth	
215	System	\$dataSystem	System.json	advanced.screenHeight	\$dataSystem.advanced.screenHeight	
216	System	\$dataSystem	System.json	advanced.uiAreaWidth	\$dataSystem.advanced.uiAreaWidth	
217	System	\$dataSystem	System.json	advanced.uiAreaHeight	\$dataSystem.advanced.uiAreaHeight	
218	System	\$dataSystem	System.json	advanced.numberFontFilename	\$dataSystem.advanced.numberFontFilename	

no	Database name	Global variable name	JSON file name	Property name	Script Call (id:data ID)	Remarks and array legend
219	System	\$dataSystem	System.json	advanced.fallbackFonts	\$dataSystem.advanced.fallbackFonts	
220	System	\$dataSystem	System.json	advanced.fontSize	\$dataSystem.advanced.fontSize	
221	System	\$dataSystem	System.json	advanced.mainFontFilename	\$dataSystem.advanced.mainFontFilename	
222	System	\$dataSystem	System.json	airship.bgm	\$dataSystem.airship.bgm	{name:"", volume:90, pitch:100, pan:0}
223	System	\$dataSystem	System.json	airship.characterIndex	\$dataSystem.airship.characterIndex	
224	System	\$dataSystem	System.json	airship.characterName	\$dataSystem.airship.characterName	
225	System	\$dataSystem	System.json	airship.startMapId	\$dataSystem.airship.startMapId	
226	System	\$dataSystem	System.json	airship.startX	\$dataSystem.airship.startX	
227	System	\$dataSystem	System.json	airship.startY	\$dataSystem.airship.startY	
228	System	\$dataSystem	System.json	boat.bgm	\$dataSystem.boat.bgm	{name:"", volume:90, pitch:100, pan:0}
229	System	\$dataSystem	System.json	boat.characterIndex	\$dataSystem.boat.characterIndex	
230	System	\$dataSystem	System.json	boat.characterName	\$dataSystem.boat.characterName	
231	System	\$dataSystem	System.json	boat.startMapId	\$dataSystem.boat.startMapId	
232	System	\$dataSystem	System.json	boat.startX	\$dataSystem.boat.startX	
233	System	\$dataSystem	System.json	boat.startY	\$dataSystem.boat.startY	
234	System	\$dataSystem	System.json	ship.bgm	\$dataSystem.ship.bgm	{name:"", volume:90, pitch:100, pan:0}
235	System	\$dataSystem	System.json	ship.characterIndex	\$dataSystem.ship.characterIndex	
236	System	\$dataSystem	System.json	ship.characterName	\$dataSystem.ship.characterName	
237	System	\$dataSystem	System.json	ship.startMapId	\$dataSystem.ship.startMapId	
238	System	\$dataSystem	System.json	ship.startX	\$dataSystem.ship.startX	
239	System	\$dataSystem	System.json	ship.startY	\$dataSystem.ship.startY	
240	System	\$dataSystem	System.json	attackMotions[0].type	\$dataSystem.attackMotions[0].type	
241	System	\$dataSystem	System.json	attackMotions[0].weaponImageId	\$dataSystem.attackMotions[0].weaponImageId	
242	System	\$dataSystem	System.json	weaponTypes	\$dataSystem.weaponTypes	["", "Dagger", "Sword", "Flail", "Axe", "Whip", "Staff", "Bow", "Crossbow", "Gun", "Claw", "Glove", "Spear"]
243	System	\$dataSystem	System.json	armorTypes	\$dataSystem.armorTypes	["", "General Armor", "Magic Armor", "Light Armor", "Heavy Armor", "Small Shield", "Large Shield"]
244	System	\$dataSystem	System.json	equipTypes	\$dataSystem.equipTypes	["", "Weapon", "Shield", "Head", "Body", "Accessory"]
245	System	\$dataSystem	System.json	skillTypes	\$dataSystem.skillTypes	["", "Masic", "Special"]
246	System	\$dataSystem	System.json	elements	\$dataSystem.elements	["", "Physical", "Fire", "Ice", "Thunder", "Water", "Earth", "Wind", "Light", "Darkness"]
247	System	\$dataSystem	System.json	battleBgm	\$dataSystem.battleBgm	{name:"", volume:90, pitch:100, pan:0}
248	System	\$dataSystem	System.json	victoryMe	\$dataSystem.victoryMe	{name:"", volume:90, pitch:100, pan:0}
249	System	\$dataSystem	System.json	defeatMe	\$dataSystem.defeatMe	{name:"", volume:90, pitch:100, pan:0}
250	System	\$dataSystem	System.json	titleBgm	\$dataSystem.titleBgm	{name:"", volume:90, pitch:100, pan:0}
251	System	\$dataSystem	System.json	sounds[0]	\$dataSystem.sounds[0]	
252	System	\$dataSystem	System.json	editMapId	\$dataSystem.editMapId	
253	System	\$dataSystem	System.json	gameTitle	\$dataSystem.gameTitle	
254	System	\$dataSystem	System.json	itemCategories	\$dataSystem.itemCategories	Item, Weapon, Armor, Key Item [true,true,true,true]
255	System	\$dataSystem	System.json	locale	\$dataSystem.locale	
256	System	\$dataSystem	System.json	magicSkills	\$dataSystem.magicSkills	[1]
257	System	\$dataSystem	System.json	menuCommands	\$dataSystem.menuCommands	Items, Skills, Equip, Status, Formation, Save [true,true,true,true,true,true]
258	System	\$dataSystem	System.json	optAutosave	\$dataSystem.optAutosave	
259	System	\$dataSystem	System.json	optDisplayTp	\$dataSystem.optDisplayTp	
260	System	\$dataSystem	System.json	optDrawTitle	\$dataSystem.optDrawTitle	

no	Database name	Global variable name	JSON file name	Property name	Script Call (id:data ID)	Remarks and array legend
261	System	\$dataSystem	System.json	optExtraExp	\$dataSystem.optExtraExp	
262	System	\$dataSystem	System.json	optFloorDeath	\$dataSystem.optFloorDeath	
263	System	\$dataSystem	System.json	optFollowers	\$dataSystem.optFollowers	
264	System	\$dataSystem	System.json	optKeyItemsNumber	\$dataSystem.optKeyItemsNumber	
265	System	\$dataSystem	System.json	optSideView	\$dataSystem.optSideView	
266	System	\$dataSystem	System.json	optSlipDeath	\$dataSystem.optSlipDeath	
267	System	\$dataSystem	System.json	optTransparent	\$dataSystem.optTransparent	
268	System	\$dataSystem	System.json	partyMembers	\$dataSystem.partyMembers	
269	System	\$dataSystem	System.json	startMapId	\$dataSystem.startMapId	
270	System	\$dataSystem	System.json	startX	\$dataSystem.startX	
271	System	\$dataSystem	System.json	startY	\$dataSystem.startY	
272	System	\$dataSystem	System.json	switches	\$dataSystem.switches	[" " " " ...]
273	System	\$dataSystem	System.json	variables	\$dataSystem.variables	[" " " " ...]
274	System	\$dataSystem	System.json	terms.basic	\$dataSystem.terms.basic	
275	System	\$dataSystem	System.json	terms.commands	\$dataSystem.terms.commands	
276	System	\$dataSystem	System.json	terms.params	\$dataSystem.terms.params	
277	System	\$dataSystem	System.json	terms.messages.alwaysDash	\$dataSystem.terms.messages.alwaysDash	
278	System	\$dataSystem	System.json	terms.messages.commandRemember	\$dataSystem.terms.messages.commandRemember	
279	System	\$dataSystem	System.json	terms.messages.touchUI	\$dataSystem.terms.messages.touchUI	
280	System	\$dataSystem	System.json	terms.messages.bgmVolume	\$dataSystem.terms.messages.bgmVolume	
281	System	\$dataSystem	System.json	terms.messages.bgsVolume	\$dataSystem.terms.messages.bgsVolume	
282	System	\$dataSystem	System.json	terms.messages.meVolume	\$dataSystem.terms.messages.meVolume	
283	System	\$dataSystem	System.json	terms.messages.seVolume	\$dataSystem.terms.messages.seVolume	
284	System	\$dataSystem	System.json	terms.messages.possession	\$dataSystem.terms.messages.possession	
285	System	\$dataSystem	System.json	terms.messages.expTotal	\$dataSystem.terms.messages.expTotal	
286	System	\$dataSystem	System.json	terms.messages.expNext	\$dataSystem.terms.messages.expNext	
287	System	\$dataSystem	System.json	terms.messages.saveMessage	\$dataSystem.terms.messages.saveMessage	
288	System	\$dataSystem	System.json	terms.messages.loadMessage	\$dataSystem.terms.messages.loadMessage	
289	System	\$dataSystem	System.json	terms.messages.file	\$dataSystem.terms.messages.file	
290	System	\$dataSystem	System.json	terms.messages.autosave	\$dataSystem.terms.messages.autosave	
291	System	\$dataSystem	System.json	terms.messages.partyName	\$dataSystem.terms.messages.partyName	
292	System	\$dataSystem	System.json	terms.messages.emerge	\$dataSystem.terms.messages.emerge	
293	System	\$dataSystem	System.json	terms.messages.preemptive	\$dataSystem.terms.messages.preemptive	
294	System	\$dataSystem	System.json	terms.messages.surprise	\$dataSystem.terms.messages.surprise	
295	System	\$dataSystem	System.json	terms.messages.escapeStart	\$dataSystem.terms.messages.escapeStart	
296	System	\$dataSystem	System.json	terms.messages.escapeFailure	\$dataSystem.terms.messages.escapeFailure	
297	System	\$dataSystem	System.json	terms.messages.victory	\$dataSystem.terms.messages.victory	
298	System	\$dataSystem	System.json	terms.messages.defeat	\$dataSystem.terms.messages.defeat	
299	System	\$dataSystem	System.json	terms.messages.obtainExp	\$dataSystem.terms.messages.obtainExp	
300	System	\$dataSystem	System.json	terms.messages.obtainGold	\$dataSystem.terms.messages.obtainGold	
301	System	\$dataSystem	System.json	terms.messages.obtainItem	\$dataSystem.terms.messages.obtainItem	
302	System	\$dataSystem	System.json	terms.messages.levelUp	\$dataSystem.terms.messages.levelUp	
303	System	\$dataSystem	System.json	terms.messages.obtainSkill	\$dataSystem.terms.messages.obtainSkill	
304	System	\$dataSystem	System.json	terms.messages.useItem	\$dataSystem.terms.messages.useItem	

no	Database name	Global variable name	JSON file name	Property name	Script Call (id:data ID)	Remarks and array legend
305	System	\$dataSystem	System.json	terms.messages.criticalToEnemy	\$dataSystem.terms.messages.criticalToEnemy	
306	System	\$dataSystem	System.json	terms.messages.criticalToActor	\$dataSystem.terms.messages.criticalToActor	
307	System	\$dataSystem	System.json	terms.messages.actorDamage	\$dataSystem.terms.messages.actorDamage	
308	System	\$dataSystem	System.json	terms.messages.actorRecovery	\$dataSystem.terms.messages.actorRecovery	
309	System	\$dataSystem	System.json	terms.messages.actorGain	\$dataSystem.terms.messages.actorGain	
310	System	\$dataSystem	System.json	terms.messages.actorLoss	\$dataSystem.terms.messages.actorLoss	
311	System	\$dataSystem	System.json	terms.messages.actorDrain	\$dataSystem.terms.messages.actorDrain	
312	System	\$dataSystem	System.json	terms.messages.actorNoDamage	\$dataSystem.terms.messages.actorNoDamage	
313	System	\$dataSystem	System.json	terms.messages.actorNoHit	\$dataSystem.terms.messages.actorNoHit	
314	System	\$dataSystem	System.json	terms.messages.enemyDamage	\$dataSystem.terms.messages.enemyDamage	
315	System	\$dataSystem	System.json	terms.messages.enemyRecovery	\$dataSystem.terms.messages.enemyRecovery	
316	System	\$dataSystem	System.json	terms.messages.enemyGain	\$dataSystem.terms.messages.enemyGain	
317	System	\$dataSystem	System.json	terms.messages.enemyLoss	\$dataSystem.terms.messages.enemyLoss	
318	System	\$dataSystem	System.json	terms.messages.enemyDrain	\$dataSystem.terms.messages.enemyDrain	
319	System	\$dataSystem	System.json	terms.messages.enemyNoDamage	\$dataSystem.terms.messages.enemyNoDamage	
320	System	\$dataSystem	System.json	terms.messages.enemyNoHit	\$dataSystem.terms.messages.enemyNoHit	
321	System	\$dataSystem	System.json	terms.messages.evasion	\$dataSystem.terms.messages.evasion	
322	System	\$dataSystem	System.json	terms.messages.magicEvasion	\$dataSystem.terms.messages.magicEvasion	
323	System	\$dataSystem	System.json	terms.messages.magicReflection	\$dataSystem.terms.messages.magicReflection	
324	System	\$dataSystem	System.json	terms.messages.counterAttack	\$dataSystem.terms.messages.counterAttack	
325	System	\$dataSystem	System.json	terms.messages.substitute	\$dataSystem.terms.messages.substitute	
326	System	\$dataSystem	System.json	terms.messages.buffAdd	\$dataSystem.terms.messages.buffAdd	
327	System	\$dataSystem	System.json	terms.messages.debuffAdd	\$dataSystem.terms.messages.debuffAdd	
328	System	\$dataSystem	System.json	terms.messages.buffRemove	\$dataSystem.terms.messages.buffRemove	
329	System	\$dataSystem	System.json	terms.messages.actionFailure	\$dataSystem.terms.messages.actionFailure	
330	System	\$dataSystem	System.json	testBattlers[0].actorId	\$dataSystem.testBattlers[0].actorId	
331	System	\$dataSystem	System.json	testBattlers[0].level	\$dataSystem.testBattlers[0].level	
332	System	\$dataSystem	System.json	testBattlers[0].equips	\$dataSystem.testBattlers[0].equips	
333	System	\$dataSystem	System.json	testTroopId	\$dataSystem.testTroopId	
334	System	\$dataSystem	System.json	title1Name	\$dataSystem.title1Name	
335	System	\$dataSystem	System.json	title2Name	\$dataSystem.title2Name	
336	System	\$dataSystem	System.json	titleCommandWindow.background	\$dataSystem.titleCommandWindow.background	
337	System	\$dataSystem	System.json	titleCommandWindow.offsetX	\$dataSystem.titleCommandWindow.offsetX	
338	System	\$dataSystem	System.json	titleCommandWindow.offsetY	\$dataSystem.titleCommandWindow.offsetY	
339	System	\$dataSystem	System.json	windowTone	\$dataSystem.windowTone	Red, Green, Blue [0,0,0]
340	System	\$dataSystem	System.json	battleback1Name	\$dataSystem.battleback1Name	
341	System	\$dataSystem	System.json	battleback2Name	\$dataSystem.battleback2Name	
342	System	\$dataSystem	System.json	battlerName	\$dataSystem.battlerName	
343	System	\$dataSystem	System.json	battlerHue	\$dataSystem.battlerHue	
344	System	\$dataSystem	System.json	battleSystem	\$dataSystem.battleSystem	0:Turn-based 1:Time Progress(Active) 2:Time Progress(Wait)
345	System	\$dataSystem	System.json	currencyUnit	\$dataSystem.currencyUnit	
346	Map	\$dataMap	Map001.json	autoplayBgm	\$dataMap.autoplayBgm	
347	Map	\$dataMap	Map001.json	bgm	\$dataMap.bgm	{name:"", volume:90, pitch:100, pan:0}

no	Database name	Global variable name	JSON file name	Property name	Script Call (id:data ID)	Remarks and array legend
348	Map	\$dataMap	Map001.json	autoplayBgs	\$dataMap.autoplayBgs	
349	Map	\$dataMap	Map001.json	bgs	\$dataMap.bgs	{name:"", volume:90, pitch:100, pan:0}
350	Map	\$dataMap	Map001.json	specifyBattleback	\$dataMap.specifyBattleback	
351	Map	\$dataMap	Map001.json	battleback1Name	\$dataMap.battleback1Name	
352	Map	\$dataMap	Map001.json	battleback2Name	\$dataMap.battleback2Name	
353	Map	\$dataMap	Map001.json	disableDashing	\$dataMap.disableDashing	
354	Map	\$dataMap	Map001.json	displayName	\$dataMap.displayName	
355	Map	\$dataMap	Map001.json	encounterList	\$dataMap.encounterList	
356	Map	\$dataMap	Map001.json	encounterStep	\$dataMap.encounterStep	
357	Map	\$dataMap	Map001.json	width	\$dataMap.width	
358	Map	\$dataMap	Map001.json	height	\$dataMap.height	
359	Map	\$dataMap	Map001.json	note	\$dataMap.note	
360	Map	\$dataMap	Map001.json	parallaxLoopX	\$dataMap.parallaxLoopX	
361	Map	\$dataMap	Map001.json	parallaxLoopY	\$dataMap.parallaxLoopY	
362	Map	\$dataMap	Map001.json	parallaxName	\$dataMap.parallaxName	
363	Map	\$dataMap	Map001.json	parallaxShow	\$dataMap.parallaxShow	
364	Map	\$dataMap	Map001.json	parallaxSx	\$dataMap.parallaxSx	
365	Map	\$dataMap	Map001.json	parallaxSy	\$dataMap.parallaxSy	
366	Map	\$dataMap	Map001.json	scrollType	\$dataMap.scrollType	
367	Map	\$dataMap	Map001.json	tilesetId	\$dataMap.tilesetId	
368	Map	\$dataMap	Map001.json	data	\$dataMap.data	Tables of tile and region information
369	MapInfos	\$dataMapInfos	MapInfos.json	id	\$dataMapInfos[id].id	
370	MapInfos	\$dataMapInfos	MapInfos.json	expanded	\$dataMapInfos[id].expanded	
371	MapInfos	\$dataMapInfos	MapInfos.json	name	\$dataMapInfos[id].name	
372	MapInfos	\$dataMapInfos	MapInfos.json	order	\$dataMapInfos[id].order	
373	MapInfos	\$dataMapInfos	MapInfos.json	parentId	\$dataMapInfos[id].parentId	
374	MapInfos	\$dataMapInfos	MapInfos.json	scrollX	\$dataMapInfos[id].scrollX	
375	MapInfos	\$dataMapInfos	MapInfos.json	scrollY	\$dataMapInfos[id].scrollY	