

Machine Gun, Enforcer																				
	Type Level	Tons	Drain	Slots			Damage / Shot			Total Damage			Shots	Range			Total Heat	Critical Mult.	Cost	Acc.
				Regular	Heat	Stability	Regular	Heat	Stability	Regular	Heat	Stability		Min	Optimal	Max				
Enforcer UK-MG T1	1	0.0000	0	1	8	0	0	24	0	0	24	0	3	0	90	90	0	1.2000	5000	0
Enforcer UK-MG T2	2	0.0000	3	1	9	0	0	28	0	0	28	0	3	0	90	100	0	1.3000	10000	0
Enforcer UK-MG T3	3	0.0000	8	1	11	0	0	32	0	0	32	0	3	0	90	110	0	1.4000	15000	0
Enforcer UK-MG T4	4	0.0000	16	1	12	0	0	35	0	0	35	0	3	0	90	120	0	1.5000	20000	0
Enforcer UK-MG T5	5	0.0000	25	1	13	0	0	39	0	0	39	0	3	0	90	130	0	1.6000	25000	0

Laser, Multi-Frequency	Type Level	Tons	Drain	Slots			Damage / Shot			Total Damage			Shots	Range			Total Heat	Critical Mult.	Cost	Acc.
				Regular	Heat	Stability	Regular	Heat	Stability	Regular	Heat	Stability		Min	Optimal	Max				
				Regular	Heat	Stability	Regular	Heat	Stability	Regular	Heat	Stability		Min	Optimal	Max				
MF-Laser A-Small T1	1	0.0000	0	1	16	2	0	16	2	0	16	2	1	0	90	120	7	0.8000	20000	-1
MF-Laser A-Small T2	2	0.0000	3	1	19	3	0	19	3	0	19	3	1	0	90	135	7	0.8500	40000	-1
MF-Laser A-Small T3	3	0.0000	10	1	22	4	0	22	4	0	22	4	1	0	90	150	7	0.9000	60000	-1
MF-Laser A-Small T4	4	0.0000	20	1	25	4	0	25	4	0	25	4	1	0	90	165	7	0.9500	80000	-1
MF-Laser A-Small T5	5	0.0000	32	1	28	5	0	28	5	0	28	5	1	0	90	180	7	1.0000	100000	-1
MF-Laser B-Medium T1	1	0.0625	2	1	35	4	0	35	4	0	35	4	1	0	120	270	12	0.8000	60250	-1
MF-Laser B-Medium T2	2	0.0625	7	1	40	6	0	40	6	0	40	6	1	0	120	290	12	0.8500	120500	-1
MF-Laser B-Medium T3	3	0.0625	18	1	45	7	0	45	7	0	45	7	1	0	120	310	12	0.9000	180750	-1
MF-Laser B-Medium T4	4	0.0625	32	1	50	9	0	50	9	0	50	9	1	0	120	330	12	0.9500	241000	-1
MF-Laser B-Medium T5	5	0.0625	50	1	55	10	0	55	10	0	55	10	1	0	120	350	12	1.0000	301250	-1
MF-Laser C-Large T1	1	0.1875	5	2	65	6	0	65	6	0	65	6	1	0	150	480	15	1.0500	190325	-1
MF-Laser C-Large T2	2	0.1875	12	2	71	8	0	71	8	0	71	8	1	0	150	510	15	1.1000	380650	-1
MF-Laser C-Large T3	3	0.1875	29	2	78	9	0	78	9	0	78	9	1	0	150	540	15	1.1500	570975	-1
MF-Laser C-Large T4	4	0.1875	52	2	84	11	0	84	11	0	84	11	1	0	150	570	15	1.2000	761300	-1
MF-Laser C-Large T5	5	0.1875	80	2	90	12	0	90	12	0	90	12	1	0	150	600	15	1.2500	951625	-1
MF-Laser D-Ultra T1	1	0.2500	16	3	95	8	0	95	8	0	95	8	1	0	180	550	32	1.2500	320400	-1
MF-Laser D-Ultra T2	2	0.2500	27	3	104	10	0	104	10	0	104	10	1	0	180	580	32	1.3000	640800	-1
MF-Laser D-Ultra T3	3	0.2500	51	3	114	12	0	114	12	0	114	12	1	0	180	610	32	1.3500	961200	-1
MF-Laser D-Ultra T4	4	0.2500	84	3	123	14	0	123	14	0	123	14	1	0	180	640	32	1.4000	1281600	-1
MF-Laser D-Ultra T5	5	0.2500	125	3	132	16	0	132	16	0	132	16	1	0	180	670	32	1.4500	1602000	-1

Cannon, Ion Particle Bolt	Type Level	Tons	Drain	Slots			Damage / Shot			Total Damage			Shots	Range			Total Heat	Critical Mult.	Cost	Acc.
				Regular	Heat	Stability	Regular	Heat	Stability	Regular	Heat	Stability		Min	Optimal	Max				
				Regular	Heat	Stability	Regular	Heat	Stability	Regular	Heat	Stability		Min	Optimal	Max				
PBC-B-Medium T1	1	0.1250	12	1	11	0	1	55	0	5	5	0	5	0	120	270	16	0.9000	96120	1
PBC-B-Medium T2	2	0.1250	20	1	12	0	1	60	0	5	5	0	5	0	120	290	16	0.9500	192240	1
PBC-B-Medium T3	3	0.1250	37	1	13	0	1	65	0	5	5	0	5	0	120	310	16	1.0000	288360	1
PBC-B-Medium T4	4	0.1250	61	1	14	0	1	70	0	5	5	0	5	0	120	330	16	1.0500	384480	1
PBC-B-Medium T5	5	0.1250	90	1	15	0	2	75	0	10	5	0	10	0	120	350	16	1.1000	480600	1
PBC-C-Large T1	1	0.2500	35	2	16	0	7	80	0	35	5	0	15	0	150	480	40	1.0000	102080	1
PBC-C-Large T2	2	0.2500	47	2	18	0	8	90	0	40	5	0	15	0	150	510	40	1.0500	384160	1
PBC-C-Large T3	3	0.2500	72	2	21	0	9	105	0	45	5	0	15	0	150	540	40	1.1000	576240	1
PBC-C-Large T4	4	0.2500	107	2	23	0	9	115	0	45	5	0	15	0	150	570	40	1.1500	768320	1
PBC-C-Large T5	5	0.2500	150	2	25	0	10	125	0	50	5	0	15	0	150	600	40	1.2000	960400	1

Cannon, Plasma Ball	Type Level	Tons	Drain	Slots			Damage / Shot			Total Damage			Shots	Range			Total Heat	Critical Mult.	Cost	Acc.	Pct. / Shot	Recoil	Retire	Indirect Fire	Ammo Category	Range Tag	Category	Weapon Type	Weapon Sub Type	Prefab ID	Weapon Effect 0	GUI Feature A	GUI Feature B	Specials Code	Icon Code	Master Code	Weapon Model Name
				Regular	Heat	Stability	Regular	Heat	Stability	Regular	Heat	Stability		Min	Optimal	Max																					
				Regular	Heat	Stability	Regular	Heat	Stability	Regular	Heat	Stability		Min	Optimal	Max																					
Plasma Ball Cannon T1	1	0.1875	35	1	0	50	0	0	50	0	0	50	0	1	0	120	320	25	0.2000	24020	1	1	0	2	FALSE	NotSet	medium	Energy	PPC	PPC	PPC	PPC	Meets Target	HEAT_D-5'S5	Energy	WS	Plasma Ball Cannon
Plasma Ball Cannon T2	2	0.1875	47	1	0	58	0	0	58	0	0	58	0	1	0	120	335	25	0.2500	48040	1	1	0	2	FALSE	NotSet	medium	Energy	PPC	PPC	PPC	PPC	Meets Target	HEAT_D-5'S5	Energy	WS	Plasma Ball Cannon
Plasma Ball Cannon T3	3	0.1875	72	1	0	65	0	0	65	0	0	65	0	1	0	120	350	25	0.3000	72060	1	1	0	2	FALSE	NotSet	medium	Energy	PPC	PPC	PPC	PPC	Meets Target	HEAT_D-5'S5	Energy	WS	Plasma Ball Cannon
Plasma Ball Cannon T4	4	0.1875	107	1	0	73	0	0	73	0	0	73	0	1	0	120	365	25	0.3500	96080	1	1	0	2	FALSE	NotSet	medium	Energy	PPC	PPC	PPC	PPC	Meets Target	HEAT_D-5'S5	Energy	WS	Plasma Ball Cannon
Plasma Ball Cannon T5	5	0.1875	150	1	0	80	0	0	80	0	0	80	0	1	0	120	380	25	0.4000	120100	1	1	0	2	FALSE	NotSet	medium	Energy	PPC	PPC	PPC	PPC	Meets Target	HEAT_D-5'S5	Energy	WS	Plasma Ball Cannon

Graithier product catalog

Cannon, Wastemaker AC	Type Level		Tons	Drain	Slots	Damage / Shot			Total Damage			Shots	Range			Total Heat	Critical Mult.	Cost	Acc.	Pjct. / Shot	Recoil	Retire	Indirect Fire	Ammo Category	Range Tag	Category	Weapon Type	Weapon Sub Type		Prefab ID	Weapon Effect ID	GUI Feature A	GUI Feature B	Specials Code	Icon Code	Maker Code	Weapon Model Name			
	Regular	Heat				Stability	Regular	Heat	Stability	Min	Optimal		Max	Min	Optimal													Max												
Wastemaker AC A-Light T1	1	1	0.0625	0	1	40	0	5	40	0	5	1	0	150	700	5	0.7000	6250	0	5	0	1	FALSE	ReaperLight	long	Ballistic	AC	AC5	AC5	AC5_Ultra							Ballistic	GR		Wastemaker Light Auto Cannon
Wastemaker AC A-Light T2	2	1	0.0625	3	1	45	0	6	45	0	6	1	0	150	720	5	0.7000	12500	0	5	0	1	FALSE	ReaperLight	long	Ballistic	AC	AC5	AC5	AC5_Ultra							Ballistic	GR		Wastemaker Light Auto Cannon
Wastemaker AC A-Light T3	3	1	0.0625	10	1	50	0	6	50	0	6	1	0	150	740	5	0.7000	18750	0	5	0	1	FALSE	ReaperLight	long	Ballistic	AC	AC5	AC5	AC5_Ultra							Ballistic	GR		Wastemaker Light Auto Cannon
Wastemaker AC A-Light T4	4	1	0.0625	19	1	55	0	7	55	0	7	1	0	150	760	5	0.7000	25000	0	5	0	1	FALSE	ReaperLight	long	Ballistic	AC	AC5	AC5	AC5_Ultra							Ballistic	GR		Wastemaker Light Auto Cannon
Wastemaker AC A-Light T5	5	1	0.0625	30	1	60	0	8	60	0	8	1	0	150	780	5	0.7000	31250	0	5	0	1	FALSE	ReaperLight	long	Ballistic	AC	AC5	AC5	AC5_Ultra							Ballistic	GR		Wastemaker Light Auto Cannon
Wastemaker AC B-Medium T1	1	1	0.0625	0	1	65	0	11	65	0	11	1	0	120	500	12	0.8000	18750	0	5	0	2	FALSE	ReaperMedium	medium	Ballistic	AC	AC10	AC10	AC10_Ultra							Ballistic	GR		Wastemaker Medium Auto Cannon
Wastemaker AC B-Medium T2	2	1	0.0625	6	1	70	0	11	70	0	11	1	0	120	520	12	0.8000	37500	0	5	0	2	FALSE	ReaperMedium	medium	Ballistic	AC	AC10	AC10	AC10_Ultra							Ballistic	GR		Wastemaker Medium Auto Cannon
Wastemaker AC B-Medium T3	3	1	0.0625	19	1	75	0	12	75	0	12	1	0	120	540	12	0.8000	56250	0	5	0	2	FALSE	ReaperMedium	medium	Ballistic	AC	AC10	AC10	AC10_Ultra							Ballistic	GR		Wastemaker Medium Auto Cannon
Wastemaker AC B-Medium T4	4	1	0.0625	38	1	80	0	13	80	0	13	1	0	120	560	12	0.8000	75000	0	5	0	2	FALSE	ReaperMedium	medium	Ballistic	AC	AC10	AC10	AC10_Ultra							Ballistic	GR		Wastemaker Medium Auto Cannon
Wastemaker AC B-Medium T5	5	1	0.0625	60	1	85	0	14	85	0	14	1	0	120	580	12	0.8000	93750	0	5	0	2	FALSE	ReaperMedium	medium	Ballistic	AC	AC10	AC10	AC10_Ultra							Ballistic	GR		Wastemaker Medium Auto Cannon
Wastemaker AC C-Heavy T1	1	1	0.1250	0	1	100	0	26	100	0	26	1	0	90	300	20	0.9000	25000	0	5	1	3	FALSE	ReaperHeavy	short	Ballistic	AC	AC20	AC20	AC20_Ultra							Ballistic	GR		Wastemaker Heavy Auto Cannon
Wastemaker AC C-Heavy T2	2	1	0.1250	9	1	105	0	28	105	0	28	1	0	90	310	20	0.9000	50000	0	5	1	3	FALSE	ReaperHeavy	short	Ballistic	AC	AC20	AC20	AC20_Ultra							Ballistic	GR		Wastemaker Heavy Auto Cannon
Wastemaker AC C-Heavy T3	3	1	0.1250	29	1	110	0	29	110	0	29	1	0	90	320	20	0.9000	75000	0	5	1	3	FALSE	ReaperHeavy	short	Ballistic	AC	AC20	AC20	AC20_Ultra							Ballistic	GR		Wastemaker Heavy Auto Cannon
Wastemaker AC C-Heavy T4	4	1	0.1250	56	1	115	0	30	115	0	30	1	0	90	330	20	0.9000	100000	0	5	1	3	FALSE	ReaperHeavy	short	Ballistic	AC	AC20	AC20	AC20_Ultra							Ballistic	GR		Wastemaker Heavy Auto Cannon
Wastemaker AC C-Heavy T5	5	1	0.1250	90	1	120	0	32	120	0	32	1	0	90	360	20	0.9000	125000	0	5	1	3	FALSE	ReaperHeavy	short	Ballistic	AC	AC20	AC20	AC20_Ultra							Ballistic	GR		Wastemaker Heavy Auto Cannon
Wastemaker AC D-Sniper T1	1	1	0.0625	0	1	25	0	3	50	0	6	2	0	900	1600	12	0.4000	30500	-1	5	0	3	FALSE	ReaperSniper	extreme	Ballistic	AC	AC2	AC2	AC2_Ultra	2 Shot Burst						Ballistic	GR		Wastemaker Sniper Auto Cannon
Wastemaker AC D-Sniper T2	2	1	0.0625	6	1	28	0	4	56	0	8	2	0	900	1700	12	0.4000	61000	-1	5	0	3	FALSE	ReaperSniper	extreme	Ballistic	AC	AC2	AC2	AC2_Ultra	2 Shot Burst						Ballistic	GR		Wastemaker Sniper Auto Cannon
Wastemaker AC D-Sniper T3	3	1	0.0625	19	1	30	0	4	60	0	8	2	0	900	1800	12	0.4000	91500	-1	5	0	3	FALSE	ReaperSniper	extreme	Ballistic	AC	AC2	AC2	AC2_Ultra	2 Shot Burst						Ballistic	GR		Wastemaker Sniper Auto Cannon
Wastemaker AC D-Sniper T4	4	1	0.0625	38	1	33	0	4	66	0	8	2	0	900	1900	12	0.4000	122000	-1	5	0	3	FALSE	ReaperSniper	extreme	Ballistic	AC	AC2	AC2	AC2_Ultra	2 Shot Burst						Ballistic	GR		Wastemaker Sniper Auto Cannon
Wastemaker AC D-Sniper T5	5	1	0.0625	60	1	35	0	4	70	0	8	2	0	900	2000	12	0.4000	152500	-1	5	0	3	FALSE	ReaperSniper	extreme	Ballistic	AC	AC2	AC2	AC2_Ultra	2 Shot Burst						Ballistic	GR		Wastemaker Sniper Auto Cannon