

La pregunta fue
¿Cuál es el animal más rápido del mundo?

guepardo (*Acinonyx jubatus*)

Title: 3.11
Author: VALDES UBIETA IVAN ALEJANDRO Date: 17/05/2023
Description: Cuéntame un chiste
Input: -
Output: 3.11 ¿Cuéntame un chiste ? ChatGTP en PicoW (y otras preguntas)...

```
#include <WiFi.h>
#include <WiFiClientSecure.h>

// Replace with your network credentials
const char* ssid = "Alex";
const char* password = "1234567890";

// Replace with your API Key and Model ID
const char* api_key = "sk-lhARkHcC9gAlJkegQz6T3BlbkFJnMII7LCoz8yrV6otpn8t";
const char* model_id = "davinci";

// Set the hostname and URL for the API
const char* host = "api.openai.com";
const char* url = "/v1/engines/davinci-codex/
completions";

void setup() {
  Serial.begin(115200);
  delay(10);

  // Connect to Wi-Fi
  Serial.println();
  Serial.print("Connecting to ");
  Serial.println(ssid);
  WiFi.begin(ssid, password);
  while (WiFi.status() != WL_CONNECTED) {
    delay(500);
    Serial.print(".");
  }
  Serial.println("");
  Serial.println("WiFi connected");

  // Set up secure client
  WiFiClientSecure client;
```

```

client.setInsecure();
client.setTimeout(10000);

// Connect to ChatGPT API
Serial.print("Connecting to API...");
if (!client.connect(host, 443)) {
    Serial.println("failed");
    return;
}
Serial.println("connected");

// Build request payload
String payload = "{";
payload += "\"prompt\": \"¿Cuál es el animal más rápido del mundo?\", ";
payload += "\"temperature\": 0.7, ";
payload += "\"max_tokens\": 50, ";
payload += "\"n\": 1, ";
payload += "\"stop\": \"\\n\\n\"}";

// Build HTTP request
String request = "POST ";
request += url;
request += " HTTP/1.1\r\n";
request += "Host: ";
request += host;
request += "\r\n";
request += "Authorization: Bearer ";
request += api_key;
request += "\r\n";
request += "Content-Type: application/json\r\n";
request += "Content-Length: ";
request += payload.length();
request += "\r\n\r\n";
request += payload;

// Send HTTP request
Serial.println("Sending request...");
client.print(request);

// Wait for response from OpenAI API
Serial.println("Waiting for response...");
while (client.connected()) {
    if (client.available()) {
        String response = client.readString();
        Serial.print(response);
    }
}
}

```

```
void loop() {  
  // Nothing to do here  
}
```

sk-lhARkHcC9gAlJkegQz6T3BIbkFJnMII7LCoz8yrV6pvp6dv

API keys

Your secret API keys are listed below. Please note that we do not display your secret API keys again after you generate them.

Do not share your API key with others, or expose it in the browser or other client-side code. In order to protect the security of your account, OpenAI may also automatically rotate any API key that we've found has leaked publicly.

NAME	KEY	CREATED	LAST USED ⓘ
Pemex	sk- . . . p6dv	16 may 2023	Never  

[+ Create new secret key](#)

Default organization

If you belong to multiple organizations, this setting controls which organization is used by default when making requests with the API keys above.

Personal 

Note: You can also specify which organization to use for each API request. See [Authentication](#) to learn more.