

# Inverting knowledge graphs back to raw data

How can we leverage the rules we use to construct knowledge graphs to do the inverse?

**Tijs VAN KAMPEN**

Promotor: Anastasia Dimou

Master thesis submitted to obtain  
the degree of Master of Science in the  
engineering technology: E-ICT Software  
Engineer - option ICT

academic year 2023 - 2024



©Copyright KU Leuven

This master's thesis is an examination document that has not been corrected for any errors.

Reproduction, copying, use or realisation of this publication or parts thereof is prohibited without prior written consent of both the supervisor(s) and the author(s). For requests concerning the copying and/or use and/or realisation of parts of this publication, please contact KU Leuven De Nayer Campus, Jan De Nayerlaan 5, B-2860 Sint-Katelijne-Waver, +32 15 31 69 44 or via e-mail [iiw.denayer@kuleuven.be](mailto:iiw.denayer@kuleuven.be).

Prior written consent of the supervisor(s) is also required for the use of the (original) methods, products, circuits and programmes described in this Master's thesis for industrial or commercial purposes and for the submission of this publication for participation in scientific prizes or competitions.

# Contents

<b>Contents</b>	<b>iii</b>
<b>1 Thesis details</b>	<b>1</b>

# Chapter 1

## Thesis details

**Title:** Inversion: from knowledge graphs to raw data

**Subject:**

- **RQ1:** How can we leverage RML to construct raw data from heterogeneous data.
- **RQ2:** How can we extend an existing system like RML or create a new system to construct raw data from knowledge graphs.

**Description:** Knowledge graphs are gaining traction nowadays and more and more companies use them, such as Amazon, Bosch, IKEA, Facebook, Google, LinkedIn, SIEMENS, Zalando, etc. Most knowledge graphs are nowadays constructed from other heterogeneous data sources, such as tables in relational databases, data in XML files or in JSON format derived from a Web API. While the construction of knowledge graphs from heterogeneous data was thoroughly investigated so far, the inverse, namely constructing raw data from knowledge graphs is not explored so far.

**Company:** internal research group EAVISE, CAMPUS DE NAYER

**University promotor:** Anastasia Dimou

FACULTY OF ENGINEERING TECHNOLOGY  
DE NAYER (SINT-KATELIJNE-WAVER) CAMPUS  
Jan De Nayerlaan 5  
2860 SINT-KATELIJNE-WAVER, België  
tel. + 32 16 30 10 30  
fet.denayer@kuleuven.be  
[www.fet.kuleuven.be](http://www.fet.kuleuven.be)

