

L53H Installation Instructions

Table of Contents

- [Introduction](#)
- [Required Components](#)
- [Pre-Installation](#)
 - [Configure JBoss EWS](#)
- [Installation](#)

Introduction

The purpose of this document is to provide clear and precise installation instructions for the L53H Infiniti Microsite that resides on the Infiniti USA website.

Required Components

The following are the required components to complete the installation:

Component	Name
Static	l53h-content.tar

Pre-Installation

The following pre-installation steps will be required for the JBoss EWS Platform.

Configure JBoss EWS

1. Create the following directory within the JBoss EWS Document Root:

```
153h
```

2. Ensure the following Apache Rules are in place:

```
<Location /153h>
  SetHandler None
</Location>
RewriteRule ^/153h - [PT,L]
Alias /153h /path/to/infiniti/docroot/153h
```

- ✓ Ensure that **/path/to/infiniti/docroot** is properly updated to the correct Infiniti JBoss EWS Document Root.


IMPORTANT - JBoss EWS Context Security

The context of `/153h` must be secured from the outside world with only authorized personale able to access it.

Installation

The following installation steps must be completed in this order:

1. Ensure Pre-Installation Instructions have been completed and the `153h` context is secured before completing Step 2.
2. Extract the `153h-content.tar` into the Infiniti JBoss EWS Document Root and not the `153h` folder as the tar file contains the `153h` folder. (Extracting into the `153h` folder would create `/153h/153h/` which is incorrect)

 Ensure a `-m` is passed to the tar command to allow us to troubleshoot in the future. It will allow us to determine the time the assets have specifically been deployed not when they were created or updated from our vcs.