Ablation Study: Removing ITC

In the previous chapters, we made efforts to improve and extend the architecture and training of the model to achieve better alignment of the modalities, which should go hand in hand with better retrieval performance. However, we observed that contrastive learning is highly dependent on the granularity of the data (TODO: cite), e.g. the quality of captions, and the number of negative examples (TODO: cite). While there are viable options to overcome the latter, they are not always feasible, nor efficient, and the right hardware is required. Therefore, we identify Image-Text Contrastive Learning (ITC) as a weak point of our approach. The best approach would be to not use contrastive learning at all, which is why we will investigate the effects of an absence of ITC in this ablation study.

As an intersting side note, at the point of writing, the state-of-the-art (SOTA) vision-language model, BEiT-3, gives us a good reason to discard ITC. BEiT-3 pre-training is performed without contrastive learning, and the authors report SOTA results after fine-tuning on retrieval tasks MSCOCO [1] and Flickr30K [2]. Even without fine-tuning, BEiT-3 achives competitive results on Flickr30K, and even outperforms models that where trained using contrastive learning (see Figure 1).




Figure 1:

- retrieval application then truly becomes zero-shot, and authors report high performance
- [3] mentions that without ITC, model outputs are not aligned, and therefore not suited for retrieval
- ablation study in (TODO cite) shows: TODO
- for current approach representations will still be aligned, because we are regressing the [I_CLS] token of BEiT-2, not a probability distribution over the classes
- so we are regressing actual features -> loss of 0 would mean representations are exactly the same and therefore aligned
- [3] does prediction of teacher outputs on the level of classes, which are not feature/representation-based
- so it is true that in the supervised case, when regressing a probability distribution the final representation, i.e. the [I_CLS] token, does not need to be aligned, only the probability distribution
- but again, we are explicitly regressing [I_CLS], so representations are aligned

	MSCOCO (5K test set)						Flickr30K (1K test set)					
Model	$\text{Image} \to \text{Text}$			$\text{Text} \rightarrow \text{Image}$			$Image \rightarrow Text$			$\text{Text} \rightarrow \text{Image}$		
	R@1	R@5	R@10	R@1	R@5	R@10	R@1	R@5	R@10	R@1	R@5	R@10
FLAVA [4]	42.74	76.76	-	38.38	67.47	-	67.7	94.0	-	65.22	89.38	-
CLIP [5]	58.4	81.5	88.1	37.8	62.4	72.2	88.0	98.7	99.4	68.7	90.6	95.2
$Sx3HRe_{ITC}$	41.36	71.16	82.0	30.2	59.46	72.54	9.5	35.68	50.18	8.38	37.54	49.88
Zero-Shot												
Sx3HRe _{-ITC}	33.52	59.34	70.14	11.26	29.12	40.40	8.86	29.88	41.98	4.45	18.42	26.82
Sx3HRe _{cos}	35.48	60.74	71.44	12.46	31.74	43.71	9.44	31.18	43.50	4.8	20.98	30.08

Table 1:

Bibliography

- [1] T.-Y. Lin *et al.*, "Microsoft COCO: Common Objects in Context," in *Computer Vision ECCV 2014 13th European Conference, Zurich, Switzerland, September 6-12, 2014, Proceedings, Part V*, D. J. Fleet, T. Pajdla, B. Schiele, and T. Tuytelaars, Eds., in Lecture Notes in Computer Science, vol. 8693. Springer, 2014, pp. 740–755.
- [2] P. Young, A. Lai, M. Hodosh, and J. Hockenmaier, "From image descriptions to visual denotations: New similarity metrics for semantic inference over event descriptions," *Transactions of the Association for Computational Linguistics*, vol. 2, pp. 67–78, Feb. 2014.
- [3] Y. Aytar, C. Vondrick, and A. Torralba, "See, Hear, and Read: Deep Aligned Representations," *arXiv preprint arXiv:1706.00932*, 2017, [Online]. Available: https://arxiv.org/abs/1706.00932
- [4] A. Singh *et al.*, "FLAVA: A foundational language and vision alignment model," *CoRR*, 2021, [Online]. Available: https://arxiv.org/abs/2112.04482
- [5] A. Radford *et al.*, "Learning transferable visual models from natural language supervision," in *Proceedings of the 38th International Conference on Machine Learning, ICML 2021, 18-24 July 2021, Virtual Event*, M. Meila and T. Zhang, Eds., in Proceedings of Machine Learning Research, vol. 139. PMLR, 2021, pp. 8748–8763.