

Reports


In this section we will look at how to generate reports.

Reports are now available in the modern interface (although you can still connect to the classic interface for the time being).

In keeping with **CyberArk**'s strict compartmentalization of information, users can only generate reports on **Safes** to which they have access. We will use *Cindy* to generate the reports, because as an auditor she has the permissions to view **Safe** members and to view the audit logs on all the **Safes**.

Generate a Privileged Accounts Inventory report


1. Login to the **PVWA** as *Cindy* and go to the **Reports** tab. Click on **Generate Report**.



Name	Type	Created ↓	Created by	Records	Size	Status	
Activity log	Activity log	Thu, 01/29/2026 03:14 PM	cindy	3359	1.25MB	✓	...
Compliance Status	Compliance Status	Thu, 01/29/2026 02:33 PM	cindy	35	17KB	✓	...
Privileged accounts	Privileged accounts	Thu, 01/29/2026 02:30 PM	cindy	35	13KB	✓	...

The reports are divided into three groups:

- **Operational reports**
 - **Audit/Compliance reports**
 - **List reports**
2. Under **Operational** reports, select “Privileged Accounts Inventory” and click **Generate**.



Generate report

Operational inventory reports

Privileged accounts Applications

Audit/Compliance reports

Compliance Status Entitlement

Activity log License capacity


List reports

Users Active/Non-active Safes

Owners

Cancel Generate

- Review the options to filter the report, but keep the default values. There are options for filtering by general parameters, automatic management status, and activities. Scroll down to view more options.



Generate Privileged accounts report

General

Report name

Privileged accounts

Safe Account name

Device type Platform name

All

Account groups

☐ Include Service Accounts

Free search

Enter up to 4 search values such as PolicyID, target Username, target address, Safe name, etc. The system will search for accounts with Safe name/properties that contain these search values.

- Note that you can add subscribers to the report output. We are going to create a one time report (so that we don't have to wait for the output). Click on **One time report** then click the **Generate** button.

Generate Privileged accounts report

All ▾ 1 days

Define report schedule

☒ One time report

☐ Recurring report

Repeat: Weekly ▾

From: 01/29/2026 4:00 PM ▾ ▾

Every: 1 week(s)

On: ☐ Sun ☐ Mon ☐ Tue ☐ Wed ☐ Thu ☐ Fri ☐ Sat

Subscribers Add

Name	Type	Success Notification	
cindy	user	Yes	Remove

☐ Notify me if errors occur

Cancel Generate

- Select the refresh icon in the upper right-hand corner until the report status shows **Done**. Click on the ellipsis and select **Download CSV**.

Reports Last sign in: 1/29/2026 | cindy ▾

Filter Generate report 

Reports Templates

4 results

Name	Type	Created ↓	Created by	Records	Size	Status	
Privileged accounts	Privileged accounts	Thu, 01/29/2026 03:34 PM	cindy	35	13KB		
Activity log	Activity log	Thu, 01/29/2026 03:14 PM	cindy	3359	1.25MB		
Compliance Status	Compliance Status	Thu, 01/29/2026 02:33 PM	cindy	35	17KB		

- When the download appears, open it with the default **LibreOffice Calc**.
- After going over the report, save the new report to the desktop of the **Comp01** server. If you are asked if you want to save the document in its current format, click **Use Text CSV Format**.



InventoryReports.InventoryReportUI_2026-01-29_153409.278.csv — LibreOffice Calc

File Edit View Insert Format Styles Sheet Data Tools Window Help

LibreOffice Calc

A	B	C	D	E	F	G	H	I	J	K
	Device type	Platform ID	Target system address	Target system user name	Group name	Last accessed date	Last accessed by	Last modified date	Last modified by	Change failure
1	Safe	Operating System	WinDomain	bindaccount@acme.corp		1/9/2026 9:56:17 AM	Administrator	1/9/2026 9:56:09 AM	Administrator	No
2	VaultInternal	Operating System	LinSSH15	lin-451.acme.corp	proxyming	1/25/2026 10:14:47 AM	mike	1/9/2026 10:11:46 AM	CPM_US	No
3	P-BOS-LIN-S-CYBR	Operating System	LinSSH15	10.0.20.2	PSMConnect			1/9/2026 11:12:46 AM	Administrator	No
4	PSM			10.0.20.2	PSMAdminConnect			1/9/2026 11:12:47 AM	Administrator	No
5	PSM			10.0.20.2	root	1/25/2026 10:14:47 AM	mike	1/9/2026 1:03:17 PM	CPM_US	No
6	P-BOS-LIN-S-CYBR	Operating System	LinSSH15	lin-451.acme.corp	s-reconicle	1/25/2026 9:30:46 AM		1/23/2026 9:30:46 AM	CPM_US	No
7	CyberArk-Service-Accounts	Operating System	DomCybr15	acme.corp	cpm-scan	1/26/2026 10:40:57 AM	mike	1/23/2026 9:31:47 AM	CPM_US	No
8	CyberArk-Service-Accounts	Database	DomDba30	acme-123.acme.corp	dba02			1/23/2026 10:15:09 AM	CPM_US	No
9	P-BOS-ORA-HR	Operating System	SvrAdm20	acme-123.acme.corp	sendmail01			1/24/2026 11:41:08 AM	CPM_US	No
10	P-BOS-WIN-S-LA-HR	Database	DomDba30	acme-123.acme.corp	dba01	1/26/2026 1:53:14 PM	robert	1/25/2026 10:36:55 AM	CPM_US	No
11	P-BOS-ORA-HR	Operating System	SvrAdm20	acme-123.acme.corp	administrator	1/26/2026 2:55:18 PM	john	1/26/2026 9:37:48 AM	CPM_US	No
12	P-BOS-WIN-S-LA-HR	Operating System	SvrAdm20	acme-123.acme.corp	discovery03			1/26/2026 10:50:06 AM	CPM_US	No
13	P-BOS-WIN-S-LA-HR	Operating System	SvrAdm20	acme-123.acme.corp	discovery02			1/26/2026 10:50:06 AM	CPM_US	No
14	P-BOS-WIN-S-LA-HR	Operating System	SvrAdm20	acme-123.acme.corp	discovery01			1/26/2026 10:50:06 AM	CPM_US	No
15	P-BOS-WIN-S-LA-HR	Operating System	SvrAdm20	acme-123.acme.corp	discovery04			1/26/2026 10:50:08 AM	CPM_US	No
16	P-BOS-WIN-S-LA-HR	Operating System	SvrAdm20	acme-123.acme.corp	discovery05			1/26/2026 10:50:08 AM	CPM_US	No
17	P-BOS-WIN-S-LA-HR	Operating System	SvrAdm20	acme-123.acme.corp	discovery06			1/26/2026 10:50:08 AM	CPM_US	No
18	P-BOS-WIN-S-LA-HR	Operating System	SvrAdm20	acme-123.acme.corp	discovery09			1/26/2026 10:50:11 AM	CPM_US	No
19	P-BOS-WIN-S-LA-HR	Operating System	SvrAdm20	acme-123.acme.corp	discovery08			1/26/2026 10:50:12 AM	CPM_US	No
20	P-BOS-WIN-S-LA-HR	Operating System	SvrAdm20	acme-123.acme.corp	discovery07			1/26/2026 10:50:11 AM	CPM_US	No
21	P-BOS-WIN-S-LA-HR	Operating System	SvrAdm20	acme-123.acme.corp	discovery10			1/26/2026 10:50:14 AM	CPM_US	No
22	P-BOS-WIN-S-LA-HR	Operating System	SvrAdm20	acme-123.acme.corp	sendmail02			1/26/2026 11:25:10 AM	CPM_US	No
23	P-BOS-LIN-S-LOGON	Operating System	LinLogon30	lin-451.acme.corp	logon01	1/29/2026 2:09:59 PM	paul	1/26/2026 1:35:31 PM	CPM_US	No
24	P-BOS-LIN-S-LOGON	Operating System	LinLogon30	lin-451.acme.corp	logon02			1/26/2026 1:35:32 PM	CPM_US	No
25	P-BOS-LIN-S-LOGON	Operating System	LinLogon30	lin-451.acme.corp	app-account01	1/25/2026 11:02:17 AM	paul	1/26/2026 1:35:33 PM	CPM_US	No
26	P-BOS-LIN-S-LOGON	Operating System	LinLogon30	lin-451.acme.corp	logon05			1/26/2026 1:35:42 PM	CPM_US	No
27	P-BOS-LIN-S-LOGON	Operating System	LinLogon30	lin-451.acme.corp	logon04			1/26/2026 1:35:43 PM	CPM_US	No

InventoryReports.InventoryReportUI_2026-01-29_153409.278

Sheet 1 of 1 English (USA) Average: Sum 0

Note: Feel free to take some time to familiarize yourself with the different reports.

Extract data for reports using EVD


In this section we will use the **Export Vault Data** (EVD) utility to generate reports; or to be more precise, we will use the **EVD** to extract data from the **Vault** that can then be used to generate reports using a third-party tool.

The **EVD** utility exports data from the **Vault** to TXT or CSV files, from where they can be imported into third-party applications or databases. Each report is saved in a different file. Additional information about using **EVD** can be found in the online documentation.

Enable the Auditor user

This is another task that once had to be done through the **PrivateArk Client** but that now can be done in the PVWA.

1. Log in to the **PVWA** as *Mike*. In the side bar, click on **User Provisioning | Users**.



Accounts View

Last sign in: 6/3/2024 | mike

Ad hoc connection Add account

Search in all accounts, separate strings with spaces


in Safe All Safes Search

Filter

9 results for : Recently used

	S	Username	Address	Platform ID	Safe	A	
☐	☆	cpm-scan	acme.corp	WinDomCybr15	CyberArk-Service-Accounts	-	Connect
☐	☆	pta_bind	acme.corp	WinDomCybr15	CyberArk-Service-Accounts	-	Connect
☐	☆	s-reconcile	acme.corp	WinDomCybr15	CyberArk-Service-Accounts	-	Connect
☐	☆	proxymng	psm-ssh.acme.corp	LinSSH15	P-BOS-IS-CYBR-LIN-S	-	Connect
☐	☆	logon05	target-lin.acme.corp	LinLogon30	P-BOS-LIN-S-LOGON	-	Connect
☐	☆	logon07	target-lin.acme.corp	LinLogon30	P-BOS-LIN-S-LOGON	-	Connect
☐	☆	logon08	target-lin.acme.corp	LinLogon30	P-BOS-LIN-S-LOGON	-	Connect

2. Click on the built-in *Auditor* user, then the ellipsis, and then on **Enable**.



Users

Last sign in: 6/3/2024 | mike

Create CyberArk User Updated at: 1:24 PM

Search by username, first and last names

Filter

Auditor

CyberArk user Disabled

Last login: Mar 30, 2023 9:40 AM (a year ago)

Details Groups membership Safe Access

User details

Edit Assign to groups **Enable** Delete

3. Now click again on the ellipsis and select **Edit**. In the menu on the left, select **Authentication method**. Enter *Cyberark1* into the **Password** and **Confirm password** fields and then click **Save changes**.



Edit CyberArk user: Auditor

Last sign in: 3/19/2026 | mike

General properties

Authentication method

Authentication method

Authentication source

Select an Internal (CyberArk) or External (LDAP, SAML, ect.) authentication source to verify identities and secure access to systems.

Internal

Password

Confirm password

☐ User must change password at next login

Password expiration

After 30 days | Never

You can add external authentication permissions for user login access, for both Internal and External authentication sources.

Authentication permissions (optional)

Select one or more external authentication permissions for user login access

Cancel


Save changes

Create the Credential file

Note: The commands in this exercise must be run as Administrator in an elevated Powershell window.

To ensure the security of your environment, it is essential to secure the credential file properly, in the same way you would protect any privileged account from abuse. To this end, the *CreateCredFile.exe* parameters allow you to harden the file so it can only be used by a specific component on a defined host system, as well as other restrictions you can choose. As there are many combinations of hardening rules possible, please consult with **CyberArk** for the best fit for your environment and document it internally.

1. Now using Windows File Explorer, go to *C:\ExportVaultData* and open the *Vault.ini* file using Notepad. Set the Vault IP address parameter to **10.0.10.1**. You may also change the **Vault** name to "Primary" or "Primary Vault" so that it aligns with the name used in **PrivateArk Client**, but it is not required.



```

Vault.ini - Notepad
File Edit Format View Help
VAULT = "Prod Vault"
ADDRESS=10.0.10.1
PORT=1858
#-----
# Additional parameters (optional)
#-----

```

2. Save the *Vault.ini* file and close it.
3. Open a Powershell window as administrator. command prompt. Change directories to *c:\ExportVaultData\CreateCredFile* and run the following command to generate a credential file:

```
./CreateCredFile.exe auditor.cred Password /username Auditor /password Cyberark1 /IpAddress /Hostname /AppType EVD /EntropyFile
```

Note: You will find this command and the command to run the utility in a text file named *A1-EXPORT_VAULT_DATA_COMMANDS.txt* in the directory *c:\ExportVaultData*.

There are multiple parameters possible in this command. You can find more information about them in the [CyberArk documentation](#).

You can also invoke the **CreateCredFile** wizard using just the parameters of **executable** plus **outputfilename**, which steps you through the options available for securing a **CyberArk** credential file.

Note: Because the DR server is not running, the option “Disable wait for DR synchronization before allowing password change” will provoke an error in the Vault log: *Warning: CASTM057E Password has not yet been replicated to DR site(s). Password of user [Auditor] will not be changed.* This can safely be ignored.

Export Vault Data

Now that we have created a credential file, we are ready to export the data. We will export an activity log for the previous 4 days.


1. Change directories to *c:\ExportVaultData*:

```
cd ..
```


2. Now run the following command:

```
./ExportVaultData \VaultFile="C:\ExportVaultData\Vault.ini"
\CredFile="C:\ExportVaultData\CreateCredFile\auditor.cred" \Target=File
\LogNumOfDays=4 \LogList="C:\ExportVaultData\loglist.csv"
```

Note: You can find a copy of this command in the file *C:\ExportVaultData\A1-EXPORT_VAULT_DATA_COMMANDS.txt*



```
Select Command Prompt


c:\ExportVaultData\CreateCredFile>cd ..

c:\ExportVaultData>ExportVaultData \VaultFile="C:\ExportVaultData\Vault.ini" \CredFile="C:\ExportVaultData\CreateCredFile\auditor.cred" \Target=File \LogNumOfDays=4 \LogList="C:\ExportVaultData\loglist.csv"

c:\ExportVaultData>
```

Note: The above example will create a log activity report for the **Vault** defined in the *Vault.ini* file in *C:\ExportVaultData*. The user who will access the **Vault** to generate this report is defined in the *auditor.cred* file in *C:\ExportVaultData*. The log activities report will be saved in a file called *loglist.csv*. The log is generated for the preceding 4 days.

3. A new file called *loglist.csv* was generated in the *C:\ExportVaultData* folder. Review the file using LibreOffice Calc to see the Activities log report generated by **EVD**.



	A	B	C	D	E	F	G	H	I	J
	<MasterID>	<LogID>	<Type>	<Code>	<Time>	<Action>	<SafeID>	<Safename>	<UserID>	<Username>
2	2304742	30474	2		19/5/31/2024 12:48:05 PM	Full Gateway Connection			2 Administrator	
3	2304752	30475	2		7/5/31/2024 12:48:05 PM	Logon			2 Administrator	
4	2309712	30971	2		8/5/31/2024 1:08:08 PM	Logoff			2 Administrator	
5	2318612	31861	2		19/6/3/2024 7:12:08 AM	Full Gateway Connection			2 Administrator	
6	2318622	31862	2		7/6/3/2024 7:12:08 AM	Logon			2 Administrator	
7	2324992	32499	2		8/6/3/2024 7:38:19 AM	Logoff			2 Administrator	
8	2412092	41209	2		19/6/3/2024 1:33:15 PM	Full Gateway Connection			2 Administrator	
9	2412102	41210	2		7/6/3/2024 1:33:15 PM	Logon			2 Administrator	
10	2413652	41365	2		8/6/3/2024 1:39:37 PM	Logoff			2 Administrator	
11	2427832	42783	2		7/6/3/2024 2:37:16 PM	Logon			2 Administrator	
12	2427902	42790	2		8/6/3/2024 2:37:32 PM	Logoff			2 Administrator	
13	2442643	44264	2		7/6/4/2024 8:25:43 AM	Logon			3 Auditor	
14	2442653	44265	2		88/6/4/2024 8:25:44 AM	Set Password			3 Auditor	
15	2250715	25071	2		202/5/31/2024 8:55:37 AM	Old Backup Files Deletion Start			5 Batch	
16	2250725	25072	2		310/5/31/2024 8:55:37 AM	Monitor DR Replication start			5 Batch	
17	2250735	25073	2		312/5/31/2024 8:55:37 AM	Monitor Backup Replication start			5 Batch	
18	2250745	25074	2		355/5/31/2024 8:55:37 AM	Monitor License Expiration Date start			5 Batch	
19	2250755	25075	2		357/5/31/2024 8:55:37 AM	Monitor FW rules start			5 Batch	
20	2250765	25076	2		203/5/31/2024 8:55:37 AM	Old Backup Files Deletion End			5 Batch	
21	2250775	25077	2		356/5/31/2024 8:55:37 AM	Monitor License Expiration Date end			5 Batch	

For more information about the different data export options available with the Export Vault Data utility, please refer to the [CyberArk PAM documentation](#).