

Rockchip Solutions Spi Nor and SLC Nand Support List

Ver 1.07

2018-05-15

◆ Revision History

Revision No.	History	Date
1.00	ORG	2016.09.26
1.01	Add RV1108	2016.10.25
1.02	Add RKPX3SE, RK3036, RK3229	2017.03.23
1.03	Add SPI NAND and ONFI NAND devices	2017.03.28
1.04	Add GD9FU1G8F2AMG, GD9FS1G8F2AMG, PN27G01BBGITG and 25Q128JVSQ	2017.05.18
1.05	Add GD25Q127C, GD5F1GQ4UBYIG	2017.07.15
1.06	Add GD25Q512MC, GD5F2GQ4UBxIG, W25N01GV, MX35LF1GE4AB, MX35LF2GE4AB, MT29F1G01ZAC, XT25F128A, IS37SML01G1	2018.02.28
1.07	Add RK3308	2018.05.15

◆ Symbol

Symbol	Description
√	Fully Tested , Applicable and Mass Production
T/A	Fully Tested , Applicable and Ready for Mass Production
D/A	Datasheet Applicable,Need Sample to Test.
N/A	Not Applicable

◆ Note

Manufacturer	Part Number	Device Size (bits)	Byte Size	Voltage	NanoD	NanoC	RV1108	RKPX3SE	RK3036	RK3308	RK3229	Remark	
GigaDevice	GD25Q256C	256Mbit	32MB	2.7V-3.6V	D/A	D/A	T/A	T/A	T/A	D/A	D/A		
GigaDevice	GD25Q128C	128Mbit	16MB	2.7V-3.6V	D/A	D/A	T/A	D/A	D/A	D/A	D/A		EOL
GigaDevice	GD25Q64C	64Mbit	8MB	2.7V-3.6V	T/A	T/A	D/A	D/A	D/A	D/A	D/A		
GigaDevice	GD25Q32C	32Mbit	4MB	2.7V-3.6V	T/A	T/A	N/A	N/A	N/A	N/A	N/A		
GigaDevice	GD25Q16C	16Mbit	2MB	2.7V-3.6V	T/A	T/A	N/A	N/A	N/A	N/A	N/A		
GigaDevice	GD25Q80C	8Mbit	1MB	2.7V-3.6V	D/A	D/A	N/A	N/A	N/A	N/A	N/A		
GigaDevice	GD25Q40C	4Mbit	512KB	2.7V-3.6V	D/A	D/A	N/A	N/A	N/A	N/A	N/A		
GigaDevice	GD9FU1G8F2AMG	1Gbits	128MB	2.7V-3.6V	N/A	N/A	T/A	D/A	D/A	D/A	D/A		
GigaDevice	GD5F1GQ4UAYIG	1Gbits	128MB	2.7V-3.6V	N/A	N/A	T/A	D/A	D/A	D/A	N/A		EOL
GigaDevice	GD9FS1G8F2AMG	1Gbits	128MB	1.7V-1.95V	N/A	N/A	D/A	D/A	D/A	D/A	D/A		
GigaDevice	GD25Q127C	128Mbit	16MB	2.7V-3.6V	D/A	D/A	D/A	D/A	D/A	D/A	D/A		
GigaDevice	GD5F1GQ4UBYIG	1Gbits	128MB	2.7V-3.6V	N/A	N/A	D/A	D/A	D/A	D/A	N/A	SPI NAND	
GigaDevice	GD5F2GQ4UBxIG	2Gbits	256MB	2.7V-3.6V	N/A	N/A	D/A	D/A	D/A	D/A	N/A	SPI NAND	
GigaDevice	GD25Q512MC	512Mbit	64MB	2.7V-3.6V	D/A	D/A	D/A	D/A	D/A	D/A	D/A		
GigaDevice	GD5F2GQ4UCxIG	2Gbits	256MB	2.7V-3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	
GigaDevice	GD5F1GQ4UCYIG	1Gbits	128MB	2.7V-3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	

[illegible]

[illegible]

Manufacturer	Part Number	Device Size (bits)	Byte Size	Voltage	NanoD	NanoC	RV1108	RKPX3SE	RK3036	RK3308	RK3229	Remark	
Toshiba	TC58CVG0S3HQAIE	1Gbits	128MB	2.7V-3.6V	N/A	N/A	T/A	D/A	D/A	D/A	N/A	SPI NAND	
Toshiba	TC58CVG1S3HQAIE	2Gbits	256MB	2.7V-3.6V	N/A	N/A	T/A	D/A	D/A	D/A	N/A	SPI NAND	
Toshiba	TC58NVG0S3HTA00	1Gbits	128MB	2.7V-3.6V	N/A	N/A	T/A	D/A	D/A	T/A	D/A	TSOP 48	
Toshiba	TC58NVG0S3HBAI4	1Gbits	128MB	2.7V-3.6V	N/A	N/A	D/A	D/A	D/A	D/A	D/A	TFBGA63	
Toshiba	TC58NVG0S3HBAI6	1Gbits	128MB	2.7V-3.6V	N/A	N/A	D/A	D/A	D/A	D/A	D/A	TFBGA67	
Toshiba	TC58NVG1S3HTA00	2Gbits	256MB	2.7V-3.6V	N/A	N/A	D/A	D/A	D/A	D/A	D/A	TSOP 48	
ATO	AFND1G08U3-CKA	1Gbits	128MB	2.7V-3.6V	N/A	N/A	D/A	D/A	D/A	D/A	D/A	TSOP 48	
SAMSUNG	K9F1G08U0F	1Gbits	128MB	2.7V-3.6V	N/A	N/A	T/A	D/A	D/A	D/A	D/A	TSOP 48	
MICRON	29F1G08ABAEA	1Gbits	128MB	2.7V-3.6V	N/A	N/A	T/A	D/A	D/A	D/A	D/A	TSOP 48	
MICRON	MT29F1G01ZAC	1Gbits	128MB	2.7V-3.6V	D/A	D/A	D/A	D/A	D/A	D/A	D/A		
XTX	PN27G01BBGITG	1Gbits	128MB	2.7V-3.6V	N/A	N/A	D/A	D/A	D/A	D/A	D/A	BGA24	
XTX	XT25F128A	128Mbits	16MB	2.7V-3.6V	D/A	D/A	D/A	D/A	D/A	D/A	D/A		
ISSI	IS37SML01G1	1Gbits	128MB	2.7V-3.6V	D/A	D/A	D/A	D/A	D/A	D/A	N/A	SPI NAND	