## **Polymorph VCO**

TimMJN

Rev: 1.0

20-05-2024



	Sour	Plac ed	References	Value	Notes	Qu an ti
1			C1, C2, C3, C4, C5, C6, C7, C8, C9, C10, C11, C12, C13, C14, C15, C16, C17, C18, C19,	100nF	ceramic	ty 28
			C22, C25, C26, C27, C28, C36, C37, C40, C41	TOOLL	CELAIIIE	20
2			C34, C35, C38, C39, C42	100pF	ceramic	5
3			C21, C23, C24, C31	10nF	film	4
4			C29, C30	330nF	electrolytic	2
5			C32, C33	10uF	electrolytic	2
6			C20	3.9nF	timing cap, film type	1
7			R7, R15, R35, R36, R37, R38, R39, R40, R41, R42, R43, R44, R46, R49, R50, R51, R52, R53, R54, R56, R57, R58, R75, R76, R79, R80, R83, R84, R85, R86, R98, R99, R100	100k	1/4 W	33
8			R16, R19, R22, R55, R63, R65, R90, R92, R106, R111, R112, R113, R114, R115, R116, R117, R118, R121, R122, R124	10k	1/4 W	20
9			R10, R11, R13, R14, R29, R30, R31, R32, R33, R34, R70, R71, R72, R73	47k	1/4 W	14
10			R47, R64, R66, R81, R82, R89, R91, R94, R95, R97, R105, R110, R119, R120	20k	1/4 W	14
11			R28, R45, R60, R61, R62, R74, R77, R78, R101, R102, R103, R104, R123	1k	1/4 W	13
12			R1, R2, R3, R4, R5	10k 0.1%	1/4 W, matched	5
13			R68, R69, R96	39k	1/4 W	3
14			R6, R8	220k	1/4 W	2
15			R18, R59	22k	1/4 W	2
16			R20, R21	51k	1/4 W	2
17			R23, R24	4.7k 1%	1/4 W, matched	2
18			R25, R67	12k	1/4 W	2
19			R87, R88	10R	1/4 W	2
20			R108, R109	4.7k	1/4 W	2
21			R9	1M	1/4 W	1

	Sour ced	Plac ed	References	Value	Notes	Qu an ti ty
22			R17	1.5M	1/4 W	1
23			R26	270k	1/4 W	1
24			R27	3.9k	1/4 W	1
25			R48	270R	1/4 W	1
26			R93	100R	1/4 W	1
27			R107	500k	1/4 W	1
28			D1, D2, D3, D4, D5, D6, D7, D8, D9, D13, D14	1N5817	Schottky diode	11
29			D10, D11, D12, D15, D16	LED	3mm LED	5
30			D17, D18	1N4148	Signal diode	2
31			U1, U2, U3, U4, U5, U6	TL074	or TL084	6
32			U7, U8, U18	TL072	or TL072	3
33			U9, U10	LM4040LP-2.5	T0-92	2
34			U11	SSI2130	DAB2130 breakout board recommended	1
35			U12	4013	DIP	1
36			U13	MCP6004	DIP	1
37			U14	MCP6002	DIP	1
38			U15	L78L05	T0-92	1
39			U16	L79L05	T0-92	1
40			U17	LM311	DIP	1
41			SW2, SW3	SW_SPDT	SPDT toggle switch	2
42			SW1	SW_Rotary12	SP12T rotary switch	1
43			SW4	SW_SP3T	SP3T on-on-on	1
44			RV1, RV2, RV3, RV4, RV5, RV8, RV9, RV10, RV15, RV16, RV17	B100k	Alpha 9mm pot	11
45			RV11, RV12, RV13, RV19, RV20	B10k	SR PASSIVES CDE23N-60-B10K 60mm fader	5
46			RV6, RV7, RV14	5k	multiturn trimpot	3
47			Q1	2N7000	T0-92	1
48			RV18	B50k	Alpha 9mm pot	1
49			RV21	500R	multiturn trimpot	1
50			J1, J2, J3, J4, J5, J6, J7, J8, J9, J10, J11, J12, J13, J14, J16, J17, J18	AudioJack	1/4 inch TS audio jack	17
51			J19, J20	Conn_01x03	header pins, male-female pair	2

	Sour	Plac ed	References	Value	Notes	Qu an ti ty
52			J21, J22	Conn_01x08	header pins, male-female pair	2
53			J23, J24	Conn_01x14	header pins, male-female pair	2
54			J25, J26	Conn_01x12	header pins, male-female pair	2
55			J27, J28	Conn_01x16	header pins, male-female pair	2
56			J15	Conn_02x05	2x5 IDC box header	1