Discrete and Algorithmic Geometry

Julian Pfeifle, UPC, 2014

Sheet 3

due on Monday, December 1, 2014

Writing

(1) Continue Exercise 2 from last week and classify lattice polygons with 0 or 1 strictly interior lattice points up to lattice isomorphism.

Software

- (2) Mutually sign your public keys (and your instructor's) in the repository and export them to a public key server. Install a PGP-enabled mail program (e.g., Thunder-bird+Enigmail) and send an encrypted email to your instructor.
- (3) Study the definition of a discrete reflection group on https://en.wikipedia.org/wiki/Reflection_group and https://en.wikipedia.org/wiki/Coxeter_group.

Since the Internet is remarkably silent on good sets of generators, you can take the rows of the following matrices, interpreted as normal vectors (in homogeneous coordinates) to reflecting hyperplanes (note that each matrix for X_n has n rows):

$$A_n: \begin{bmatrix} 0 & 1 & -1 & 0 & 0 & \dots & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & \dots & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & \dots & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & \dots & 1 & -1 \end{bmatrix} \qquad F_4: \begin{bmatrix} 0 & 1 & -1 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & -\frac{1}{2} & -\frac{1}{2} & -\frac{1}{2} & -\frac{1}{2} \end{bmatrix}$$

$$D_n: \begin{bmatrix} 0 & 1 & -1 & 0 & 0 & \dots & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & \dots & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & \dots & 0 & 0 \\ 0 & 0 & 0 & 0 & \dots & 1 & -1 \\ 0 & 0 & 0 & 0 & 0 & \dots & 1 & 1 \end{bmatrix} \qquad H_3: \begin{bmatrix} 0 & 2 & 0 & 0 \\ 0 & -\tau & 1/\tau & -1 \\ 0 & 0 & 0 & 2 \end{bmatrix}$$

$$E_8: \begin{bmatrix} 0 & 1 & -1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 1 & 0 & 0 \\ 0 & 0 & 1 & -1 & 1 & 0 & 0 \\ 0 & 0 & 1 & -1 & 1 & 0 & 0 \\ 0 & 0 & 0 & -1 & 1 & 0 \\ 0 & 0 & 0 & -1 & 1 \end{bmatrix}$$

where $\tau = \frac{1}{2} + \frac{1}{2}\sqrt{5}$. (Can you figure out how these rows correspond to the nodes of the respective Dynkin diagrams?)

Write a function orbit(X,n[,v]) that takes as required input an uppercase letter $X \in \{A, D, E, F, H\}$ and a positive integer n, and as optional input a vector v.

The function should calculate the complete set of reflecting hyperplanes of the reflection group X_n and produce as output the cardinality of the orbit of v under X_n . If v is not specified, the function should choose a vector not on any reflecting hyperplane.

Use your function to fill out a table similar to

G	G	time	G	G	time
A_3	24	1s	H_3	120	1s
A_5	720	1.2s 1.18s	H_4	14400	1m 10s 8.1s
A_6	5040	$\frac{3.8s}{2.5s}$	E_8	696729600	??
A_7	40320	3m 16s 1m 25s			

(The updated times are the result of updating the code according to your suggestions.)

Create a directory of the form 2014/exercises/sheet3/your_name_here/code and put all relevant source code in there. Don't forget a README so that other people (i.e., you in the future) can figure out how your function works! And, as always, don't forget the pull request.

Important. Since this exercise is about learning to code and the pitfalls that arise in coding mathematics, please keep a diary of your work. This could be a simple text file diary.your_name_here.txt in which you outline what occurred on each day that you dedicated to this exercise.

I do not actually expect you to succeed in reproducing this table until next Monday. Please don't get frustrated if you fail, this is a hard problem.

Nevertheless, I think it is very important that you try to complete as many rows of the table as you can, and that you write down everything that went wrong in your diary so that we can talk about it in class. So please also upload your diary to github; if you wish, you can encrypt it with my public key.