首先将py文件中所有文件路径改为资源访问路径

```
#生成资源文件目录访问路径

def resourcePath(relative_path):
    if getattr(sys, 'frozen', False): #是否Bundle Resource
        base_path = sys._MEIPASS
    else:
        base_path = os.path.abspath(".")
    return os.path.join(base_path, relative_path)

path_des = resourcePath(os.path.join("data", "download", "0.txt"))
path_gif = resourcePath(os.path.join("data", "loading.gif"))
path_error = resourcePath(os.path.join("data", "error.jpg"))
path_icon = resourcePath(os.path.join("data", "icon.ico"))
```

这样exe文件就无需附带数据文件,使用后会在下列目录 生成临时文件

```
C:\Users\你的用户名\AppData\Local\Temp
```

用pipenv创建python3.6虚拟环境

1、安装pipenv

```
pip3 install pipenv
```

2、在干净目录下初始化python环境,系统会自动在环境 变量里搜索符合要求的python环境

```
pipenv --python 3.6
```

3、进入虚拟环境(第一次进入会自动进行安装 pipenvinstall)

```
pipenv shell
```

4、退出虚拟环境

```
exit
```

5、进入虚拟环境内,首先换源解决安装慢问题



Pipfile

用Notepad++(技术无罪。。)编辑环境下的Pipfile文件

```
[[source]]
name = "pypi"
url = "https://pypi.tuna.tsinghua.edu.cn/simple/"
verify_ssl = true

[dev-packages]
[packages]
pyinstaller = "*"
pyqt5 = "*"
requests = "*"

[requires]
python version = "3.6"
```

换掉source里的url

```
[[source]]
name = "pypi"
url = "https://pypi.tuna.tsinghua.edu.cn/simple/"
verify_ssl = true
```

然后开始安装所需要的包

```
pip3 install pyintaller
pip3 install PyQt5
pip3 install requests
```

6、开始生成exe

首先需要生成spec文件,


pyi-makespec -Fw NetSpeedTest.py (如果要添加Icon等可以在这里就使用pyi-makespec --icon icon.ico - Fw NetSpeedTest.py语句生成spec文件)

```
D:\NetSpeedTest
(NetSpeedTest-8GRKhdcv) $ pyi-makespec --icon icon.ico -Fw NetSpeedTest.py
wrote D:\NetSpeedTest\NetSpeedTest.spec
now run pyinstaller.py to build the executable
```

编辑spec文件,在datas选项中说明需要将哪些文件加入exe,在临时文件夹中命名成什么,本次使用data文件夹,会将data的文件都拷贝过去,以及可以改新生成的exe文件名

```
# -*- mode: python; coding: utf-8 -*-
block cipher = None
a = Analysis(['NetSpeedTest.py'],
             pathex=['D:\\NetSpeedTest'],
             binaries=[],
             datas=[('data','data')],
             hiddenimports=[],
             hookspath=[],
             runtime hooks=[],
             excludes=[],
             win no prefer redirects=False,
             win private assemblies=False,
             cipher=block cipher,
             noarchive=False)
pyz = PYZ(a.pure, a.zipped data,
             cipher=block cipher)
exe = EXE(pyz,
          a.scripts,
          a.binaries,
          a.zipfiles,
          a.datas,
          name='NetSpeedTest ProH',
          debug=False,
          bootloader ignore signals=False,
          strip=False,
          upx=True,
          upx exclude=[],
          runtime tmpdir=None,
          console=False , icon='icon.ico')
```

生成EXE文件, pyinstaller -F NetSpeedTest. spec 如果报如下错误, 肯定是因为路径名(比如icon的路径)写错



可以在新生成的dist文件夹里找到



运行时可以找到如下几个临时文件, 软件关闭后会自动删除

