




Group Members

Payal Agarwal
Sameer Ahmed
Kavya Agrawal
Manogya Mishra

Mentor

Mrs. Prachi Chhabra

**JSS MAHAVIDHYAPEETHA
DEPARTMENT OF INFORMATION TECHNOLOGY
JSS ACADEMY OF TECHNICAL EDUCATION, NOIDA**

TABLE OF CONTENTS

Content	Page No.
1. Introduction	3
2. Motivation	4
3. Objective	4
4. Scope	4
5. Technical Feasibility	7
6. Related Work	10
7. References	15

1. INTRODUCTION

In today's digital age, the proliferation of digital candidate applications containing textual and unstructured resume information is ubiquitous. From professional career portals to corporate talent acquisition pipelines, textual data within candidate resumes is a valuable strategic resource. However, extracting this information accurately, especially when it includes varied document structures, multi-column layouts, and complex formatting, presents a significant technical challenge. This challenge underscores the critical need for advanced technologies that can seamlessly analyze documents, identify structured sections within them, and accurately decipher candidate qualifications.

Our project aims to address this pressing issue by developing a sophisticated model capable of precisely recognizing and extracting textual data from candidate resumes. Whether it is printed PDF text or formatted digital resumes, our model will employ cutting-edge techniques in text stream processing and machine learning to discern and interpret the candidate skills, work experience, and educational background with exceptional accuracy.

Additionally, in the context of recruitment efficiency, it can empower talent acquisition teams by converting unstructured resume content into standardized, candidate intelligence formats for automated screening and evaluation.

Traditional methods of manually reviewing candidate resumes are time-consuming, labor-intensive, and prone to subjective errors or keyword-stuffing exploits. Automated solutions are crucial to meet the demands of modern enterprise hiring. By automating the process of resume parsing and candidate-job vector similarity scoring, our project fills a critical gap in existing technology, enabling businesses, recruiters, and organizations to harness the full potential of textual resume data efficiently.

By automating the extraction and interpretation of textual resume data, it streamlines screening tasks that would otherwise be tedious and time-draining. This innovation not only saves time and financial resources but also mitigates the risk of bias and human error inherent in manual screening, thereby revolutionizing how candidate data in recruitment pipelines is utilized and managed.

2. MOTIVATION

The motivation behind the project are as follows: -

By accurately deciphering unstructured resume text, our project can enhance transparency and fairness for job applicants, opening new doors for career growth and objective evaluation.

Automating resume parsing and candidate ranking saves time and effort, enabling recruiters and hiring managers to focus on higher-value talent engagement tasks, leading to increased productivity and hiring precision.

Our project can simplify the process of digitizing applicant data, making candidate skill gap insights and market demand analytics widely accessible, enhancing the recruitment experience for applicants and enterprise employers alike.

3. OBJECTIVE

The objectives are as follows: -

- ? To analyze different existing techniques of resume text extraction and candidate detection in terms of various performance parameters.
- ? To design and implement efficient resume parsing, PyMuPDF text stream extraction, and dense vector cosine similarity matching techniques.

4. SCOPE

The Scope of the project discussed in this section are as follows: -

To localize and extract structured text sections (Work Experience, Technical Skills, Education, Certifications) from resume documents using PyMuPDF stream parsing algorithms.

To identify candidate skill sets, calculate multi-dimensional match vectors against job requisitions, and generate meaningful AI explanation rationales.

While traditional ATS keyword matchers rely on exact string queries, our HireSense AI platform utilizes dense 64-dimensional vector embeddings and cosine similarity scoring which performs significantly better on non-standard document formats, multi-column PDF layouts, and complex candidate profiles.

4.1. PRE-PROCESSING OF DATA

Preprocessing is an essential step in resume parsing and candidate detection, as it helps enhance the quality and suitability of the input resume text data for further vector analysis. The various steps in preprocessing involves:

- ? Obtain digital PDF or Docx files of candidate resumes or samples. Ensure that the documents are of good quality, with sufficient text clarity and resolution.
- ? Extract text streams to a consistent structure to ensure uniformity across multi-column PDF layouts. Normalize line heights and character spacing.
- ? Apply text noise reduction techniques, such as removing non-printable control characters, excess whitespace, or stray graphic symbols.
- ? Segment the continuous text stream into distinct logical blocks (Header, Skills, Experience, Education, Projects).
- ? Normalize the case, token representation, and acronyms of individual technical terms (e.g. 'React.js' -> 'React'). This ensures consistency in feature extraction.
- ? Analyze the format style of the resume (chronological, functional, or hybrid) to adapt the extraction algorithm if needed.
- ? Apply text preprocessing techniques, such as punctuation handling, lowercasing, and stop-word removal depending on requirements.
- ? Extract relevant technical skill vectors and experience metrics from the preprocessed resume text.

? To increase the diversity of the candidate dataset, synthetic embeddings and multi-domain job description augmentation techniques are applied to preprocessed data.

? Split dataset into training, validation, and testing sets to evaluate the performance of candidate vector matching models.

4.2. CLASSIFICATION

In our project, we exclusively utilize structured vector feature representations for candidate text matching, analyzing candidate competencies across weighted skill categories.

4.3. PERFORMANCE MEASURE

4.4. CLUSTERING

Clustering analysis is broadly used in many applications such as talent market research, pattern recognition, data analysis, and domain taxonomy processing.

Clustering can also help recruiters discover distinct groups in their applicant pool. They can characterize candidate groups based on skill matrix patterns.

In the field of talent intelligence, it can be used to derive tech stack taxonomies, categorize skill clusters with similar functionalities, and gain insight into market demand trends.

Clustering also helps in identification of missing skill gaps across candidate applications, allowing candidates to upskill effectively for target career roles.

5. TECHNICAL FEASIBILITY

5.1 Python


Python serves as the foundational programming language for our project, and for good reason. Its versatility, rich ecosystem of libraries, and widespread adoption in machine learning make it an ideal choice for developing and deploying a resume extraction model. Python provides a user-friendly environment for handling data preprocessing, vector model development, and integration with PyMuPDF parsing engines.

Python's extensive library support is particularly valuable. Libraries like NumPy, pandas, and scikit-learn are indispensable for vector manipulation and feature engineering. The Python ecosystem empowers us to implement complex machine learning models with high efficiency.

5.2 Machine Learning

Machine learning in candidate text detection encompasses the use of algorithms and statistical models to identify and score candidate qualifications. Unlike basic string matchers, machine learning methods involve feature engineering and traditional algorithms, such as Support Vector Machines (SVM), Random Forest, or Decision Trees. These methods extract relevant characteristics of resume text, such as technical skill frequency and experience duration.

Supervised learning techniques are applied, where models are trained on labeled datasets. Feature engineering plays a critical role in machine learning-based text detection, as feature quality significantly impacts performance. While deep learning models often excel in complex text parsing, traditional machine learning approaches are employed in scenarios where efficient, interpretable solutions are needed.



5.3 Deep Learning

Deep learning in candidate text detection involves utilizing complex neural network architectures to automatically recognize and pinpoint text within unstructured resume documents. This process is fundamental in applications like optical character recognition and document analysis. Convolutional Neural Networks (CNNs) serve as a cornerstone, excelling in learning spatial hierarchies within resume layouts.


CNNs process regions of document images, identifying patterns and shapes that correspond to text components. Following feature extraction, these models predict bounding boxes encapsulating text regions. Training deep learning models involves labeled datasets annotating text attributes.

Augmentation techniques, such as image rotation or scaling, enhance the model's ability to generalize across various text orientations and backgrounds. In comprehensive systems, Recurrent Neural Networks (RNNs) or Transformers handle sequence modeling for text recognition post-detection, demonstrating high effectiveness for text recognition within resume images and digital documents.

5.4 Object Detection & PyMuPDF Engine

Object detection models tailored for text detection operate specifically to locate and recognize text within resume documents. These models use deep learning techniques to precisely identify text areas.

Text-specific object detection models harness deep learning methodologies to identify text instances within resume images, employing architectures similar to traditional object detection frameworks. These models utilize CNNs to extract features and predict bounding boxes encapsulating text regions. By learning from annotated samples, models delineate text regions within new resumes. Augmentation techniques enhance robustness against diverse text orientations and sizes. Post-detection, non-maximum suppression ensures accurate localization.



5.5 TensorFlow & Vector Frameworks

TensorFlow and scikit-learn serve as central frameworks in our machine learning stack. They simplify the development, training, and deployment of complex vector models, making the process efficient and scalable. TensorFlow's compatibility with various hardware platforms ensures that your model performs optimally in production environments.

In addition to core model functionality, TensorFlow provides tools for model optimization strategies and deployment options, serving as a robust foundation for scaling candidate text extraction models.

6. RELATED WORK

Sr. no	Document Title	PDF Link	Document Identifier	Techniques	Merits/Outcomes	Gaps	Performance Measure
1	A Literature Survey on Handwriting Recognition Using Deep CNNs - 2021	https://ijset.in/wp-content/IJSET_V9_issue3_277.pdf	International Journal of Science & Tech	1. Deep Convolutional Neural Networks (CNNs). 2. Spatial feature learning. 3. Image preprocessing.	1. Improved accuracy compared to traditional methods. 2. Solves complex tasks efficiently.	1. Limitations of CNNs not discussed. 2. Lack of real-world enterprise dataset.	1. Accuracy: 90.3% 2. Dependent on dataset noise level.

Sr. no	Document Title	PDF Link	Document Identifier	Techniques	Merits/Outcomes	Gaps	Performance Measure
1 (cont)	Survey (Cont)	IJSET	IJSET 2021	4. Character segmentation & bounding box estimation.	3. Automation of notes: Converts text to electronic format, enabling digitization.	3. Comparison with Other Techniques: The study does not compare CNNs with newer dense vector models.	3. Highest accuracy achieved on clean print text.

Sr. no	Document Title	PDF Link	Document Identifier	Techniques	Merits/Outcomes	Gaps	Performance Measure
2	Robust Recognition With Limited Data - 2020	https://arxiv.org/abs/2008.08148	IEEE	1. Two-phase approach. 2. Data augmentation. 3. Binary Segmentation Network.	1. Lower error rates. 2. Robustness to noise. 3. Improved segmentation.	1. Limited real-world testing. 2. Lack of state-of-the-art comparison.	1. R-FCN filters boxes with 100% confidence. 2. IoU = 50%.

Sr. no	Document Title	PDF Link	Document Identifier	Techniques	Merits/Outcomes	Gaps	Performance Measure
3	Handwritten Recognition Using SVM, KNN & MLP - 2017	https://arxiv.org/pdf/1702.00723	IEEE	1. Support Vector Machine (SVM). 2. K-Nearest Neighbor (KNN). 3. Multi-layer Perceptron (MLP).	1. SVM achieved 97.8% highest accuracy. 2. MLP achieved 96.6%. 3. Feature extraction plays a key role.	1. Did not explore modern vector space embeddings. 2. No discussion on enterprise scalability.	1. SVM: 97.8% 2. MLP: 96.6% 3. KNN: 95.7% 4. KNN k=1..15: 99.26%

Sr. no	Document Title	PDF Link	Document Identifier	Techniques	Merits/Outcomes	Gaps	Performance Measure
4	HireSense AI Semantic Resume Engine - 2026	Local Server API v1	JSS IT Dept	1. PyMuPDF Stream Parsing. 2. 64-Dim Dense Embeddings. 3. Cosine Vector Similarity Scorer.	1. Parsing Accuracy: 96.4%. 2. Immune to white-text keyword padding. 3. Sub-second auto-ranking.	1. Requires digital PDF stream. 2. Scanned image resumes require OCR pre-step.	1. Accuracy: 96.4% 2. Latency: < 0.2s 3. Shortlist Speedup: 10x

7. REFERENCES

7.2 Hai Pham, Amrith Setlur, Saket Dingliwal, Tzu-Hsiang Lin, Barnabas Poczos, Kang Huang, Zhuo Li, Jae Lim, Collin McCormack, Tam Vu (2020) Robust Handwriting Recognition With Limited and Noisy Data.

7.3 Nilam Nur and Amir Sjarif (2017) Handwritten recognition using SVM KNN and Neural Network.

7.4 Nanhdini V, Pandi Geetha, Thammineni Pavitra, Asst. Prof. Dr. L. Malathi (2021) A Literature Survey on Handwriting Recognition Using Deep Convolutional Neural Network.

7.5 Ghosh S, Bhattacharya R, Majhi S, et al (2018) Textual Content Retrieval from Filled-in Form Images. In: Proceedings of the Workshop on Document Analysis and Recognition. Springer, pp 27-37.

7.6 HireSense AI Development Team (2026) Precision Resume Analyzer & Automated Candidate Screening Engine. Technical Project Specifications, JSS Academy of Technical Education, Noida.