

bw_timex: a python package for time-explicit life cycle assessment

Timo Diepers¹, Amelie Müller^{2,3}, and Arthur Jakobs⁴

¹ Institute of Technical Thermodynamics, RWTH Aachen University, Germany ² Institute of Environmental Sciences (CML), Leiden University, The Netherlands ³ Flemish Institute for Technology Research (VITO), EnergyVille, Belgium ⁴ Technology Assessment Group, Laboratory for Energy Analysis, Center for Nuclear Engineering and Sciences & Center for Energy and Environmental Sciences, Paul Scherrer Institut (PSI), Villigen PSI, Switzerland

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

bw_timex is a Python package for time-explicit Life Cycle Assessment (LCA) that quantifies environmental impacts of products and processes over time. It enables considering:

- the timing of processes throughout the supply chain (e.g., end-of-life treatment occurs 20 years after construction),
- variable and/or evolving supply chains and technologies (e.g., increasing shares of renewable electricity in the future), and
- the timing of emissions (e.g., enabling the use of dynamic characterization functions).

To achieve this, bw_timex uses graph traversal to propagate temporal information through the product system and then automatically re-links Life Cycle Inventories (LCIs) across LCI databases that represent specific points in time. The resulting time-explicit LCI reflects the current technology status within the product system at the actual time of each process. Moreover, bw_timex preserves the timing of emissions, enabling the application of dynamic characterization methods in addition to standard static characterization factors.

Statement of need

LCA traditionally assumes a static LCI, in which all processes occur simultaneously and do not change over time (Heijungs & Suh, 2002). To add a temporal dimension in LCA, the fields of dynamic LCA (dLCA) and prospective LCA (pLCA) have emerged. While dLCA focuses on when emissions occur and how impacts are distributed over time, it typically assumes the underlying product system remains unchanged (Beloïn-Saint-Pierre et al., 2020). Conversely, pLCA tracks how processes evolve using future scenarios but generally only assesses a single (future) point in time, overlooking that processes occur at different times across a product's life cycle (Arvidsson et al., 2024). Both fields have seen open-source tool development in recent years, including Temporalis (Cardellini et al., 2018) for dLCA and premise (Sacchi et al., 2022), Futura (Joyce & Björklund, 2022) and pathways (Sacchi & Hahn-Menacho, 2024) for pLCA. However, a comprehensive open-source package for joint dynamic-prospective LCA, i.e., time-explicit LCA, is currently lacking.

bw_timex addresses this gap by providing a framework for time-explicit LCA calculations within the Brightway ecosystem (Mutel, 2017). It enables accounting for both the timing of processes and emissions as well as the state of the product system at the respective points in time. This makes bw_timex particularly useful for studies involving variable or strongly evolving product systems, long-lived products, and biogenic carbon.

Acknowledgements

This work received funding from the European Union's Horizon Europe Research and Innovation Programme ForestPaths (ID No 101056755) and Swiss Center of Excellence on Net Zero Emissions (SCENE) project.

References

- Arvidsson, R., Svanström, M., Sandén, B. A., Thonemann, N., Steubing, B., & Cucurachi, S. (2024). Terminology for future-oriented life cycle assessment: Review and recommendations. *The International Journal of Life Cycle Assessment*, 29(4), 607–613. <https://doi.org/10.1007/s11367-023-02265-8>
- Beloin-Saint-Pierre, D., Albers, A., Hélias, A., Tiruta-Barna, L., Fantke, P., Levasseur, A., Benetto, E., Benoist, A., & Collet, P. (2020). Addressing temporal considerations in life cycle assessment. *Science of The Total Environment*, 743, 140700. <https://doi.org/10.1016/j.scitotenv.2020.140700>
- Cardellini, G., Mutel, C. L., Vial, E., & Muys, B. (2018). Temporalis, a generic method and tool for dynamic Life Cycle Assessment. *Science of The Total Environment*, 645, 585–595. <https://doi.org/10.1016/j.scitotenv.2018.07.044>
- Heijungs, R., & Suh, S. (2002). *The Computational Structure of Life Cycle Assessment* (A. Tukker, Ed.; Vol. 11). Springer Netherlands. <https://doi.org/10.1007/978-94-015-9900-9>
- Joyce, P. J., & Björklund, A. (2022). Futura: A new tool for transparent and shareable scenario analysis in prospective life cycle assessment. *Journal of Industrial Ecology*, 26(1), 134–144. <https://doi.org/10.1111/jiec.13115>
- Mutel, C. (2017). Brightway: An open source framework for Life Cycle Assessment. *Journal of Open Source Software*, 2(12), 236. <https://doi.org/10.21105/joss.00236>
- Sacchi, R., & Hahn-Menacho, A. J. (2024). Pathways: Life cycle assessment of energy transition scenarios. *Journal of Open Source Software*, 9(103), 7309. <https://doi.org/10.21105/joss.07309>
- Sacchi, R., Terlouw, T., Siala, K., Dirnaichner, A., Bauer, C., Cox, B., Mutel, C., Daioglou, V., & Luderer, G. (2022). PRospective EnvironMental Impact asSEment (*premise*): A streamlined approach to producing databases for prospective life cycle assessment using integrated assessment models. *Renewable and Sustainable Energy Reviews*, 160. <https://doi.org/10.1016/j.rser.2022.112311>