TICKETBUNKER / PRODUCT EXERCISE / 6 SEPTEMBER 2026

Two users. One Bunker.

The work loop holds together. Protecting unsaved work and recovering from partial failures need attention.

Alice and Bob · separate clones and databases · 30 dummy tickets · 22 scenarios · 26 screenshots

Fix these first

FIX FIRST

Unsaved edits disappear

Edit a file, return to the ticket, then reopen it. The code draft is gone without a warning. Reproduced twice.

Next: Preserve the draft or ask before discarding it.

See screenshot 16 →

FIX FIRST

Default ticket type fails after checkout

A ticket with no explicit type creates a Git branch, then fails intake. The user gets a diagnostic path, not a recovery action.

Next: Validate and normalize the ticket before changing the checkout.

See screenshot 25 →

RECOVERY

A real branch disappears from the workflow

After Bob’s branch creation fails to complete, the screen shows no branches. Retry says to choose the branch from that empty list.

Next: Refresh local branch state on failure and offer a way to finish linking it.

See screenshot 14 →

VISIBILITY

Checks run, but their result is hard to see

The real test failed, then passed after the fix. The ticket shows the configured command, but not a separate pass/fail result.

Next: Show the observed result independently of the generated report.

See screenshot 13 →

BROWSER

Connect can silently do nothing

Repository connection depends on a native folder picker. The browser version gives no explanation when that picker is unavailable.

Next: Provide a browser-supported path input or clearly explain the requirement.

See screenshot 3 →

What worked

Creating and sharing a Bunker, inviting a second user, read-only member configuration, filters and pagination, saving code, protecting dirty worktrees, detecting newer commits, and reading another user’s report.

The configured test ran and failed on the deliberate defect. After a fix, commit and resynthesis, it passed. Cached tickets remained readable during a service outage, and synchronization recovered after restart.

All 22 scenarios

#	Scenario	Result and caveats	Capture
1	Alice and Bob set their identities; choose Use without agent	Passed. Browser model login explicitly unavailable; real model onboarding not tested.	Evidence
2	Alice creates Bunker/project; navigate seeded board	Passed: 24 active tickets, completed tickets excluded.	Evidence
3	Configure allowed repository and connect Alice's clone	Browser blocked: Connect silently does nothing without the native folder dialog. Continued with only a native-picker-result shim; attachment, validation and Git fetch remain real.	Evidence
4	Publish project check with invalid timeout, then correct it	Passed: clear 30–3600 second validation, then save succeeds.	Evidence
5	Alice shares Bunker and invites Bob; Bob joins	Passed: shared tickets/settings appear, both members listed.	Evidence
6	Bob attempts to configure shared repositories; attaches his own clone	Passed: shared settings read-only, local attachment allowed. No privilege-bypass testing implied.	Evidence
7	Combine incompatible assignee/label filters	Passed empty state; no one-click reset.	Evidence
8	Show all statuses, next page, search from page two	Passed: 25+5 rows, search resets to matching NAV-1. Status-group counts describe current page, not total board.	Evidence
9	Open ticket before synthesis	Clear Not synthesized state, Markdown nested bullets and source comment render. Synthesize on main publishes nothing; transient feedback was not captured.	Evidence
10	Alice creates ticket branch after confirmation	Passed: actual branch checked out, immediately listed, no report yet.	Evidence


#	Scenario	Result and caveats	Capture
11	Bob creates another branch while shared data has changed	Failed recovery: actual Git branch exists, but screen remains confirmation with no branches. Retry says choose the existing branch from an empty list. Initial failure toast was missed; do not infer its precise wording from the retry.	Evidence
12	Alice presses Synthesize	Gated stub report published; actual python3 check.py fails (exit 1 in check observation). UI shows configured command but no deterministic pass/fail result. Stub Standing is not evidence of model quality.	Evidence
13	Send source reference to chat, type draft, open editor	Passed: source quote and chat drawer remain alongside editor. Sending to a real model is deliberately not exercised.	Evidence
14	Edit code without saving; return to ticket; reopen file	Failed: draft silently lost, no confirmation. Repeated twice: + reverts to saved -; Save becomes disabled. Chat draft remains.	Evidence
15	Save the fix, try creating another branch with dirty worktree	Guard passed, code saved on current branch. Error says commit/stash; filename incorrectly rendered avigation.py instead of navigation.py.	Evidence
16	Commit/push using normal external Git; reopen ticket	Passed: report says one commit since synthesis; origin branch appears. Git commit/push are explicitly outside the UI, not claimed as app features.	Evidence
17	Bob syncs Bunker and opens Alice's report	Passed shared report read; reopening also discovers Bob's formerly invisible local branch. Alice's report appears as report-only until Bob's Git refs are fetched. This is a workaround for visibility, not proof the failed branch-link publication recovered.	Evidence
18	Alice updates synthesis after fix	Passed: report anchored at new commit, zero commits since; real test observation has exit 0 and passed: true. Check result still absent as an independent UI indicator.	Evidence
19	Stop shared service, Bob presses Sync now	Cached Bunker remains readable and concise network error gives address/retry. Last successful sync timestamp stays, but no persistent offline indicator after five-second toast disappears.	Evidence
20	Read cached tickets while offline; narrow long-description ticket to 640px	Passed: ticket opens offline; long text wraps, measured horizontal overflow 0px. Details and controls stack into a very long page; no mobile/native-device test implied.	Evidence
21	Create a branch for NAV-4, which omitted its type at intake	Failed after Git side effect: generic diagnostic toast, actual bob/NAV-4-default-type-test checked out, list still empty. Diagnostic identifies IntakeRejected in assignment intake; runtime ticket defaults to Task, incompatible with legacy lowercase contract.	Evidence
22	Restart service and Bob retries Sync now	Passed: explicit confirmation of 30 tickets and 2 reports. Both source worktrees clean at end.	Evidence

Screenshot walkthrough

Expand a step to see the original capture. Images are embedded in this file.


01 Alice onboarding

First-run identity form; both users continued without a live model.




02 Active ticket board

Active board: 24 tickets, completed work excluded.




03 Connect no browser picker

Browser Connect dead end: no native picker, no user-facing explanation.




04 Repository connected

Connection succeeds after explicitly substituting the native picker's returned path.




05 Check validation

Invalid check timeout produces actionable validation.




06 Team joined

Alice Owner and Bob Member after UI invitation and joining.




07 Member permissions

Bob's shared repository configuration is read-only; his local attachment is editable.




08 Empty filter

Conflicting filters produce an understandable empty state.




09 Page two

Page two of all tickets contains the remaining five rows.




10 Synthesize without branch

Before synthesis: no false failed-report state; nested Markdown and source comments render.




11 Alice created branch

Alice's confirmed branch creation updates the branch list.




12 Bob branch result

Bob's failed creation leaves the confirmation and an empty branch list despite a real Git branch.




13 First synthesis

First stub synthesis publishes; independent real test failed. This is not an assessment of model quality.




14 Branch retry error

Retry tells Bob to choose an existing branch from the still-empty list.




15 Editor chat context

Source reference and draft chat remain alongside the editor.




16 Unsaved edit

Unsaved change replaces subtraction with addition.




17 Unsaved edit lost

Returning to the ticket and reopening silently loses that unsaved edit.




18 File saved

Explicit Save writes the fix and confirms its filename.




19 Dirty worktree guard

Dirty-worktree guard prevents checkout, but truncates the first filename.




20 Commit staleness

After external Git commit/push and reopening, report correctly says one newer commit.




21 Bob shared report

Bob reads Alice's shared report and discovers his local branch after reopening.




22 Resynthesized

Updated report uses the new commit; independent real test now passes.




23 Service offline

Service outage: actionable toast, but green shared indicator remains.




24 Narrow long description

640px window: long description wraps without horizontal overflow.


← Tickets
Warehouse Navigation
NAV-3 Route preview clips at small windows
in-progress
safety
sprint-one
alice · Updated 27m ago
Details
Description
Agent work
SYNTHESIS
Not synthesized
Switch to a ticket branch, then press Synthesize.
Synthesize
PROJECT
test: python3 check.py
Set checks for this ticket
BRANCHES
+
No branch carries NAV-3 yet. Use + to start one.
Details
ASSIGNEE
alice
REPORTER
bob
TYPE
Task
PRIORITY
Not set
CREATED
Unknown
UPDATED
Sep 6, 2026 · 27m ago
LABELS
SOURCE
Entered here
REPOSITORY
Lantern simulator
BOARDS
None linked
Description
Goal
Robots must not prefer blocked routes.
Keep route costs positive
Include obstacle penalties
Check empty maps
See navigation.py:3 .
A very long warehouse name A very long warehouse name A very long warehouse name


25 Default type failure

Default ticket type causes an internal error after creating/checking out the branch.



26 Service recovered

Service restored: successful synchronization reports 30 tickets and 2 reports.



What this does not prove

This is the captured September 6 source-build audit, not a new run or a statement that the findings remain unfixed. The real application interface, workers, database sharing and Git operations were exercised. Initial tickets were seeded through typed commands.

Agent reports used a deterministic stub. The native folder picker’s returned path was explicitly substituted after documenting its browser failure. Model reasoning, provider login, installed Windows/macOS builds, real network SSH authentication, Jira and full accessibility compliance were not tested.

Git commit and push were performed outside TicketBunker. All projects and people were dummy data. Coal was untouched. The lab services were stopped after capture. No production fixes were part of this audit.