OTHERS HELP

VizieR

Search Criteria
Save in CDSportal
Keywords Back
- V/154/sdss16

Tables Add
V/154
..sdss16
Choose

Preferences
max: 999999
| -Separated-Values
All columns
Compute
Distance {rho}
Position angle {theta}
Distance (x,y)
Galactic
J2000
B1950
Ecl. J2000
default
Sort by Distance
+ order -
No sort

Position in:
Sexagesimal
Decimal °
Truncated prec.

Time
Time JD
Time ISO

Mirrors
CDS, France

Simple Target | List Of Targets | Fast Xmatch with large catalogs or Simbad

Target Name (resolved by Sesame) or **Position**: Target dimension:
Clear J2000 2 arcmin
NB: The epoch used for the query is the original epoch of the table(s) Radius Box size

V/154 Sloan Digital Sky Surveys (SDSS), Release 16 (DR16) (Ahumada+, 2020)
Similar Catalogs 2020ApJS..249....3A ReadMe+ftp
Post annotation
1.V/154/sdss16 Data Release 16 (469,050,976 *primary* sources plus 325,277,739 *secondary* sources) (original column names in green) (Note) (1231051050 rows)

Simple Constraint | List Of Constraints Submit Reset All

Query by Constraints applied on Columns *(Output Order:* + - *)*
Standard Original

Show	Sort	Column	Constraint		Explain (UCD)
☑	○	objID			(i) SDSS unique object identifier (1) (links to online SDSS-DR16 data) (Note) (meta.id;meta.main)
☑	○	RA_ICRS	0 .. 360	deg	(i) Right Ascension of the object (ICRS) at Epoch="MJD" (ra) (pos.eq.ra;meta.main)
☑	○	DE_ICRS	-20 .. 90	deg	(i) Declination of the object (ICRS) at Epoch="MJD" (dec) (pos.eq.dec;meta.main)
☑	○	fieldID			The field this object is in (meta.note)
☑	○	mode	=1		[1/4] PhotoMode (1=primary, 2=secondary, 3=family, 4=outside) (qualified to =1 by default) (meta.code.class)
☑	○	class	=3		(n) [0/8] Type of object (3=galaxy, 6=star) (type) (Note 2) (src.class)
☑	○	clean	=1		[0/1] Clean photometry flag (1=clean; 0=unclean) (qualified to =1 by default) (meta.code)
☑	○	flags			Photo Object Attribute flags (Note 3) (meta.code.error)
☑	○	upmag		mag	(n)(i) [4/35] PSF magnitude in u band (psfMag_u) (Note 4) (phot.mag;em.opt.U)
☑	○	gpmag		mag	(n) [3.7/37] PSF magnitude in g band (psfMag_g) (Note 4) (phot.mag;em.opt.B)
☑	○	rpmag		mag	(n) [3.8/36] PSF magnitude in r band (psfMag_r) (Note 4) (phot.mag;em.opt.R)
☑ ALL cols	Reset All	Clear			(n) indicates a possible blank or NULL column (i) indexed column Submit
☑	○	ipmag		mag	(n) [2.6/34] PSF magnitude in i band (psfMag_i) (Note 4) (phot.mag;em.opt.I)
☑	○	zpmag		mag	(n) [3.8/33.3] PSF magnitude in z band (psfMag_z) (Note 4) (phot.mag;em.opt.I)
☑	○	e_upmag		mag	(n) [1.5e-5/100] Mean error on upmag (psfMagErr_u) (Note 4) (stat.error;phot.mag)
☑	○	e_gpmag		mag	(n) Mean error on gpmag (psfMagErr_g) (Note 4) (stat.error;phot.mag)
☑	○	e_rpmag		mag	(n) Mean error on rpmag (psfMagErr_r) (Note 4) (stat.error;phot.mag)
☑	○	e_ipmag		mag	(n) Mean error on ipmag (psfMagErr_i) (Note 4) (stat.error;phot.mag)
☑	○	e_zpmag		mag	(n) Mean error on zpmag (psfMagErr_z) (Note 4) (stat.error;phot.mag)
☑	○	uPmag		mag	(n) [-0.4/47.2] Petrosian magnitude in u band (petroMag_u) (Note 4) (phot.mag;em.opt.U)
☑	○	gPmag		mag	(n) [3.7/48] Petrosian magnitude in g band (petroMag_g) (Note 4) (phot.mag;em.opt.B)

☑	○	rPmag	mag	(n) [1.3/48.6] Petrosian magnitude in r band (petroMag_r) *(Note 4)* (phot.mag;em.opt.R)
☑	○	iPmag	mag	(n) [2.6/48.4] Petrosian magnitude in i band (petroMag_i) *(Note 4)* (phot.mag;em.opt.I)
☑	○	zPmag	mag	(n) [-2.9/45.1] Petrosian magnitude in z band (petroMag_z) *(Note 4)* (phot.mag;em.opt.I)
☑	○	e_uPmag	mag	(n) [1e-7/100] Mean error in uPmag (petroMagErr_u) *(Note 4)* (stat.error;phot.mag)

☑ **ALL** cols Reset All Clear (n) indicates a possible blank or NULL column (i) indexed column Submit

☑	○	e_gPmag	mag	(n) [9.1e-9/100] Mean error in gPmag (petroMagErr_g) *(Note 4)* (stat.error;phot.mag)
☑	○	e_rPmag	mag	(n) Mean error in rPmag (petroMagErr_r) *(Note 4)* (stat.error;phot.mag)
☑	○	e_iPmag	mag	(n) Mean error in iPmag (petroMagErr_i) *(Note 4)* (stat.error;phot.mag)
☑	○	e_zPmag	mag	(n) Mean error in zPmag (petroMagErr_z) *(Note 4)* (stat.error;phot.mag)
☑	○	uPrad	arcsec	(n) [1.2e-6/261] Petrosian radius in u band (petroRad_u) (phys.angSize;src)
☑	○	gPrad	arcsec	(n) [2.3e-6/261] Petrosian radius in g band (petroRad_g) (phys.angSize;src)
☑	○	rPrad	arcsec	(n) [4.9e-6/260] Petrosian radius in r band (petroRad_r) (phys.angSize;src)
☑	○	iPrad	arcsec	(n) [2.2e-6/263] Petrosian radius in i band (petroRad_i) (phys.angSize;src)
☑	○	zPrad	arcsec	(n) [8.3e-7/261] Petrosian radius in z band (petroRad_z) (phys.angSize;src)
☑	○	e_uPrad	arcsec	(n) [-1000/259] Mean error in rPrad (petroRadErr_u) (stat.error)
☑	○	e_gPrad	arcsec	(n) [-1000/259] Mean error in rPrad (petroRadErr_g) (stat.error)
☑	○	e_rPrad	arcsec	(n) [-1000/259] Mean error in rPrad (petroRadErr_r) (stat.error)
☑	○	e_iPrad	arcsec	(n) [-1000/259] Mean error in rPrad (petroRadErr_i) (stat.error)

☑ **ALL** cols Reset All Clear (n) indicates a possible blank or NULL column (i) indexed column Submit

☑	○	e_zPrad	arcsec	(n) [-1000/257] Mean error in rPrad (petroRadErr_z) (stat.error)
☑	○	udVrad	arcsec	(n) [0/257] De Vaucouleurs fit radius u band (deVRad_u) (phys.angSize;src)
☑	○	gdVrad	arcsec	(n) [0/238] De Vaucouleurs fit radius g band (deVRad_g) (phys.angSize;src)
☑	○	rdVrad	arcsec	(n) [0/238] De Vaucouleurs fit radius r band (deVRad_r) (phys.angSize;src)
☑	○	idVrad	arcsec	(n) [0/232] De Vaucouleurs fit radius i band (deVRad_i) (phys.angSize;src)
☑	○	zdVrad	arcsec	(n) [0/238] De Vaucouleurs fit radius z band (deVRad_z) (phys.angSize;src)
☑	○	udVell		(n) [0.05/1] De Vaucouleurs fit b/a u band (deVAB_u) (phys.size.axisRatio)
☑	○	gdVell		(n) [0.05/1] De Vaucouleurs fit b/a g band (deVAB_g) (phys.size.axisRatio)
☑	○	rdVell		(n) [0.05/1] De Vaucouleurs fit b/a r band (deVAB_r) (phys.size.axisRatio)
☑	○	idVell		(n) [0.05/1] De Vaucouleurs fit b/a i band (deVAB_i) (phys.size.axisRatio)
☑	○	zdVell		(n) [0.05/1] De Vaucouleurs fit b/a z band (deVAB_z) (phys.size.axisRatio)
☑	○	uPA	deg	(n) [-10105/271] Position angle of dVrad in u band (deVPhi_u) (pos.posAng)
☑	○	gPA	deg	(n) [-10105/271] Position angle of dVrad in g band (deVPhi_g) (pos.posAng)

ALL cols | Reset All | Clear | (n) indicates a possible blank or NULL column (i) indexed column | Submit

rPA		deg	(n) [-10105/271] Position angle of dVrad in r band (deVPhi_r) (pos.posAng)
iPA		deg	(n) [-10105/271] Position angle of dVrad in i band (deVPhi_i) (pos.posAng)
zPA		deg	(n) [-10105/271] Position angle of dVrad in z band (deVPhi_z) (pos.posAng)
uFlags			Detection flags u band (flags_u) *(Note 3)* (meta.code)
gFlags			Detection flags g band (flags_g) *(Note 3)* (meta.code)
rFlags			Detection flags r band (flags_r) *(Note 3)* (meta.code)
iFlags			Detection flags i band (flags_i) *(Note 3)* (meta.code)
zFlags			Detection flags z band (flags_z) *(Note 3)* (meta.code)
uc			(n) [0/8] Phototype in u band (6=Star ; 3=galaxy) (type_u) *(Note 2)* (src.class.starGalaxy)
gc			(n) [0/8] Phototype in i band (6=Star ; 3=galaxy) (type_g) *(Note 2)* (src.class.starGalaxy)
rc			(n) [0/8] Phototype in r band (6=Star ; 3=galaxy) (type_r) *(Note 2)* (src.class.starGalaxy)
ic			(n) [0/8] Phototype in i band (6=Star ; 3=galaxy) (type_i) *(Note 2)* (src.class.starGalaxy)
zc			(n) [0/8] Phototype in z band (6=Star ; 3=galaxy) (type_z) *(Note 2)* (src.class.starGalaxy)

ALL cols | Reset All | Clear | (n) indicates a possible blank or NULL column (i) indexed column | Submit

us				(n) [0/1] 0=notStar 1=Star in u band (probPSF_u) (src.class.starGalaxy)
gs				(n) [0/1] 0=notStar 1=Star in g band (probPSF_g) (src.class.starGalaxy)
rs				(n) [0/1] 0=notStar 1=Star in r band (probPSF_r) (src.class.starGalaxy)
is				(n) [0/1] 0=notStar 1=Star in i band (probPSF_i) (src.class.starGalaxy)
zs				(n) [0/1] 0=notStar 1=Star in z band (probPSF_z) (src.class.starGalaxy)
e_RA_ICRS		arcsec		[0/51703] Mean error on RAdeg (raErr) (stat.error;pos.eq.ra)
e_DE_ICRS		arcsec		[0/22795] Mean error on DEdeg (decErr) (stat.error;pos.eq.dec)
uoRA		arcsec		Offset of u position along RA (offsetRa_u) (pos.angDistance)
goRA		arcsec		Offset of g position along RA (offsetRa_g) (pos.angDistance)
roRA		arcsec		Offset of r position along RA (offsetRa_r) (pos.angDistance)
ioRA		arcsec		Offset of i position along RA (offsetRa_i) (pos.angDistance)
zoRA		arcsec		Offset of z position along RA (offsetRa_z) (pos.angDistance)
uoDE		arcsec		Offset of u position along Dec (offsetDec_u) (pos.angDistance)

ALL cols | Reset All | Clear | (n) indicates a possible blank or NULL column (i) indexed column | Submit

goDE		arcsec		Offset of g position along Dec (offsetDec_g) (pos.angDistance)
roDE		arcsec		Offset of r position along Dec (offsetDec_r) (pos.angDistance)
ioDE		arcsec		Offset of i position along Dec (offsetDec_i) (pos.angDistance)
zoDE		arcsec		Offset of z position along Dec (offsetDec_z) (pos.angDistance)
parentID				Pointer to parent (if object deblended) (meta.id.parent)
SpObjID			(char)	(i) Pointer to the spectrum of object or 0 (specObjID) *(Note 6)* (meta.id)
umag		mag		(n)(i) [4/37.3] Model magnitude in u filter AB scale (u) *(Note 7)* (phot.mag;em.opt.U)
gmag		mag		(n)(i) [3.7/39.6] Model magnitude in g filter AB scale (g) *(Note 7)* (phot.mag;em.opt.B)

☑	○	rmag		mag	(n)(i) [3.8/40.4] Model magnitude in r filter AB scale (r) *(Note 7)* (phot.mag;em.opt.R)
☑	○	imag		mag	(n)(i) [2.6/39.5] Model magnitude in i filter AB scale (i) *(Note 7)* (phot.mag;em.opt.I)
☑	○	zmag		mag	(n)(i) [3.5/37.2] Model magnitude in z filter AB scale (z) *(Note 7)* (phot.mag;em.opt.I)
☑	○	e_umag		mag	(n) [8.9e-8/3444] Mean error on umag (err_u) (stat.error;phot.mag)
☑	○	e_gmag		mag	(n) [3.8e-8/5955] Mean error on gmag (err_g) (stat.error;phot.mag)

☑ **ALL** cols Reset All Clear (n) indicates a possible blank or NULL column (i) indexed column Submit

☑	○	e_rmag		mag	(n) [5.2e-8/915] Mean error on rmag (err_r) (stat.error;phot.mag)
☑	○	e_imag		mag	(n) [0/634] Mean error on imag (err_i) (stat.error;phot.mag)
☑	○	e_zmag		mag	(n) [9.4e-8/3529] Mean error on zmag (err_z) (stat.error;phot.mag)
☑	○	Status			[0/4145] Decimal status (resolveStatus) *(Note 5)* (meta.code)
☑	○	spInst		(char)	Spectral instrument used ("SDSS" or "BOSS") (spec_instrument) *(Note 6)* (meta.id;instr)
☑	○	spType		(char)	Source type (spec_sourceType) (6) *(Note 8)* (src.class)
☑	○	zsp	0.00 .. 1.00		(n)(i) [-0.012/7.06] Spectroscopic final redshift (when SpObjID>0) (spec_z) *(Note 6)* (src.redshift)
☑	○	e_zsp			(n) [-6/30689] Mean error on zsp (negative for bad fit) (spec_zErr) *(Note 6)* (stat.error)
☑	○	f_zsp	==0		(n) [0/902] Zwarning flag (spec_zWarning) (6) *(Note 9)* (meta.code)
☑	○	spCl	==GALAXY	(char)	Spectroscopic class: "GALAXY"; "QSO"; "STAR" (spec_class) *(Note 6)* (meta.code.class;pos.parallax.spect)
☑	○	subCl		(char)	Spectroscopic subclass (spec_subClass) (6) *(Note 10)* (src.class)
☑	○	Vdisp	>70	km/s	(n) [0/850] Velocity dispersion (spec_velDisp) *(Note 6)* (phys.veloc.dispersion)
☑	○	e_Vdisp		km/s	(n) [-7/4526] Mean error on Vdisp (spec_velDispErr) *(Note 6)* (stat.error)

☑ **ALL** cols Reset All Clear (n) indicates a possible blank or NULL column (i) indexed column Submit

☑	○	spS/N			(n) [-1927/132] Median signal-to-noise over all good pixels (spec_snMedian) *(Note 6)* (em.wl.central;stat.median)
☑	○	M			(n) [0/4] Number of USNO-B objects matched within 1arcsec (pm_match) *(Note 11)* (meta.number)
☑	○	pmRA		mas/yr	(n) [-6121/5519] Proper motion along Right Ascension (pm_pmRa) *(Note 11)* (pos.pm;pos.eq.ra)
☑	○	pmDE		mas/yr	(n) [-4846/4437] Proper motion along Declination (pm_pmDec) *(Note 11)* (pos.pm;pos.eq.dec)
☑	○	e_pmRA		mas/yr	(n) [0/4709] Mean error on pmRA (pm_pmRaErr) *(Note 11)* (stat.error;pos.pm;pos.eq.ra)
☑	○	e_pmDE		mas/yr	(n) [0/4709] Mean error on pmDE (pm_pmDecErr) *(Note 11)* (stat.error;pos.pm;pos.eq.dec)
☑	○	sigRA		mas	(n) [0/8662] RMS residual of proper motion fit in RA (pm_sigRa) *(Note 11)* (stat.fit.residual)
☑	○	sigDE		mas	(n) [0/10625] RMS residual of proper motion fit in Dec (pm_sigDec) *(Note 11)* (stat.fit.residual)
☑	○	N			(n) [0/6] Number of detections used in the pm fit including SDSS (pm_nFit) *(Note 11)* (meta.number)
☑	○	g(O)			(n) [-214740/70189] Magnitude from USNO-B O plate recalibrated to SDSS g (pm_O) *(Note 11)* (phot.mag;em.opt.B)
☑	○	r(E)			(n) Magnitude from E plate recalibrated to SDSS r (pm_E) *(Note 11)* (phot.mag;em.opt.R)
☑	○	g(J)			(n) Magnitude from J plate recalibrated to SDSS g (pm_J) *(Note 11)* (phot.mag;em.opt.B)

☑	○	r(F)		(n) Magnitude from F plate recalibrated to SDSS r (pm_F) *(Note 11)* (phot.mag;em.opt.R)
☑ ALL cols	Reset All	Clear		(n) indicates a possible blank or NULL column (i) indexed column Submit
☑	○	i(N)		(n) Magnitude from N plate recalibrated to SDSS i (pm_N) *(Note 11)* (phot.mag;em.opt.I)
☑	○	zph		(n)(i) [5e-4/1] Photometric redshift estimated by robust fit to nearest neighbors in a reference set (photoz_z) *(Note 12)* (src.redshift)
☑	○	e_zph		(n) [0.003/0.3] Estimated error of the photometric redshift (photoz_zErr) *(Note 12)* (stat.error)
☑	○	<zph>		(n) [0.009/0.9] Average redshift of the nearest neighbors; if significantly different from zph this might be a better estimate than zph (photoz_nnAvgZ) *(Note 12)* (src.redshift.phot)
☑	○	chi2		(n) [2e-12/6.3e7] Chi-square value for the minimum chi-square template fit (photoz_chisq) *(Note 12)* (stat.value)
☑	○	Q		[1/3] Quality of the observation: 1=bad; 2=barely acceptable; 3=good (field_quality) *(Note 13)* (meta.code.qual;obs.param;obs)
☑	○	uMJD	d	Date of observation in u band (field_mjd_u) *(Note 13)* (time.epoch)
☑	○	gMJD	d	Date of observation in g band (field_mjd_g) *(Note 13)* (time.epoch)
☑	○	rMJD	d	Date of observation in r band (field_mjd_r) *(Note 13)* (time.epoch)
☑	○	iMJD	d	Date of observation in i band (field_mjd_i) *(Note 13)* (time.epoch)
☑	○	zMJD	d	Date of observation in z band (field_mjd_z) *(Note 13)* (time.epoch)
☑	○	SDSS16	(char)	(i) SDSS-DR16 name based on J2000 position; provided by CDS (meta.id)
☑	○	SDSS-ID	(char)	(i) SDSS object identifier (run-rerun-camcol-field-object) *(Note 14)* (meta.id)
☑	○	Sp-ID	(char)	(i) Spectroscopic Plate-MJD-Fiber identifier (plate-mjd-fiberID) (**Tip**: to select SDSS spectroscopic sources, enter the condition * `[1-9]*`) (meta.id)
☑	○	MJD	d	Mean observation date (average calculated by CDS from the uMJD, gMJD, rMJD, iMJD, zMJD) (time.epoch)
☑ ALL cols	Reset All	Clear		(n) indicates a possible blank or NULL column (i) indexed column Submit

Adapt form Display your selection only **Modify** Reset to default columns **Modify**

Display ☑ UCD1+ ☐ UCD1

→ Cite/acknowledge VizieR catalogue
→ Rules of usage of VizieR data

Contact - Legals