

數字經濟核心科技系列：前端網站開發人員課程

(一) 初階網絡程式設計

3. 疊層樣式表(CSS3)

7. CSS: 高階II

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

學習成果

- 在本課中，你將學習：
 - ✓ 表單
 - ✓ 定位
 - ✓ 浮動

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

數字經濟核心科技系列：前端網站開發人員課程

(一) 初階網絡程式設計

3. 疊層樣式表(CSS3)


7.1 表單(Forms)

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。


7. CSS高階II

7.1 表單

- 在現實生活中，我們總是使用表單來記錄數據
- 其中一個例子是谷歌表單，大多數企業可能使用這個表單作為在線調查。



A screenshot of a web browser window displaying a "Paypal Order Form". The form has a light blue background and contains several input fields: "Name" (with a placeholder "please enter full name or name of organization"), "Email" (with a placeholder "Enter email address of buyer"), "Phone Number" (with a placeholder "2010 555-0123"), and "Address".



A screenshot of a web browser window displaying an "Online test" form. The form has a light purple background and contains a section titled "Untitled Question" with four radio button options: "Option 1", "Option 2", "Option 3", and "Option 4". A "Submit" button is located at the bottom of the form.

rights Reserved. Reprinting will not be
ated.
所有，翻印必究。

7. CSS高階II

7.1 表單

我們可以指定不同風格的輸入字段

- 輸入字段的類型
- 不同的字段設計（顏色...）
- 輸入的效果

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.1 表單範例_原文

```
<style>
  input {
    width: 200px;
  }
</style>
</head>
<body>

<p>An input field:</p>

<form>
  <label for="fname">First Name:</label>
  <input type="text" id="fname" name="fname" >
</form>
```

An input field:

First Name:

這是一個輸入字段的默認顯示

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.1 Forms 範例_ padding

我們可以指定輸入字段的padding

```
<style>
  input {
    width: 200px;
    padding: 12px 20px;
  }
</style>
</head>
<body>

<p>A padded input field:</p>

<form>
  <label for="fname">First Name:</label>
  <input type="text" id="fname" name="fname" >
</form>
</body>
```

An input field:

First Name:

A padded input field:

First Name:

Reprinting will not be

7. CSS高階II

7.1 Forms範例 _ border

我們可以指定輸入字段的邊框。

```
<style>
  input {
    width: 200px;
    padding: 12px 20px;
    border: red 2px solid;
  }
</style>
</head>
<body>

<p>An input field with a border:</p>

<form>
  <label for="fname">First Name:</label>
  <input type="text" id="fname" name="fname" >
</form>
```

An input field with a border:

First Name:

An input field with a border:

First Name:

版權所有，翻印必究。

7. CSS高階II

7.1 Forms 範例 _ border

```
<style>
  input {
    width: 200px;
    padding: 12px 20px;
    border: none;
    border-bottom: 2px red solid;
  }
</style>
```

An input field with a border:

First Name:

An input field with a border:

First Name:

Printing will not be

7. CSS高階II

7.1 Forms 範例 _ color

```
<style>
  input {
    width: 200px;
    padding:12px 20px;
    border:none;
    background-color:lightgreen;
    color:blue;
  }
</style>
```

A colored text field:

First Name:

A colored text field:

First Name:

ing will not be
tolerated.
版權所有，翻印必究。

a

7. CSS高階II

7.1 Forms 範例_集中輸入

當用戶點擊輸入字段時，我們可以為其添加一些效果

```
<style>
input {
  width: 200px;
  padding:12px 20px;
  border:none;
  background-color:lightgreen;
  color:blue;
}
input:focus{
  background-color:red;
  color:white;
  font-size:20px;
}
</style>
```

A colored text field:

First Name:

A colored text field:

First Name:

A colored text field:

First Name:

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.1 表單

我們還可以指定不同選擇器的顯示方式

- 文本區域(text areas)
- 選擇菜單(select menu)
- 按鈕(buttons)

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.1 表單範例_文本區域

```
<style>
  body{
    background-color:lightgreen;
  }
  textarea{
    width:300px;
    height:250px;
    font-size:20px;
    background-color:lightblue;
    border:red 4px solid;
  }
</style>
```

Here is a text area

Hello, everyone!

7. CSS高階II

7.1 Forms 範例_選擇菜單

```
<style>
  body{
    background-color:lightgreen;
  }
  select {
    width: 300px;
    padding: 16px 20px;
    border: none;
    background-color:lightblue;
  }
  option{
    color:red;
    font-size:16px;
    font-weight:bold;
    margin:5px;
  }
</style>
```

```
<form>
  <select id="fruit" name="fruit">
    <option value="apple">apple</option>
    <option value="orange">orange</option>
    <option value="lemon">lemon</option>
  </select>
</form>
```

Please select the fruit that you like:

apple

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.1 Forms 範例_選擇菜單

```
<style>
  body{
    background-color:lightgreen;
  }
  select {
    width: 300px;
    padding: 16px 20px;
    border: none;
    background-color:lightblue;
  }
  option{
    color:red;
    font-size:16px;
    font-weight:bold;
    margin:5px;
  }
</style>
```

Please select the fruit that you like:

apple



apple

orange

lemon

Please select the fruit that you like:

orange



1. Reprinting will not be

版權所有，翻印必究。

7. CSS高階II

7.1 表單範例_按鈕


```
<style>
  body{
    background-color:lightgreen;
  }
```

```
  input[type=button]{
    background:pink;
    font-size: 15px;
    color:#000;
  }
```

```
  input[type=reset]{
    border:green 2px solid;
    background-color:lightblue;
    width:50%;
  }
```

```
</style>
```

Different buttons:



```
<body>
  <p> Different buttons:</p>

  <input type="button" value="button">
  <input type="reset" value="reset">
  <input type="submit" value="submit">
```

我們可以給按鈕分配不同的屬性

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.1 表單添加

我們可以為特定類型的輸入字段指定CSS樣式，這類似於Class

```
input[type=button]{  
    background:pink;  
    font-size: 15px;  
    color:#000;  
}  
  
input[type=reset]{  
    border:green 2px solid;  
    background-color:lightblue;  
    width:50%;  
}
```

```
input[type=password]{  
    border:green 2px solid;  
    background-color:lightblue;  
    width:50%;  
}
```

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

數字經濟核心科技系列：前端網站開發人員課程

(一) 初階網絡程式設計

3. 疊層樣式表(CSS3)

7.2 位置(Position)

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.2 位置

- 位置
 - 靜態
 - 相對的
 - 固定的
 - 絕對值
- 最大寬度

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.2 位置：靜態(static)


- 定位的預設設定為靜態（ Static ），它會使元素依照網頁排版保持位置。
- 它沒有任何可定義的屬性。

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.2 position->static 範例

```
DIV_position.html x
1 <html>
2 <head>
3 <style>
4   div.static{
5     position:static;
6     background-color:orange;
7   }
8
9 </style>
10 <title>DIV_position static </title>
11 </head>
12 <body>
13   <div class="static">
14     <H1> The position is static</H1>
15   </div>
16   <H1>This is the second line!</H1>
17
18 </body>
19 </html>
```



All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.2 position-> relative

- 類似於 **static** 靜態定位
- 可以定義額外屬性 (top/bottom/left/right)
- 元素會根據視窗大小調整位置
- 其他元素不會自動填補該元素留下的空白

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.2 Position-> **relative** 範例 (默認)

如果沒有定義額外的屬性，它的結果就是

```
<style>  
div.relative{  
    position:relative;  
    width:300px;  
    background-color:orange;  
}  
</style>
```



All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.2 Positive-> relative 範例

```
<style>
  div.relative{
    position:relative;
    top:20px;
    left:30px;
    right:30px;
    bottom:200px;
    width:300px;
    background-color:orange;
  }
</style>
```

The position is relative

This is the second line!

不指定
額外的
屬性

The position is relative

This is the second line!

7. CSS高階II

7.2 Position-> fixed

- 即使窗口的大小在變化，它也不會改變位置。
- 它可以用額外的屬性來定義 (top/bottom/left/right)。

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.2 Position-> fixed 範例

```
<style>
div.fixed{
  position:fixed;
  right:0px;
  bottom:0;
  width:350px;
  background-color:orange;
}
</style>
```

This is the second line!

The position is fixed

DIV_position fixed

← → ↻ ⓘ 檔案 | D:/Krystal%20institute/CSS/sublime%20exa... ☆ ⋮

應用程式 ↻ signup ↻ Login fail ↻ Serena's boutique | 閱讀清單

This is the second lineThe position is fixed

由於我們沒有指定頂部邊距，因此，它可能與原始內容重疊

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.2 Position-> absolute

- 類似於固定 “fixed” 定位
- 其屬性可以在**另一個DIV內部**定義
- 相對於最近具有定位屬性的父係元素進行定位
- 否則，它將位於左上角
- 隨窗口滾動而移動

參考資料:

<https://zh-tw.learnlayout.com/position.html>

https://www.w3schools.com/CSS/CSS_positioning.asp

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.2 Position-> absolute 範例

最好將 DIV (absolute) 放在 DIV (relative) 內，
以顯示差異。

```
<body>  
  <div class="relative">  
    <h2>This is the first section!</h2>  
    <div class="absolute">  
      <h1> The position is absolute</h1>  
    </div>  
  </div>  
  <h1>This is the second line!</h1>  
</body>
```

This is the first section!

The position is absolute

This is the second line!

its Reserved. Reprinting will not be
d.
版權所有，翻印必究。

7. CSS高階II


7.2 Position-> absolute 範例

```
<style>  
div.relative{  
  position:relative;  
  height:200px;  
  width:400px;  
  background-color:lightgreen;  
}
```

```
div.absolute{  
  position:absolute;  
  right:0px;  
  bottom:10px;  
  width:350px;  
  background-color:orange;  
}
```

```
<body>  
<div class="relative">  
  <h2>This is the first section!</h2>  
  <div class="absolute">  
    <h1> The position is absolute</h1>  
  </div>  
</div>  
<h1>This is the second line!</h1>
```

```
</body>  
</html>
```



All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.2 Position-> absolute 範例

如果DIV(absolute)在另一個DIV(relative)的外面，則與固定的DIV(relative)相同。

```
<body>
  <div class="relative">
    <h2>This is the first section!</h2>
  </div>
  <div class="absolute">
    <h1> The position is absolute</h1>
  </div>
  <h1>This is the second line!</h1>
</body>
```

This is the first section!

This is the second line!

The position is absolute

1. Reprinting will not be

7. CSS高階II

7.2 Position-> absolute (摘要)

絕對的

- ✓ 定義DIV在另一個DIV內的固定位置

This is the first section!

The position is absolute

固定的

- 定義在頁面上的固定位置
- 可能會與其他內容重疊

This is the second line!

The position is fixed

printing will not be

7. CSS高階II

7.2 Position(max-width)

- 我們可以定義一個DIV的寬度，它不會根據窗口的大小而改變其大小。
- 對於max-width，只要不大於最大寬度的值，DIV就會改變其大小。

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。


7. CSS高階II

7.2 Position(max-width) 範例

```
<style>
  div.first{
    margin:auto;
    width:800px;
    background-color:lightgreen;
  }
  div.second{
    margin:auto;
    max-width:800px;
    background-color:orange;
  }
</style>
```

```
<body>
  <div class="first">
    <h2>This is the first section!</h2>
  </div>
  <br>
  <div class="second">
    <h1> This is the second section!</h1>
  </div>
  <h1>This is the second line!</h1>
</body>
```

如果窗口尺寸大於max-width，結果與使用“width”屬性相同



7. CSS高階II

7.2 Position(max-width) 範例

```
<style>
  div.first{
    margin:auto;
    width:800px;
    background-color:lightgreen;
  }
  div.second{
    margin:auto;
    max-width:800px;
    background-color:orange;
  }
</style>
```

當窗口尺寸小於DIV的實際寬度時，它顯示的是差異

This is the first section!

This is the second section!

This is the second line!

This is the first section!

This is the second section!

This is the second line!

數字經濟核心科技系列：前端網站開發人員課程

(一) 初階網絡程式設計

3. 疊層樣式表(CSS3)

7.3 浮動(Float)

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.3 浮動

- 我們可以使用float來定義不同位置的差異元素
 - 文本
 - 圖像
 - DIV

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.3 Float範例_ Text

```
<style>
  .first{
    float:left;
    background-color:lightgreen;
  }
  .second{
    float:right;
    background-color:orange;
  }
</style>
```

```
<body>
  <h2 class="first">This is the first section!</h2>
  <h1 class="second">This is the second section!</h1>
  <br>
</body>
```

This is the first section! This is the second section!

更大的窗口尺寸

This is the first section!

This is the second section!

較小的窗口尺寸

請注意窗口的大小將影響文本的浮動。

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.3 Float 範例_image

注意圖像的大小會影響文本的浮動。

```
<head>
<style>
  .first{
    background-color:lightgreen;
  }
  .second{
    background-color:orange;
  }
</style>
<title>CSS_float(image) </title>
</head>
<body>
  
  <h1 class="first">This is the first section!</h1>
  <h1 class="second">This is the second section!</h1>
</body>
```

This is the first
section!

This is the
second section!




All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。


7. CSS高階II

7.3 Float 範例_image

不同的窗口大小會有不同的結果



較小的窗口尺寸



更大的窗口尺寸

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.3 Float 範例_ DIV

```
<style>
a{
  font-size:30px;
}
.first{
  float:left;
  background-color:lightgreen;
  height:100px;
}
.second{
  float:right;
  background-color:orange;
  height:150px;
}
</style>
```



All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

7.3 浮動 加法(彼此並排浮動)


```
<style>
  a{
    font-size:30px;
  }
  div {
    float: left;
    padding:15px;
  }

  .first {
    background: red;
  }

  .second {
    background: yellow;
  }

  .third {
    background: green;
  }
</style>
```

```
<body>
  <div class="first">
    <a>1</a>
  </div>
  <div class="second">
    <a>2</a>
  </div>
  <div class="third">
    <a>3</a>
  </div>
</body>
```



此外，我們還可以指定不同的DIV放在同一行中

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

活動4

- 創建一個包含以下項目的表單
 - 文本字段
 - 單選按鈕
 - 選擇菜單
 - 提交按鈕

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

活動4_建議的答案

詳情請參考 "CSS_exercise4.html"



The screenshot shows a web form with a light blue background. It contains the following elements:

- Name:** A text input field with the placeholder text "Please input your name".
- Gender:** Two radio buttons labeled "M" and "F".
- How old are you?:** Five radio buttons with labels "15-25", "26-35", "36-45", "46-55", and "56-65".
- What is your favourite fruit?:** A dropdown menu currently showing "Apple".
- Submit:** A button located at the bottom right of the form.

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

活動4_建議的答案

```
<body>
  <div class="form">
    <form >
      <p>Name:</p>
      <input type="text" placeholder="Please
      input your name">

      <p>Gender:</p>
      <input type="radio" value="gender">M
      <input type="radio" value="gender">F

      <p>How old are you?</p>
      <input type="radio" value="year">15-25
      <input type="radio" value="year">26-35
      <input type="radio" value="year">36-45
      <input type="radio" value="year">46-55
      <input type="radio" value="year">56-65
```

```
      <p> What is your favourite fruit?</p>
      <select id="fruit" name="fruit">
        <option value="apple">Apple</option>
        <option value="orange">Orange</option>
        <option value="lemon">Lemon</option>
        <option value="pineapple">Pineapple</
        option>
      </select>
    </form>
    <input type="submit" value="Submit">
  </div>
</body>
```

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。

7. CSS高階II

參考資料

有一些有用的網站供參考:

1. <https://zh-tw.learnlayout.com/position.html>
2. https://www.w3schools.com/css/css_positioning.asp
3. <https://stackoverflow.com/questions/15447889/display-html-form-values-in-same-page-after-submit-using-ajax>
4. https://www.w3schools.com/css/css_float.asp
5. https://www.w3schools.com/css/css_form.asp

All Rights Reserved. Reprinting will not be tolerated.
版權所有，翻印必究。